		Executive Order: A-020-0269
California Environmental Protection Agency	ISUZU MOTORS	New Passenger Cars, Light-Duty Trucks and
O Air Resources Board	LIMITED	Medium-Duty Vehicles
Car Air nesources board		Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO		FOR	MATION		· · · ·				
MOD YEA		TEST GROUP VEHICLE CLASS(ES)					S)		FUEL C	GORY	FUEL TYPE				
2015 FSZXD03.03FA MDV					MDV5	DV5 DEDICATED SINGLE FUEL VEHICLE				DIESEL					
	USEF	UL LIFE	(miles)		VEF	ICLE EMISS	ION C	ATE	ATEGORY INTERIM / INT					TE IN-USE STD	
EXH/ORVR EVAP					FTP			SF	SFTP FTP			SFTP			
120000 * LEV2 ULEV					2 ULEV			*		*			*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS									OBD STATUS					DISPLACEMENT (L)	
1 OC, SCRC, PTOX, HO2S, NOXS(2), PMS, DFI, EGR, EGRC, TC, CAC									FULL	*					
*	*							F	PARTIAL	AL	L MODELS		3.0		
*	*						PAF	RTIAL WITH FINES	*						
			E	APOF	ATIVE &	REFUELING	(EVA	P/OF		/ INF	ORMATION				
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO							GORY	r	EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES		
		*				*			*					*	
						EMISSION CI	REDIT		ORMATION						
ALLOWANCE FOR TEST GROUP								NMOG CREDIT FOR NON-PZEV ZERO- DOR				OR	OPTIONAL EXH. STD FOR WORK		
BAS	ELINE	PZEV	AT	PZEV	TZEV			EVAP			DOK		TRUCKS		
	*			*		*			N I			N N			
					NMOG	AND FLEET	AVE	RAG	E INFORMA	TION	I			~	
NMO	G RAF	CH4 R/	AF FTF	P NMO RAT	G/NMHC 10	HCHO/NM	HC R	ATIO NMOG+NOX FLEET STI PC+LDT (0-3750 LVW) (g/mi)			750 LVW)	LD	T (3	NOX FLEET STD 751 LVW-8500 + MDPV (g/mi)	
	*	*		*			*	-,	·	*				*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. California Environmental Protection Agency

## OB Air Resources Board

### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_ day of January 2015.

Annette Hebert, Chief
Emissions Compliance, Automotive Regulations and Science Division

**California Environmental Protection Agency** 

**ISUZU MOTORS** LIMITED **O** Air Resources Board

Executive Order: A-020-0269 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT
------------

## EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP FUEL TYPE

and the second se														
			NMHC (g/mi)			CO (g/mi)		Dx mi)	HCł (mg/			PM (g/mi)		
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CEF	RT	STD	
FTP@50K		*	*	*	*	*	*	*	*	*	*		*	
FTP@UL	DIES	EL-EPA	0.0042	0.167	0.18	7.3	0.26	0.4	8	21	0.0	01	0.06	
50°F @4K		*	*	*	*	*	*	* ·	*	*				
					-			NOx (g/mi)			CO (g/mi)			
				FUEL TYP	E	CE	RT	STD	CERT		STD			
HWFET @	50K			*			*	•	*					
HWFET @ UL			D	IESEL-E	PA		0.	01	0.8				and the second	
20°F @ 50K				*	-					*		1.1	*	

#### SETD EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

		SF	PEXHAL	JSIEN	ISSION	SIANDA	ARDS /	AND	CERTIFIC	ATIONL	EVELS				
		the start start of the	US06						SC03		COMPOSITE				
FUEL TYP		PE	NMHC+NOx (g/mi)		CO (g/mi)			NMHC+NOx (g/mi)		CO (g/mi)	NMHC+NO (g/mi)	x CO (g/mi)	PM (mg/mi		
@AK *		CERT	*	*				* .		*					
@4K *	STD	*		*				*	*						
		CERT	*		* *		*		*	*	*	*	*		
@ UL	*	STD	*		*	*			*	*	*	*	*		
	1	BIN				1111			1.460.2		*				
		WHOLE VE	HICLE EV	APORA	TIVE E	MISSION	STAN	DAR	DS AND C	ERTIFIC	ATION LEVE	LS			
				W	HOLE V	EHICLE	EVAPO	ORAT	IVE TEST	ING					
	ORATIVE	FUEL TYP	PE 3	3DHS (g/test) @ UL				2DH	IS (g/test)	@UL		RL (g/mi) @	UL		
			CERT		STD	FEL	CER	T	STD	FE	L CE	RT	STD		
* * *					*	*	*	k * *			*	* *			
(	DRVR / FUE	LONLY/C	ANISTER	BLEED	EVAPO	ORATIVE	EMIS	SION	STANDA	RDS ANI	O CERTIFICA	TION LEVI	ELS		
							FU	EL C	NLY EVA	P & CAN	ISTER BLEE	D			
	ORATIVE	ORVR (g	/gallon) @	on) @ UL FUEL				HS RIG TEST g/test) @ UL			RIG TEST st) @ UL				
		FUEL TYPE	CERT	STD	1		CEI	RT STD		CERT	STD	TD CERT			
		. · ·	+			+	4		*	+	*	+	*		

California Environmental Protection Agency	ISUZU MOTORS LIMITED	Executive Order: A-020-0269 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4
*: not applicable; #: pounds; UL: useful life; PC: pass LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 60 8500#ALVW; MDV: medium-duty vehicle; MDV4: MI	01-8500#GVWR,3751-5750	

duty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TVWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; AM: automated manual transmission; AMS: automated manual transmission; OT: other transmission

# 2015 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
ISUZU	NPR ECOMAX (WITH OR WITHOUT AIR ROOF FAIRING)	MDV5	3.0	A	*	1	P	*
ISUZU	STRIPPED CHASSIS FOR WALK IN VAN	MDV5	3.0	A	*	1	₽	*