California Environmental Protection Agency

VOLKSWAGEN GROUP OF AMERICA, INC.

EXECUTIVE ORDER A-413-0031-2

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED:

The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

				TEST	GROUP IN	FORMATI	ION					
MODE			LE CLASS(ES)	LASS(ES) · FUEL CATEGORY				FUEL TYPE				
2015 FVGAV02.0VAL		AL	PC		DEDICATED SINGLE FUEL VEHICLE			L DIESEL				
- 4- > >	USEF	JL LIFE	(miles)	VEHICLE	EMISSION	SSION CATEGORY			INTERIM / INTERMEDIATE IN-USE STU			
EXH/ORVR			EVAP	FTP	-	SFTP			FTP	SFTP		
150,000		*	LEV3 ULEV12	5 L	LEV3 COMPOSITE				NMOG+NOx			
SPECI	AL FEATUR	ES & E	XHAUST EMISSION	CONTROL SYSTEMS		0	BD STATUS		ENGI	E DISPLACEMENT (L)		
1 OC, DPF+SCRC, SCRC, WR-HO2S, NOXS, E CAC, DFI			KS, EGR, EGRC, TC,	FUL	FULL				2.0			
*				-	PARTIAL		ALL MODELS					
•	* *				PARTIAL WITH + FINES +							
			E	VAPORATIVE & REFUE	LING (EVA	P/ORVR)	FAMILY INFORM	MATION				
EVAP / ORVR FAMILY EVAPO					RATIVE ST	D CATEG	ORY	E	EVAP EMISSION STD VEHICLE CLASS			
*					*							
*					· •				•			
*					•				•			
				EMISSIC	ON CREDIT	INFORM	ATION	· · · · · · · ·		a		
		ALL	OWANCE FOR TEST				CREDIT FOR			OPTIONAL EXH. STD FOR		
BASELINE PZEV			AT PZEV TZEV			NON-PZEV ZERO-EVAP		NMOG CREDIT FOR DOR		WORK TRUCKS		
			* *			N		N		N		
				NMOG AND F	LEET AVE	RAGE INF	ORMATION					
NMOG	RAF CH4	RAF	FTP NMOG/NMHC RATIO	HCHO/NMHC RATIO	STD	NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g			/mi) NMOG+NOX FLEET STD LD 8500 GVWR) + MDPV			
+	*		*	*			0.100			0.119		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG or NMOG+NOx, as applicable, Fleet Average" (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles,

California Environmental Protection Agency

VOLKSWAGEN GROUP OF AMERICA, INC.

EXECUTIVE ORDER A-413-0031-2

OB Air Resources Board

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a mawnufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during model-years (MY) 2012 through 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-413-0031-1 dated July 29, 2014.

Executed at El Monte, California on this 10 day of November 2014.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division **California Environmental Protection Agency**

OB Air Resources Board

VOLKSWAGEN GROUP OF AMERICA, INC.

EXECUTIVE ORDER A-413-0031-2

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

(For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50 °F, 20 °F)

 CH4=methane; NMOG=non-CH4 organic gas; HC=hydrocarbon; NMHC=non-CH4 HC; CO=carbon monoxide; NOx=oxides of nitrogen;

 HCH0=formaldehyde; PM=particulate matter; RAF=reactivity adjustment factor; 2DHS/3DHS [g HC/test]=2/3 days diurnal+hot-soak; RL [g

 HC/mi]=running loss; ORVR [g HC/gellon dispensed]=on-board refueling vapor recovery; g=gram; mg=milligram; ml=mile; K=1000 miles; F=degrees

 Fahrenheit; FTP=federal test procedure; SFTP=supplemental FTP

 NMOG+NOx (g/mi)
 CO (g/mi)

 HCH0 (mg/mi)
 PM (g/mi)

 HWY NMOG+NOx (g/mi)
 HWY NMOG+NOx (g/mi)

FUEL TYPE NMOG+NOx (g/mi) HWY NMOG+NOx (g/mi) CERT STD CERT STD CERT STD CERT STD CERT STD * * * * * * * FTP @ 50K * * * * * 0.051 0.125 2.1 0.004 0.01 0.017 FTP @ UL DIESEL 0.1 4 0.125 * 20°F @ 50K * ÷ * ÷ * * * * * * * * 4 * * * 50°F @ 4K SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS **US06** COMPOSITE SC03 NMOG+NOx NMOG+NOx CO (g/mi) NMOG+NOx (g/mi) CO (g/mi) PM (mg/mi) CO (g/mi) FUEL TYPE (g/mi) (g/mi) CERT STD CERT STD CERT STD CERT STD CERT STD CERT STD BIN CERT STD @UL DIESEL 0.034 0.140 0.120 0.1 4.2 WHOLE VEHICLE EVAPORATIVE/ORVR EMISSION STANDARDS AND CERTIFICATION LEVELS WHOLE VEHICLE EVAPORATIVE TESTING **ON-BOARD REFUELING RUNNING LOSS** EVAPORATIVE VAPOR RECOVERY 3-DAYS DIURNAL + HOT 2-DAYS DIURNAL + HOT (g/mi) @ UL FAMILY FUEL TYPE (g/gallon) @ UL SOAK (g/test) @ UL SOAK (g/test) @ UL CERT FEL CERT STD FEL CERT STD CERT STD STD FUEL ONLY & CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS FUEL ONLY EVAPORATIVE TESTING CANISTER BLEED (g/test) EVAPORATIVE 3-DAYS DIURNAL + HOT SOAK 2-DAYS DIURNAL + HOT SOAK FUEL TYPE FAMILY (g/test) @ UL (g/test) @ UL CERT STD CERT STD STD CERT * =not applicable; #=pounds; UL=useful life; PC=passenger car; LDT=light-duty truck; LDT1=LDT_6000#GVWR,0-3750#LVW; LDT2=LDT_6000#GVWR,3751-* =not applicable; #=pounds; UL=useful life; PC=passenger car; LDT=light-duty truck; LDT1=LDT_6000#GVWR,0-3750#LVW; LDT2=LDT_6000#GVWR,3751-5750#LVW; LDT3=LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4=LDT 6001-8500#GVWR,5751-8500#ALVW; MDV=medium-duty vehicle; MDV4=MDV 8501-10000#GVWR; MDV5=MDV 10001-14000#GVWR; MDPV=medium-duty passenger vehicle; ECS=emission control system; CERT=certification; STD=standard; FEL=family emission limit; GVWR=gross vehicle weight rating; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; ZEV=zero-emission vehicle; PZEV=partial ZEV; AT PZEV=advanced technology PZEV; TZEV=transitional ZEV; TWC/OC=3-way/oxidizing catalyst; ADSTWC=adsorbing TWC; HAC=HC adsorbing catalyst; WU=warm-up catalyst; NAC=NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3=selective catalytic reduction-urea/ammonia; NH3OC=ammonia oxidation catalyst; CTOX/PTOX= continuos/periodic trap oxidizer; DPF=diesel particulate filter (active); GPF=PM filter for spark-ignited engine; HO2S/O2S=heated/oxygen sensor; WR-HO2S or AFS=wide range/linear/heated ris fuel ratio sensor: NOXS=NOY sensor: PMS=PM sensor RDOS=reductant quality sensor: NH3S=ammonia sensor: EGR=exhaust gas recirculation: air-fuel ratio sensor; NOXS=NOx sensor; PMS=PM sensor; RDQS=reductant quality sensor; NH3S=ammonia sensor; EGR=exhaust gas recirculation; EGRC=EGR cooler; AIR/AIRE=secondary air injection (belt driven)/(electric driven); PAIR=pulsed AIR; SFI/MFI=sequential/multiport fuel injection; DFI/IFI=direct/indirect fuel injection; TC/SC= turbo/super charger; CAC=charge air cooler; F/P/\$=full/partial/partial with fines on-board diagnostic; DOR=direct ozone reducing; HCT=hydrocarbon trap; BCAN=bleed carbon canister; prefix 2=parallel; (2) suffix=series; CNG/LNG=compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85="85%" ethanol ("15%"gasoline) fuel; E10="10%" ethanol ("90%"gasoline) fuel; A=automatic transmission; M=manual transmission; SA=semi-automatic transmission; L=lock-up automatic transmission; CV=continuously variable transmission; AM=automated manual transmission; OT=other transmission 2015 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
AUDI	A3	PC	2.0	A6	*	1	Partial	*
VOLKSWAGEN	PASSAT	PC	2.0	A6, M6	*	1	Partial	*
VOLKSWAGEN	BEETLE	PC	2.0	A6, M6	*	1	Partial	*
VOLKSWAGEN	BEETLE CONVERTIBLE	PC	2.0	A6, M6	*	1	Partial	*
VOLKSWAGEN	JETTA	PC	2.0	A6, M6	*	1	Partial	*
VOLKSWAGEN	GOLF	PC	2.0	A6, M6	*	1	Partial	

California Environmental Protection Agency		EXECUTIVE ORDER A-413-0031-2			
OB Air Resources Board	VOLKSWAGEN GROUP OF AMERICA, INC.	New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4			
and the second					

VOLKSWAGEN	GOLF SPORTWAGEN	PC	2.0	A6, M6	 1	"Partei	Partie .	ł

. .