California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0393

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		-		TEST GROU	IP INFOR	RMATION	10.				
MODEL	TE TE	ST GROUP	VEH	HICLE CLASS(ES))	FUEL CATEGORY			FUEL TYPE		
2016	2016 GBMXJ03.0N55			LDT2, PC			SINGLE FUEL	GASOLINE			
l	USEFUL I	IFE (miles	s) \ \	EHICLE EMISSIO	N CATE	GORY	INTERIM / INT	ERMEDIA	TE IN-USE STD		
EXH	/ORVR	EV	AP	FTP	SF	TP	FTP		SFTP		
150000 150000		CEF	ULEV OPTION RTIFYING TO LEV3 ULEV NMOG+NOX	FYING TO LEV 2 S 3 ULEV STANDA		- ·		*			
SPEC	CIAL FEA		EXHAUST EMIS	SION CONTROL		OBD ST	TATUS	ENGINE	DISPLACEMENT (L)		
1	TWO	, WR-HO	2S, HO2S, DF	, TC, CAC		FULL	ALL MODELS	ALL MODELS			
*	*					PARTIAL *		3.0			
*			*		PAI	RTIAL WITH	*				
			EVAPORATIVE	& REFUELING	EVAP/OF	RVR) FAMILY	INFORMATION				
EVA	P / ORVR	FAMILY	EVAPORAT	TIVE STD CATEGO	ORY	RY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
G	BMXR013	0N54		LEV 2		PC			HCT		
				EMISSION CRE	EDIT INF	ORMATION					
			FOR TEST GR			NMOG CREDIT FOR NMOG CRI			OPTIONAL EXHI		
BASE	LINE PZE	EV	AT PZEV	TZEV		EVAP			TRUCKS		
* * *						N	N		N		
			NW	OG AND FLEET	AVERAG	E INFORMAT	ION				
NMOG	NMOG RAF CH4 RAF FTP NMOG/NMHC RATIO HCHO/NMH				C RATIO	RATIO NMOG+NOX FL PC+LDT (0-375 (g/mi)		(0-3750 LVW) LDT (3751 LVW			
*		*	1.04	*		(0.093	0.110			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0393

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

_ day of March 2015.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0393

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.032	0.125	0.3	2.1	*	*		11	*	0.01
50°F @4K	*	*	*	*	*	*	*	*	*	1	7.5 %

	FUEL TYPE	NMOG+N	NOx (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*			
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.007	0.125			
20°F @ 50K	GASOLINE-COLD CO HIGH OCTANE			1.1	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

4.76-				US06		SCO	3	COM	POSITE	
2.44E	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
	GASOLINE	CERT	0.06	2.0		0.06	0.7	TEAL ACT		
@ 4K	- TIER 2 UNLEADED	STD	0.14	8.0		0.20	2.7		7	
		CERT	*	*	*	. *	. *	*	*	*
@ UL	*	STD	*	*	*	*	*	*	*	*
		BIN	/		7	1.11		*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	EVA DODA TIVE			WHOLE	RL (g/mi) @ UL					
	EVAPORATIVE FAMILY	FUEL TYPE	3DHS (g/test) @ UL					2DHS (g/test) @ UL		
			CERT	STD	FEL	CERT	STD	FEL	CERT	STD
	GBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.31	0.50	*	*	0.65	*	0.01	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
GBMXR0130N54	GASOLINE - TIER 2 UNLEADED		0.20	*	*	*	*	*	*	*		

BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0393

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3QC; ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS; PM sensor; RDQS; reductant quality sensor; NH3S; ammonia sensor; EGR; exhaust gas recirculation, EGRC; EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel, (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

	2016 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE					
BMW	3351 XDRIVE GRAN TURISMO	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	435I CONVERTIBLE	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	435I COUPE	PC	3.0	M6,SA8	FBMXR0130N54	1	F	*					
BMW	435I GRAN COUPE	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	4351 XDRIVE CONVERTIBLE	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	4351 XDRIVE COUPE	PC	3.0	M6,SA8	FBMXR0130N54	1	F	*					
BMW	4351 XDRIVÉ GRAN COUPE	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	M235I	PC	3.0	M6, SA8	FBMXR0130N54	1	F	*					
BMW	M235I CONVERTIBLE	PC	3.0	M6,SA8	FBMXR0130N54	1	F	*					
BMW	M235I XDRIVE	PC	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	X3 XDRIVE351	LDT2	3.0	SA8	FBMXR0130N54	1	F	*					
BMW	X4 XDRIVE35I	LDT2	3.0	SA8	FBMXR0130N54	1	F	*					