California Environmental Protection Agency

OB Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						٦	TEST GRO	UP II	NFOR	RMATION					
MODE		TEST G	ROUP		VEHICLE CLASS(ES)					FUEL CATEGORY			FUEL TYPE		
201	6 0	BMXV04	4.4N63				PC	-	DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
	USEFI	JL LIFE	(miles)		V	/EHIC	LE EMISS	ION (CATE	GORY	IN	ITERIM / INT	ERME	DIAT	E IN-USE STD
EXI	H/ORVI	२	EVAP			FT	Р		S	FTP		FTP			SFTP
1:	20000		15000	0	I	LEV2	ULEV	1		2 SFTP NDARD		*			*
SPE	ECIAL	FEATUR		(HAUS STEMS		SION	CONTRO	L		OBD S	TAT	US	ENG	SINE	DISPLACEMENT (L)
1	211	WC, 2W	R-HO2S,	2HO2	S, DF	I, 21	C, 2CAC			FULL		*			
*				· *						PARTIAL	AL	L MODELS			4.4
*	*								PA	RTIAL WITH FINES		*			
			E	VAPOF	RATIVE	E & RE	FUELING	(EV/	AP/O	RVR) FAMIL	/ INF	ORMATION			
EVA	AP / OF	VR FA	MILY	EVA	PORAT	IVE S	TD CATE	GOR	EVAP EMISSION STD SPECIAL FEATUR VEHICLE CLASS SPECIAL FEATUR			_ FEATURES			
	GBMXR	0130N5	4			LEV	2	PC HCT			нст				
	GBMXR	0170N6	3			LEV	2		PC *					*	
						EM	ISSION CI	REDI	T INF	ORMATION					
BAS	ELINE		VANCE F	OR TE		OUP	TZEV		NMOG CREDITFOR NMOG CREDITFOR STD			OPTIONAL EXH. STD FOR WORK TRUCKS			
	* * * *							N		h	1		N		
			1		NM	IOG A	ND FLEET		RAC	SE INFORMA	TION	1			
NMOC	MOG RAF CH4 RAF FTP NMOG/NMHC HCH			NMOO			O PC+LDT	NMOG+NOX [·] FLEET STD PC+LDT (0-3750 LVW) (g/mi)		LD	NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)				
,	*	*		1.	04			*			0.0	93			0.110

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

		Executive Order: A-008-0391-1
California Environmental Protection Agency	BAYERISCHE	New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	MOTOREN WERKE AG	Medium-Duty Vehicles
Sa Air nesources board		Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby supersedes Executive Order A-008-0391 dated March 3, 2015.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of August 2015.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division California Environmental Protection Agency

OB Air Resources Board

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

A CARDON CONTRACTOR											
			OG mi)	CO (g/mi)		NOx (g/mi)		HCI (mg/			PM /mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.014	0.040	0.6	1.7	0.02	0.05	*	8	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.016	0.055	0.7	2.1	0.02	0.07	*	11	0.00	0.01
50°F @4K	GASOLINE - TIER 2 UNLEADED	0.012	0.080	0.6	1.7	0.02	0.05	*	16		
				-			NOx (g/	mi)		CO (g/mi	i)
			FUEL TYP	'E		CE	STD	CERT		STD	
HWFET @ 50K		GASOLINE	- TIER	2 UNLEAD	ED	0.	01	0.07			
HWFET @ UL		GASOLINE	- TIER	2 UNLEAD	ED	0.	01	0.09			
20°F @	50K G.	ASOLINE-0	COLD CO	HIGH OCT.	ANE				0.8	3	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

					SC03	3	COMPOSITE			
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	MPOSITE CO (g/mi) * *	PM (mg/mi)
	GASOLINE	CERT	0.07	0.5		0.03	0.7			
@ 4K	- TIER 2 UNLEADED	STD	0.14	8.0		0.20	2.7			
		CERT	*	*	*	*	*	*	*	*.
@ UL	*	STD	*	*	*	*	*	*	*	*
		BIN						*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) (@ UL	2DI	HS (g/test) @	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
GBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.31	0.50	*	0.33	0.65	*	0.01	0.05
GBMXR0170N63	GASOLINE - TIER 2 UNLEADED	0.43	0.50	*	0.43	0.65	*	0.03	0.05

California Envi Om Air R					BAYERISCHE MOTOREN WERKE AG BAYERISCHE MOTOREN WERKE AG BAYERISCHE Medium-Duty Ver Page 4					Frucks and
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION										
								TER BLEE		
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	ĝ UL	FUEL TYPE	1	IG TEST) @ UL			RIG TEST BLEED CANISTE est) @ UL TEST (g/test) @ 4	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD
GBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.00	0.20	*	*	*	*	*	*	*
GBMXR0170N63	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*
*: not applicable; # LDT<6000#GVWF 8500#ALVW; MDV duty passenger ve emission limit; GV ULEV: ultra LEV; S TZEV: transitional catalyst; NAC: NO NH3OC: ammonia filter for spark-ignit NOXS: NOx senso EGRC: EGR coole fuel injection; DFI// fines on-board diag suffix: series; CNG E10: "10%" ethanc continuously varial automated manua	2,3751-5750#L /: medium-duty hicle; HDV: he WR: gross veh SULEV: super ZEV; TWC/OC x adsorption cata ted engine; HC or; PMS: PM se er; AIR/AIRE: s IFI: direct/indire gnostic; DOR: S/LNG: compre- ol ("90%"gasoli ble transmissic	VW; LD y vehicle avy-duty nicle weig ULEV; Z C: 3-way/ atalyst; CT 02S/02S ensor; RI econdar ect fuel in direct oz essed/liqu ine) fuel; on; SCV:	T3: LDT ; MDV4: vehicle; pht rating EV: zerc /oxidizing CR-U of OX/PTO : heated DQS: rec y air inje njection; one redu uefied na A: autor selectat	6001-8500#GVM MDV 8501-1000 ECS: emission of catalyst; ADSTV r SCRC/SCR-N of X: continuous/pe /oxygen sensor; V ductant quality se ction (belt driven TC/SC: turbo/su ucing; HCT: hydro atural gas; LPG: I natic (with lockup ole continuously v	VR,3751-57 0#GVWR; I control syst ahicle weigh e; PZEV: pa WC: adsorb or SCRC-NI riodic trap of WR-HO2S ensor; NH3S)/(electric d per charger ocarbon tra iquefied per o); M: manu variable tran	50#ALVW; MDV5: MD' em; CERT: ht; ALVW: a artial ZEV; <i>i</i> ring TWC; F H3: selectiv oxidizer; DF or AFS: wid S: ammonia riven); PAIF c; CAC: cha p; BCAN: b troleum gas ual transmis	LDT4: LD V 10001-14 certificatio adjusted LV AT PZEV: a HAC: HC av ve catalytic PF: diesel p de range/lin a sensor; E R: pulsed A urge air coo bleed carbo s; E85: "85 ssion; SA: s	F 6001-850 4000#GVW n; STD: sta W; LEV: lo advanced te dsorbing ca reduction-u articulate fi ear/heated GR: exhaus IR; SFI/MF ler; F/P/\$: f n canister; %" ethanol semi-autom	0#GVWR,5 R; MDPV: r indard; FEL w emission echnology F italyst; WU: urea/ammor lter (active) air-fuel rati st gas recirc l: sequentia full/partial/p prefix 2: pa ("15%"gaso atic transm	751- medium- .: family vehicle; PZEV; warm-up nia; ; GPF: PM to sensor; culation; al/multiport artial with trallel; (2) bline) fuel; ission; CV:

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
			(L)				P	*
BMW	5501	PC	4.4	SA8	GBMXR0130N54	1	P	
BMW	5501 XDRIVE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	550I XDRIVE GRAN TURISMO	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	6501 CONVERTIBLE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	650I COUPE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	6501 GRAN COUPE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	6501 XDRIVE CONVERTIBLE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	650I XDRIVE COUPE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	650I XDRIVE GRAN COUPE	PC	4.4	SA8	GBMXR0130N54	1	P	*
BMW	7501	PC	4.4	SA8	GBMXR0170N63	1	P	*
BMW	7501 XDRIVE	PC	4.4	SA8	GBMXR0170N63	1	P	*
BMW	750I XDRIVE (SWB)	PC	4.4	SA8	GBMXR0170N63	1	P	*
BMW	ALPINA B6 GRAN COUPE XDRIVE	PC	4.4	SA8	GBMXR0130N54	1	P	*