# California Environmental Protection Agency Air Resources Board

DAIMLER AG

Executive Order: A-003-0553

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP I	NFO	RMATION							
	MODEL TEST GROUP				VEHICLE CLASS(ES)					FUEL CATEGORY				FUEL TYPE			
2016 GMBXT04.0U2A					LDT4					DEDICATED SINGLE FUEL VEHICLE				GASOLINE			
	JL LIFE		VEHICLE EMISSION CA				CAT	EGORY INTERIM / INT			TE	ERMEDIATE IN-USE STD					
EXH/ORVR EVAP					FTP				S	FTP		FTP			SFTP		
150000 150000					LE	V3 U	3 ULEV125 LEV			EV 3 COMPOSITE		*		NMOG+NOX			
SPECIAL FEATURES & EXHAUST EMISSION CONTR								L		OBD S	BD STATUS			ENGINE DISPLACEMENT			
1	1 DFI, 2TC, 2CAC, 2WR-HO2S, 2HO2S, 2TWC(2)									FULL		*	1				
*	*									PARTIAL	P	LL MODELS			4.0		
*		-		*					PA	RTIAL WITH		*					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION																
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO								Y	EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES			
GMBXR0170LNF					LEV 2					LDT4				*			
	EMISSION CREDIT INFORMATION																
		ALLOW	ANCE F	OR TE	ST GR	OUP				OG CREDIT FO			RE		OPTIONAL EXH. STD FOR WORK		
BAS	ELINE	PZEV	ΑT	PZEV	/ TZEV			14	NON-PZEV ZERO-E		VAP		Oi		TRUCKS		
* *						*			N			N			N		
	NMOG AND FLEET AVERAGE INFORMATION																
NIMOG BAETCHA BAET			P NMO RA	G/NMHC FIO HCHO/NMHC			IHC I	RATI	O PC+LDT	NMOG+NOX F PC+LDT (0-3 (g/m		3750 LVW) L		OG+NOX FLEET STD DT (3751 LVW-8500 /WR) + MDPV (g/mi)			
* * 1				1.	10	0 0.01			0.093			093	0.110				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

#### California Environmental Protection Agency

### **⊘** Air Resources Board

DAIMLER AG

Executive Order: A-003-0553

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_\_ day of November 2015.

\_\_\_ day of November 2010.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FUEL TYPE CERT

0.06

E10-EPA

GMBXR0170LNF

STD

0.20

DAIMLER AG

Executive Order: A-003-0553

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 3 of 4

## **ATTACHMENT**

	EXH	AUS	TANE	EVA	PORAT	TIVE	EMIS	SIONS	STAN	DARD	SAND	CERT	FIC	ATION	LEVELS	3	
		EXH	AUST	EMISS	ION STA	NDA	RDS AN	ID CERT	TIFICA	TION L	EVELS	(FTP, HW	FET,	50°F, 20	°F)		
		FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
, at 3 24	1.41			NMOG+NOx (g/mi)			CO (g/mi)			N( (g/i	HCH(mg/m				M (mi)		
Y Ju				CERT	STI	D	CERT	STE	) (	CERT	STD	CER	Т	STD	CERT	STD	
FTP@50	P@50K *			*	*		*	*		*	*	*		* *		*	
FTP@U	1 1	SOLIN EV3 E		0.092	0.1	25	0.4	2.1		*	*	1.0		4	*	0.01	
50°F @4	K	*		*	*		*	*		*	*	*		*			
					EUEL :	TVDI	=			NN	IOG+N	Ox (g/mi)		CO (g/mi)			
				FUEL TYPE						CEI	RT	STD	TD CE		CERT :		
HWFE1	@ 501	<			*					*		*					
HWFET@UL GASOLINE-1					LEV:	V3 E10			0.046		0.125						
20°F (	@ 50K		GA:	SOLINE	-COLD (	СО Н	IGH OC	TANE					14 \$12 !	2.4		12.5	
				FTP E	XHAUST	EMI	SSION	STANDA	ARDS	AND CE	RTIFIC	ATION LI	EVEL	S			
						U	US06			SC03					COMPOSITE		
	FUEL.				NMOG+NOx (g/mi)		CO PM (g/mi) (mg/					CO (g/mi)	NMOG+NO (g/mi)		CO (g/mi)	PM (mg/mi)	
0.414		*		CERT *			*			*		*			1 1 A 1 F		
@ 4K	,		STD		*		*			*		*					
			CER	<b>*</b>			*	*		*		*		0.081	0.50	*	
@ UL		LEV3 E10 SI		LEV3 E10			*		*			*		*	0.110		4.2
				15.			2		11.				0.110				
		WH	IOLE \	EHICL	E EVAPO							ERTIFIC	ATIO	N LEVEL	.S		
EVAPO	ORATI\	/E _			0011			HICLE	EVAP					RI	_ (g/mi) @	Q UL	
FAMILY		Y FUEL I		CERT S		/test) @ UL			2DHS (g/test)								
						STD		FEL	CEF			FEL		CER		STD	
	0170L		E10-I		0.52		. 90	*	*	21211	1.15	*		0.0		0.05	
C	RVR /	FUEL (	ONLY	CANIS	FER BL	EED	EVAPO	KATIVE				RDS AND				ELS	
EVAPORATIVE ORVR (g/gallon) @ UL FAMILY						L	Ellei	TYPE	3D	UEL ONLY EVAR DHS RIG TEST g/test) @ UL		2DHS	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		

CERT

STD

CERT

STD

CERT

STD

California Environmental Protection Agency

**⊘** Air Resources Board

DAIMLER AG

Executive Order: A-003-0553

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV; selectable continuously variable transmission; AM; automated manual transmission; AMS; automated manual-selectable transmission; OT: other transmission

#### 2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MERCEDES BENZ	G 550	LDT4	4.0	A7	GMBXR0170LNF	1	P	*