California Environmental Protection Agency		Executive Order: A-003-0532-1 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	DAIMLER AG	Medium-Duty Vehicles
		Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP I	NFO	RMATION		· · · · · · · · · · · · · · · · · · ·				
MODEL YEAR	-	TEST G	ROUP	JP VEHICLE CLASS(E						FUEL C	ATE	GORY	FUEL TYPE			
2016		GMBXJ03	3.5U2A		LDI	53, PC	PC FLEX-FUEL VEHICLE (FFV)			85% ETHANOL, GASOLINE						
U	(miles)		/EHIC	LE EMISS	E EMISSION CATEGORY INTERIM / IN					TERMEDIATE IN-USE STD						
EXH/	ORV	R	EVAP			FT	P		S	FTP		FTP	SFTP			
120	0000		15000	0	I	LEV2	ULEV]	LEV 2 SFTP STANDARD			*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								L		OBD S	ТАТ	US	ENG	GINE	DISPLACEMENT (L)	
1		DFI, 2	2WR-HO2	S, 2H	02S,	FFS,	2TWC			FULL		*				
*				*						PARTIAL	so	ME MODELS	3.5			
*	*								PA	RTIAL WITH	I SOME MODELS II					
			E	VAPOF	RATIVE	E & R	EFUELING	(EV/	AP/C	RVR) FAMIL	/ INI	ORMATION				
EVAP	P / OF		/ILY	EVAR	PORAT	IVE S	STD CATE	D CATEGORY EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES				
GM	1BXR	0170LN	F			LEV	7 2	2 LDT3					*			
GM	/BXR	0160LN	F			LEV	7 2	2 PC					*			
						EN	ISSION CI	REDI	T IN	FORMATION						
		ALLOW	ANCE F	OR TE	ST GR	OUP								FOR	OPTIONAL EXH. STD FOR WORK	
BASEI	LINE	PZEV	A	T PZEV	,		TZEV		UN-F	PZEV ZERO-E	VAF		DR		TRUCKS	
	*			*			*	* N			1	N N				
					NM	IOG A	ND FLEET	AVE	ERA	GE INFORMA	TIO	N				
NMOG F	MOG RAF CH4 RAF FTP NMOG/NMHC RATIO (GASOLINE)			HCHO/NMHC RATIO (GASOLINE)			O NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)			NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)						
*		*		1.	04		0.	018			0.0	93			0.110	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency	DAIMLER AG	Executive Order: A-003-0532-1 New Passenger Cars, Light-Duty Trucks and
Air Resources Board	DAIMLERAG	Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The GLE 350 4MATIC vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have three deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$25 per vehicle for the third deficiency for vehicles in the listed test group that are produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2016 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

This Executive Order hereby supersedes Executive Order A-003-0532 dated April 10, 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this <u>Mu</u> day of July 2015.

Ánnette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

FUEL TYPE

CERT

STD

BIN

FUEL TYPE

E10-EPA

E10-EPA

@ UL

EVAPORATIVE

FAMILY

GMBXR0160LNF

GMBXR0170LNF

*

*

CERT

0.31

0.52

*

*

3DHS (g/test) @ UL

STD

0.50

0.90

Om Air Resources Board

DAIMLER AG

Executive Order: A-003-0532-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

*

*

STD

0.05

0.05

*

*

RL (g/mi) @ UL

*

*

CERT

0.00

0.01

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

				NMOG CO (g/mi) (g/mi)				Ox /mi)		HCH (mg/		PM (g/mi)			
				CERT	STD	CERT	STD	CERT	STD	CER	RT	STD	CERT	STD	
E85-EPA (GASOLINE - TIER 2 UNLEADED)		E - (0.018 0.017)	0.040 (0.075)	0.6 (0.5)	1.7 (1.7)	0.02 (0.02) 0.05 0 (0.05) (0)			8 (8)	* (*)	* (*)			
FTP@UL	@UL (GASOLINE - TIER 2 UNLEADED)		E - (0.026 0.025)	0.055	1.0 (1.0)	2.1 (2.1)	0.04 (0.04)	0.07 (0.07) (0)		>	11 (11)	* (*)	0.01 (0.01)	
50°F @4	ĸ	*		*	*	*	*	*	*	*		*	$\mathcal{A}_{\mathrm{W}_{1}}(z) = z$		
			FUEL TYPE				NOx (g/mi)			C		CO (g/mi)			
			FOELTIFE					CERT		STD CEF			STD		
HWFET	@ 50K		(GA	SOLINE	E85-EPA - TIER 2		ED)	0. (0.		0.07				ي. و د الاستق	
HWFET	@ UL		(GA	SOLINE	E85-EPA - TIER 2		ED)		0.03 0.09 (0.04) (0.09				R 2		
20°F @	9 50K		(GAS	E70-EPA SOLINE-COLD CO HIGH OCTANE)								3.0 (1.0)	10.0 (10.0)		
			S	TP EXH	AUST EM	ISSION S	TANDARD	S AND CI	ERTIFIC	ATION L	EVE	S			
er tid			L	JS06			3	CC		POSITE					
	FUEL T	YPE		NMHC (g/	+NOx mi)	CO (g/mi)	PM (mg/mi)	NMHC (g/i		CO (g/mi)	1	HC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
(GASOL	INE	CERT	0.	04	2.4		0.	02	0.6	1				
6	- TIE UNLEA		STD	0.	14	8.0	12 M. 14 - 17	0.	20	2.7					

*

*

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS
WHOLE VEHICLE EVAPORATIVE TESTING

CERT

*

*

FEL

*

*

*

*

2DHS (g/test) @ UL

STD

0.65

1.15

*

*

FEL

*

*

California Envi				DAIML	N	Executive Order: A-003-0532-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4					
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS											
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	D UL	FUEL TYPE	3DHS R	ONLY EVA IG TEST) @ UL	2DHS R	TER BLEE IG TEST) @ UL	BLEED C	ANISTER est) @ 4K	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
GMBXR0160LNF	E10-EPA	0.03	0.20	*	*	*	*	*	*	*	
GMBXR0170LNF	E10-EPA	0.06	0.20	*	*	*	*	*	*	*	
*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751- 8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: medium- duty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark- ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; CV: selectable continuously variable transmi											

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	MODEL VEH CLASS ENGINE (L) TRANS TYPE EVAPORATIVE E		EXH ECS	OBD	PZEV TYPE		
MERCEDES-BENZ	E 350	PC	3.5	A7	GMBXR0160LNF	1	P	*
MERCEDES-BENZ	E 350 4MATIC	PC	3.5	A7	GMBXR0160LNF	1	P	*
MERCEDES-BENZ	GLE 350 4MATIC	LDT3	3.5	A7	GMBXR0170LNF	1	\$	*