		Executive Order: A-003-0550
California Environmental Protection Agency		New Passenger Cars, Light-Duty Trucks and
Bair Resources Board	DAIMLER AG	Medium-Duty Vehicles
Om Air Resources Doard		Page 1 of 4
	1	

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION															
MODEL YEAR	TES	ST GR	OUP	VEHICLE CLASS(ES)					FUEL CATEGORY			FUEL TYPE			
2016	GMB	XJ02.	0U2A		LD	T2, PC		FLEX-FUEL VEHICLE (FFV)			85% ETHANOL, GASOLINE				
USEFUL LIFE (miles) VEHICLE EMISSION								CATEGORY INTERIM / INTERMEDIATI				E IN-USE STD			
EXH/O	RVR EVAP FTP							SFTP FTP			FTP			SFTP	
1500	000	:	150000		LEV3	ULEV70	LEV	3 0	3 COMPOSITE NMOG+NOX			K NMOG+NOX			
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS									OBD S	STATUS		ENGINE DISPLACEM			
1	DFI,	TC, C	AC, WR	-HO2S,	HO2S,	FFS, TWC			FULL	*					
*	* *								PARTIAL ALL MODELS			11	2.0		
*	* *								RTIAL WITH FINES		*				
			EV	APORA	IVE & R	EFUELING	(EV	AP/OI	RVR) FAMILI	/ INF	ORMATION	l			
EVAP	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO							Y EVAP EMISSION STD VEHICLE CLASS SPECIA			ECIAI	- FEATURES			
GMI	BXR011	OLNF			LE	V 2			PC *			*			
					EI	MISSION CI	REDI	T INF	ORMATION		1900 1000				
	ALI	LOWA	NCE FO	R TEST	GROUP			NMOG CREDIT FOR I NMOG CREDIT FOR				OPTIONAL EXH. STD FOR WORK			
BASEL	BASELINE PZEV AT PZEV					TZEV			ZEV ZERO-E	VAP DO		OR		TRUCKS	
	* * *							N			N N				
	NMOG AND FLEET AVERAGE INFORMATION														
NMOG R	OG PAELCHA PAEL					MHC RATIO SOLINE)		O NMOG+NOX FLEET STU PC+LDT (0-3750 LVW) (g/mi)		750 LVW)	NMOG+NOX FLEET S LDT (3751 LVW-850 GVWR) + MDPV (g/n		751 LVW-8500		
*		*		1.10 0.01					0.093 0.1			0.110			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. California Environmental Protection Agency

O Air Resources Board

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ______ day of September 2015.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

OB Air Resources Board

DAIMLER AG

Executive Order: A-003-0550 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

	sie :		· -															
					lOG+N (g/mi)		(CO g/mi)			NOx g/mi)		HCHO (mg/mi)			PM (g/mi)		
			Γ	CER	т	STD	CERT	ST	D	CERT	STD	CER	т	STD	CERT	STD		
FTP@5	ok	*		*		*	*	*		*	*	*		*	*	*		
FTP@l	P@UL (GASOLINE- LEV3 E10)		NE-	0.053		.070	0.68 (0.51			* (*)	* (*)	0.4		4 (4)	* (*)	0.01 (0.01)		
50°F @	4K E	35-EP	A	0.08	7 0	.250	0.9	1.	7	*	*	1.3	3 16		Starradury.			
						-			N	NMOG+NOx		x (g/mi)		CO (g/mi)				
F					FUI	JEL TYPE			CI	CERT		STD		г	STD			
HWFE	T @ 50K					*					*		*					
HWFE	T @ UL			(GA		85-EPA NE-LEV	3 E10)				0339 0424)		0.070 (0.070)					
20°F	20°F@50K E70-EPA (GASOLINE-COLD CO HIGH OCTA)													2.37 (1.60)		10.0 (10.0)		
			5	SFTPE	EXHAL			STAND	ARDS	ANDC		ATION LI	EVEL					
							JS06		SC03					MPOSIT				
	FUEL 1	YPE	'PE N		NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/mi)			G+NOx /mi)	CO (g/mi)	CO NM (g/mi)		CO (g/m			
0.414	*	* CEF		Г	*		*				*							
@ 4K					*		*				*							
	G3 G07		CER	Г	*		*	*			*		0.0529		0.6	B *		
@ UL	GASOL: LEV3				*		*	*			*	*			4.2	*		
			BIN	and the								A Salary Ch	0.11			A B and a		
		WH	IOLE V	/EHICI	LE EV	and the second s						CERTIFIC	ATIO	N LEVEL	S			
					_	W	HOLE V	EHICLE	EVAF	ORATI	VE TEST	TING						
	ORATIV	E F	UEL T	YPE	3DHS (g/test) @ UL					2DHS (g/test) @ UL			RL (g/mi) @ UI			@ UL		
					CER	RT STD		FEL	CE	RT	STD	FEI	FEL C		т	STD		
GMBXF	0110LN	F	E10-E	EPA	0.32	27 0	.50	*	1	k	0.65	*	* 0.0		00 0.05			
C	DRVR / F	UEL	ONLY	CANI	STER	BLEED	EVAPO	RATIVE	EEMI	SSION	STANDA	RDS AND	CE	RTIFICAT	ION LE	VELS		
									F	UEL ON	NLY EVA	P & CAN	STE	R BLEED				
	ORATIV	E	ORVR (g/gallon) @ U				1 1			HS RIG TEST g/test) @ UL		2DHS RIG (g/test) @				CANISTER (test) @ 4K		
		FU	JEL TY	PEC	ERT	STD	-		CE	RT	STD	CERT		STD	CERT	STD		
GMBXF	0110LN	FE	10-EF	PA 0	.046	0.20		*		*	*	*		*	*	*		

California Environmental Protection Agency	DAIMLER AG	Executive Order: A-003-0550 New Passenger Cars, Light-Duty Trucks an Medium-Duty Vehicle Page 4 of 4					
LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 60 8500#ALVW; MDV: medium-duty vehicle; MDV4: MI duty passenger vehicle; HDV: heavy-duty vehicle; Ei emission limit; GVWR: gross vehicle weight rating; L ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-ei TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing ca catalyst; NAC: NOx adsorption catalyst; SCR-U or S NH3OC: ammonia oxidation catalyst; CTOX/PTOX: filter for spark-ignited engine; HO2S/O2S: heated/ox NOXS: NOx sensor; PMS: PM sensor; RDQS: reduce EGRC: EGR cooler; AIR/AIRE: secondary air injection fuel injection; DFI/IFI: direct/indirect fuel injection; TC fines on-board diagnostic; DOR: direct ozone reducin suffix: series; CNG/LNG: compressed/liquefied natur E10: "10%" ethanol ("90%"gasoline) fuel; A: automat	01-8500#GVWR;3751-5750 DV 8501-10000#GVWR; MI CS: emission control syster WW: loaded vehicle weight; nission vehicle; PZEV: part atalyst; ADSTWC: adsorbin CRC/SCR-N or SCRC-NH3 continuous/periodic trap oxi ygen sensor; WR-HO2S or tant quality sensor; NH3S: on (belt driven)/(electric driv C/SC: turbo/super charger; (ng; HCT: hydrocarbon trap; al gas; LPG: liquefied petro ic (with lockup); M: manual continuously variable transit	DV5: MDV 10001-14000#GVWR; MDPV: medium- n; CERT: certification; STD: standard; FEL: family ALVW: adjusted LVW; LEV: low emission vehicle; ial ZEV; AT PZEV: advanced technology PZEV; g TWC; HAC: HC adsorbing catalyst; WU: warm-up s: selective catalytic reduction-urea/ammonia; dizer; DPF: diesel particulate filter (active); GPF: PM AFS: wide range/linear/heated air-fuel ratio sensor; ammonia sensor; EGR: exhaust gas recirculation; ren); PAIR: pulsed AIR; SFI/MFI: sequential/multiport CAC: charge air cooler; F/P/\$: full/partial/partial with					

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE		MODEL		MODEL VE		MODEL VE		ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MERCEDES	BENZ	CLA	250	4MATIC	PC	2.0	AM7	GMBXR0110LNF	1	P	*		
MERCEDES	BENZ	GLA	250	4MATIC	LDT2	2.0	AM7	GMBXR0110LNF	1	P	*		