California Environmental Protection Agency

OB Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1888

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFOR	MATION						
MOD		TEST G	ROUP		VEHICLE	E CLASS(E	S)		FUEL CATEGORY			FUEL TYPE			
201	.6	GFMXT03	3.73E8	LDT3					DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
	USEF	UL LIFE	(miles)		VEHIC	CLE EMISS	ION C	ATE	GORY	I	NTERIM / IN	ΓEF	RMEDIA	TE IN-USE STD	
EX	(H/ORV	R	EVAP		F	ГР		SF	TP		FTP			SFTP	
1	L20000		15000		LEV2	ULEV	I		SFTP		*			*	
SPECIAL FEATURES & EXHAUST EMISSION CON' SYSTEMS						N CONTRO	L		OBD S	ΓΑΤ	US	I	ENGINE	DISPLACEMENT (L)	
1		2TW	С, 2НО	S, 2WR-	-HO2S, S	SFI			FULL		*				
*		*						F	PARTIAL	A	LL MODELS		3	3.5, 3.7	
*	* *							PAF	RTIAL WITH FINES	*					
			E	VAPORA	TIVE & R	EFUELING	(EVA	P/OF	RVR) FAMILY	/ IN	FORMATION	1			
EV	AP / OI	RVR FAI	/ILY	EVAPO	RATIVE	STD CATEGORY EVAP EMIS VEHICLE						SPECIAL FEATURES			
	GFMXR	0145GB	V	.,	LEV 2				LDT3			*			
					EI	MISSION CI	REDI	T INF	ORMATION						
		ALLOW	/ANCE F	OR TEST	GROUP				G CREDIT FO		NMOG CR			OPTIONAL EXH	
ва	SELINE	PZEV	A-	PZEV		TZEV			EVAP		DC	R		TRUCKS	
	*			*		*			И		1	1		N	
					NMOG /	AND FLEET	AVE	RAG	E INFORMA	TIO	N				
NMOG RAF CH4 RAF FTP NMC			P NMOG/ RATIO		HCHO/NIMHC F				NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)				
	*	*		1.04			*			0.0	93		0.110		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

OAir Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1888

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-1888

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

OB Air Resources Board

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)
CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbo

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

A STATE OF THE STATE OF										The state of the s	
		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.032	0.040	1.3	1.7	0.02	0.05	*	8	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.041	0.055	1.6	2.1	0.04	0.07	*	11	*	0.01
50°F @4K	*	*	* ;	* _	*	*	*	*	*		£ 4.86.

	FUEL TYPE	NOx	(g/mi)	CO (g/mi)
	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.02	0.07		
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.03	0.09		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			3.4	12.5

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
	GASOLINE	CERT	0.04	2.6	-	0.09	2.5		0.354	
@ 4K	- TIER 2 UNLEADED	STD	0.40	10.5	nie ge	0.31	3.5		7-5-9-11 2-5-9-11	
		CERT	*	*	*	*	*	*	*	*
@ UL	*	STD	*	*	*	*	*	*	*	*
		BIN			-			*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

E1/15054711/5			WHOLE	RL (g/mi) @ UL					
EVAPORATIVE	FUEL TYPE	3DHS (g/test) @ UL				2DHS (g/test) @ UL			
I AMILI		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
GFMXR0145GBV	GASOLINE - TIER 2 UNLEADED	0.35	0.90	*	0.35	1.15	*	0.00	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	ORVR (g/gallon) @ UL			FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY				FUEL TYPE		IG TEST) @ UL	2DHS R (g/test		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
GFMXR0145GBV	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*			

FORD MOTOR COMPANY

Executive Order: A-010-1888

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

OB Air Resources Board

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS; emission control system; CERT; certification; STD; standard; FEL; family emission limit; GVWR; gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR; direct ozone reducing; HCT; hydrocarbon trap; BCAN; bleed carbon canister; prefix 2; parallel; (2) suffix; series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL	YEAR: VI	HICLE MODEL	SINFORMATION
-------------------	----------	-------------	--------------

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE
FORD	EXPLORER AWD	LDT3	3.5	SA6	GFMXR0145GBV	1	P	*
FORD	EXPLORER FWD	LDT3	3.5	SA6	GFMXR0145GBV	1	P	*
FORD	POLICE INTERCEPTOR UTILITY AWD	LDT3	3.7	A6	GFMXR0145GBV	1	P	*