California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1934-1
New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2, and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

		,			TEST GROUI	P INI	FORMAT	ION						
MODE		EST G	ROUP	VEHIC	VEHICLE CLASS(ES)			FUEL CATEGORY				FUEL TYPE		
2016	2016 GFMXD03.27BV				MDV5				SIN	GLE FUEL E	DIESEL			
	USEFU	LIFE	(miles)	VE	HICLE EMISSIO	N C	ATEGOR	Y	IN	TERIM / INTE	RMEDIA	TE IN-USE STD		
EXH	I/ORVR		EVAP		FTP		SFTP		FTP SFTP					
12	20000		*	LE	V2 ULEV	ULEV *				*	*			
SPE	CIAL FI	ATUR		IAUST EMISS	ION CONTROL			OBD ST	ATL	JS -	ENGINE	DISPLACEMENT (L)		
1	OC+DPF		(2), DFI, E C, RDQS	GR, EGRC, TC,		FUL	FULL *		3.2					
*	-			*			PARTIAL *							
*				*		11	PARTIAL	ATT. MODET.S						
			EV	APORATIVE 8	REFUELING (E	VAF	P/ORVR)	FAMILY	INF	ORMATION	1	***		
EVA	P / ORV	R FAN	MILY	EVAPORATIV	E STD CATEGO	ORY		AP EMIS	-		SPECIA	L FEATURES		
*											*			
					EMISSION CRE	DIT	INFORM	ATION		*	****			
	A	LLOW	ANCE FO	R TEST GRO	JP	_	MOG CR			NMOG CRE		OPTIONAL EXH.		
BASI	ELINE P	ZEV	AT	TZEV	NOI	NON-PZEV ZERO-EV			DOI	₹	TRUCKS			
	*			*		N			N	n n				
				NMO	G AND FLEET A	VEF	RAGE INF	ORMAT	ION					
NMOG RAF	NIMO(2/NIMIHC)			HCHO/NMHC RATIO	CHO/NIMHC DT /3751 LVA				NMOG+NOX FLEET ST MDV (8501-10000 GVWF (g/mi)					
*	*		*	*	*		*			*	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

OB Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1934-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$100 per vehicle for the third through fifth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California. On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2016 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. This Executive Order hereby cancels and supersedes Executive Order A-010-1934 dated July 31, 2015.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 20 day of September 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-010-1934-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

⊘ Air Resources Board

							AT	TAC	НМЕ	ENT								
	EXHA	UST	AND	EVA	POR	ATIVE	EMIS	SION S	TAN	DAR	DS ANI	D CERTI	FICAT	TION	LEVELS			
		EXHA	USTE	MISS	ION S	TANDA	RDS AN	D CERT	IFICA	TION	LEVELS	(FTP, HW	FET, 50)°F, 20	D°F)			
	FUE	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP														
				NMHC (g/mi)			CO (g/mi)			-	NOx g/mi)		HCHO mg/mi)		1	M mi)		
	-			CERT			CERT	STD		CERT	STD			TD	CERT	STD		
TP@5	ok	*		*		*	*	*		*	*	*		*	*	*		
FTP@L		EL-E	PA	0.06	8 0	.167	0.3	7.3		0.3	0.4	10	21		0.00	0.06		
50°F @4	0			*		*	*	*		*	*	*		*				
Part I										NOx (g/mi)					CO (g/mi)			
1 7 55	14			FUEL TYPE					- 1	CERT		STD		CER	Т	STD		
HWFE	T @ 50K					*					*	*		-010		eron en		
HWFET @ UL DIESE					SEL-EI	EPA			0.2		0.8	-						
20°F @ 50K				*						-31			*			*		
			S	FTP E	XHAL	IST EM	ISSION S	STANDA	RDS	AND C	ERTIFIC	ATION LE	VELS			- in the same of the		
				US06							SCO		CC			MPOSITE		
	FUEL T	YPE			MHC+NOx (g/mi)		CO PN (g/mi) (mg/r				C+NOx /mi)	CO (g/mi)	NMHC+NOx (g/mi)		CO (g/mi)	PM (mg/mi)		
@ 4K		*			* *		*			*		*	The state of the state of		e la Sur			
@ 4K					*		*				*	*						
		* ST			*		*	*			*	*		*	*	*		
@ UL	*			* 51			*		*	*			*	*		*	*	*
								1.18.6		1		· ·		*		1, 15-17		
		WH	OLE V	EHIC	LE EV	APORA	TIVE EN	IISSION	STAN	NDARD	S AND	CERTIFIC	ATION	LEVE	LS			
						WI	HOLE VE	HICLE	EVAP	ORAT	IVE TES	TING						
FAMILY FUE		UEL T	TYPE 3DHS (g		/test) @ UL			2DHS (g/test)) @ UL		RL (g/mi)		UL				
					CERT S		STD FEL		CE	RT	STD	FEL		CERT		STD		
*			* *			* *		*	* *		*	*			*			
(ORVR / FU	JEL (ONLY /	CANI	STER	BLEEC	EVAPO	RATIVE						-	TION LEV	ELS		
								UEL ONLY EVAP & CANISTER B										
	ORATIVE	ORVR (g		(g/gal	g/gallon) @ UL		FUEL TYPE		1	3DHS RIG TES (g/test) @ UL			RIG TE st) @ U			EED CANISTER ST (g/test) @ 4K		
		FU	FUEL TYPE		CERT STD				CE	RT	STD	CERT	S	D	CERT	STD		

@ Air Resources Board

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ŽEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE
FORD	TRANSIT T350 CA 2WD DIESEL	MDV5	3.2	SA6	*	1	\$	*
FORD	TRANSIT T350 CC 2WD DIESEL	MDV5	3.2	SA6	*	1	\$	*
FORD	TRANSIT T350 VAN 2WD DIESEL	MDV5	3.2	SA6	. *	1	\$	*