## California Environmental Protection Agency

**⊘** Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1879

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

							TEST GRO	UP II	NFOR	RMATION					
MOD		TEST GROUP			VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE			
201	16	GFMXV02.0VZN				PC				HYBRID ELECTRIC VEHICLE			GASOLINE		
USEFUL LIFE (miles) VEHICLE						LE EMISSION CATEGORY			INTERIM / INTER			ERMEDIATE IN-USE STD			
EXH/ORVR EVAP			•		FT	FTP S			FTP FTP			SFTP			
120000 150000				0	COU	NTED	D AS ARB I			2 SFTP NDARD	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								-	OBD STATUS			us	ENGINE DISPLACEMENT (L)		
1		TWC(2), WR-HO2S, HO2S, EGR, SFI								FULL *					
*		*							F	PARTIAL ALL MODELS			2.0		
*	*								PAF	RTIAL WITH *			1		
			E	VAPO	RATIV	E & RE	EFUELING	(EVA	P/OF	RVR) FAMILY	/ INF	ORMATION	1		
EV	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							SORY	RY EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES		
GFMXR0105GCA LEV 2						2				C				HCT	
GFMXR0105GDA					LEV 2					P	,C				HCT
						EM	IISSION CE	REDI	T INF	ORMATION		· · · · · · · · · · · · · · · · · · ·			
ALLOWANCE FOR TEST GROUP  BASELINE PZEV AT PZEV TZEV							- '	NMOG CREDIT FOR NON-PZEV ZERO- EVAP				CREDIT FOR DOR		OPTIONAL EXH. STD FOR WORK TRUCKS	
DA															
* * *										N N					
					NN	IOG A	ND FLEET	AVE	RAG	E INFORMA	TION	1			- Auto-
NMO	NMOG RAF CH4 RAF			NMOG/NMHC RATIO HCHO/NI			HC RATIO		NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)				
	* * 1.04			04		*			0.093				0.110		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

### California Environmental Protection Agency

## **O**Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1879

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961.2(a)(12) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 30 day of March 2015.

Michael J. Pos Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

UNLEADED

FORD MOTOR COMPANY

Executive Order: A-010-1879 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **ATTACHMENT**

	EXH	AUS'	TAN	D EVA	PORAT	IVE EMI	SSION	STAP	NDAR	S AN	D CERT	IFIC	ATION	LEVELS	3	
		EXH	AUST	EMISS	ION STAN	IDARDS A	ND CER	RTIFIC	ATION L	EVELS	(FTP, HW	VFET	, 50°F, 20	°F)		
	FU	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP												
					NMOG (g/mi)		CO (g/mi)			Ox mi)	HCHO (mg/mi)			PM (g/mi)		
				CER	STD	CER	TST	D	CERT	STD	CER	Т	STD	CERT	STD	
FTP@5	0K	K *		*	*	*	*		*	*	*		*	*	*	
FTP@l	GASOLINE TIER 2 UNLEADED		2	0.03	4 0.05	5 0.9	2.	1	0.01	0.03	*	11		*	0.01	
50°F @	4K	*		*	*	*	*		*	*	*		* 10.50			
1 1					EUEL T	VDE			NOx (g/mi)				CO (g/mi)			
					FUEL TYPE					CERT			CERT		STD	
HWFET @ 50K				*					*		*					
HWFET @ UL			G	GASOLINE - TIER 2 UNLEADED					0.03		0.04					
20°F @ 50K			G2	ASOLINE-COLD CO LOW OCTANE							Mine of All	2.5		10.0		
				SFTP E	XHAUST	EMISSION	STAND	ARDS	AND C	ERTIFIC	ATION L	EVE	S			
(i) 1-		UEL TYPE		1.		US06			SC03					COMPOSITE		
	FUEL 1				HC+NOx (g/mi)	CO (g/mi)			NMHC+NOx (g/mi)		CO Ni (g/mi)		HC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
		ASOLINE TIER 2 NLEADED		Т	0.03	2.7	2.7		0.08		2.0					
@ 4K				0.14		8.0	1 in 1 100			0.20		न हरी। 1997 -				
		*		CERT		*	*	* 1		*		*		*	*	*
@ UL	*			*		*		*	*		*		*	*	*	
		BIN				1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			1.44			*				
		WH	HOLE Y	VEHICL	E EVAPO							ATIC	N LEVEL	S		
EVAP	ORATIV	El.	-1151 3	EVDE.		WHOLE \		EVAF					RL	(g/mi) @	UL	
FAMILY		FUEL		CERT CERT		(g/test) (	D UL FEL	CE		(g/test)	@ UL		CER	-		
GFMXR0105GC		A	ASOLI TIEF UNLEA	INE - R 2 0.41		0.50	*	CE		0.65	*				0.05	
GFMXR0105GD			ASOLI		0.41	0.50	*	,		0.65	5 *		0.00	0.05		

UNLEADED

MKZ HYBRID FWD

PC

LINCOLN

FORD MOTOR COMPANY

Executive Order: A-010-1879

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

#### ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS **FUEL ONLY EVAP & CANISTER BLEED** ORVR (g/gallon) @ UL 2DHS RIG TEST **BLEED CANISTER** 3DHS RIG TEST **EVAPORATIVE** (g/test) @ UL TEST (g/test) @ 4K **FAMILY** (g/test) @ UL **FUEL TYPE** CERT STD FUEL TYPE CERT STD **CERT** STD CERT STD GASOLINE . TIER 2 0.12 0.20 GFMXR0105GCA UNLEADED GASOLINE -GFMXR0105GDA TIER 2 0.12 0.20

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation: EGRC: EGR cooler; AIR/AIRE; secondary air injection (belt driven)/(electric driven); PAIR; pulsed AIR; SFI/MFI; sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION													
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE					
FORD	C-MAX HYBRID FWD	PC	2.0	CV1	GFMXR0105GCA	1	₽	*					
FORD	FUSION HYBRID FWD	PC	2.0	CV1	GFMXR0105GDA	1	P	*					

CV1

GFMXR0105GDA

1

2.0