California Environmental Protection Agency		Executive Order: A-020-0274 New Passenger Cars, Light-Duty Trucks and
O Air Resources Board	ISUZU MOTORS LIMITED	Medium-Duty Vehicles
		Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP INFO	RMATION					
MODE	- (TEST G	ROUP	VEHICLE CLASS(ES)				FUEL C	ATEGORY	F	JEL TYPE		
2016	G	SZXD03	3.03FA	MDV5 DEDICATED SINGLE FUEL VEHICLE				-	DIESEL				
USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY						INTERIM / IN	NTERMEDIATE IN-USE STD						
EXH	EXH/ORVR EVAP			F	TP	S	FTP	FTP		SFTP			
12	0000		*		LEV2	ULEV		*	*		*		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							ENGINE	ENGINE DISPLACEMENT					
1 OC+PTOX, SCRC+NH3OC, HO2S, DFI, EGR, EGRC, TC, CAC, NOXS(2), RDQS, PMS							FULL	*					
*	* PARTIAL ALL MO							ALL MODELS	3.0				
*	* PARTIAL WITH * FINES												
			EV	APOF	RATIVE & R	EFUELING	(EVAP/O	RVR) FAMIL	INFORMATIO	N			
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD VEHICLE CLASS							SPECIAL FEATURES						
		*				*			*		*		
					E	VISSION CR		ORMATION					
		ALLOW	ANCE FO	R TE	ST GROUP			G CREDIT F			SID FOR WORK		
BASELINE PZEV AT PZE				PZEV	TZEV						TRUCKS		
* *						* *		N		N	Ň N		
NMOG AND FLEET AVERAGE INFORMATION													
NMOG	MOG RAF CH4 RAF FTP NMOG/NM RATIO			HCHO/NMHC RATIO		O PC+LDT	OX FLEET STE (0-3750 LVW) (g/mi)	LDT (MOG+NOX FLEET STD LDT (3751 LVW-8500 SVWR) + MDPV (g/mi)				
*		*		4	-	+	ł		*		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. California Environmental Protection Agency

OB Air Resources Board

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of October 2015.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division California Environmental Protection Agency.

FUEL TYPE

OB Air Resources Board

ISUZU MOTORS LIMITED Executive Order: A-020-0274 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon

monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

1. 1. 1. 1. 1.											
		NMHC (g/mi)		C (g/i	O mi)		Ox mi)		HO /mi)	PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	.*	*	*
FTP@UL	DIESEL-EPA	0.0101	0.167	0.11	7.3	0.24	0.4	1.6	21	0.000	0.06
50°F @4K	*	*	*	*	*	*	*	*	*		1.
				NOx (g/mľ)			CO (g/mi)				
			FUEL TYP	Ē		CE	RT	STD	CEF	RT	STD
HWFET @ 50K		*				* 7		*			
HWFET @	DUL	_ DIESEL-EPA				0.07		0.8	10	3	
20°F @ 50K				D			*		*		

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

			OFIR	ENHAL	JOI EIN	1331014	MAU	ILDO P	IND CE	RIFIC	ATION LI	EVELS		
100					1	US06				SC03		C	OMPOSITI	
	FUEL TY	PE	P	MHC+N (g/mi)		CO (g/mi)	PI (mg/		NMHC (g/n		CO (g/mi)	NMHC+NO (g/mi)	Ox CO (g/mi)	PM (mg/mi
0.4%		CERT		*		*)	*		*		*	~		×
@ 4K		ST	STD			*			*		*			
		CEF	T	*	*		*		*	* *		*	*	*
@ UL	*	ST		*		*	*		*		*	*	*	*
		BIN							K.S.	1		*	2.	
		WHOLE	VEHI	CLE EV.	APORA	TIVE EM	ISSION	STAN	DARDS	ANDC	ERTIFIC	ATION LEV	ELS	
					W	HOLE VE	HICLE	EVAPC	RATIV	E TEST	ING			
EVAPORATIVE		FUEL TYPE		- 3	DHS (g	(g/test) @ UL			2DHS (g/test) @ UL			RL (g/mi) @ UI		UL
				CEF	RT S	STD	FEL	CER	т	STD	FEI	L CERT S		STD
	*	1		*		*	*	*		*	*		* .	
(DRVR / FUI	EL ONL)	/ CA	NISTER	BLEED	EVAPO	RATIVE	EMISS	SION S	TANDA	RDS AND	CERTIFIC	ATION LEV	ELS
								FU	EL ONI	Y EVA	P & CAN	STER BLE	ED	
EVAPORATIVE FAMILY		ORVR (g/gallon) @ UL			DL				OHS RIG TEST g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4k	
		FUEL T	YPE	CERT	STD			CER	RT	STD	CERT	STD	CERT	STD
	*	*		*	*	1	ł	*		*	*	*	*	*

.

California Environmental Protection Agency	ISUZU MOTORS	Executive Order: A-020-0274 New Passenger Cars, Light-Duty Trucks and
Ø≣ Air Resources Board	LIMITED	Medium-Duty Vehicles Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW; LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant guality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
ISUZU	NPR (WITH OR WITHOUT AIR ROOF FAIRING)	MDV5	3.0	A	*	1	P	*
ISUZU	STRIPPED CHASSIS FOR WALK IN VAN	MDV5	3.0	A	*	1	₽	*