California Environmental Protection Agency

⊘ Air Resources Board

JAGUAR LAND ROVER LIMITED Executive Order: A-409-0031

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFOR	MATION						
MODE		TEST G	ROUP	VE	HICLI	E CLASS(E	5)		FUEL CATEGORY			FUEL TYPE			
201	6	GJLXT05.0002 LDT4						DEDICATED SINGLE FUEL VEHICLE				GASOLINE			
	USEF	UL LIFE	(miles)		VEHI	CLE EMISSI	ON (ATE	GORÝ	ı	NTERIM / IN	TERME	DIA	TE IN-USE STD	
EXI	H/ORV	R	EVAP		F	TP		SF	TP		FTP			SFTP	
1:	20000		150000		LEV2	ULEV	I		SFTP DARD		*			*	
SPE	ECIAL	FEATUR		HAUST EMI	SSIOI	N CONTROI	-		OBD S	TAT	US	ENG	SINE	DISPLACEMENT (L)	
1	21	WC, WR	-HO2S,	2H02S(2),	DFI,	SC, CAC			FULL	A	LL MODELS				
*				*.				F	PARTIAL		*	5.0		5.0	
*				*				PAF	TIAL WITH		*	1			
			E.	/APORATIV	E&R	EFUELING	(EVA	P/OR	VR) FAMILY	/ IN	FORMATION				
EVA	AP / OF	RVR FAI	MILY	EVAPORA	TIVE	STD CATE	ORY	DRY EVAP EMISSION STD VEHICLE CLASS			SPE	ECIA	L FEATURES		
	GJLXR	017500	1		LE	V 2	LDT4				*				
					EI	MISSION CF	EDI.	[INF	ORMATION						
		ALLOW	ANCE F	OR TEST G	ROUP						OPTIONAL EXH.				
BAS	ELINE	PZEV	ΓA	PZEV		TZEV	NC	N-PZ	EV ZERO-E	VAF		OR		TRUCKS	
	* * *							И		1	1		N		
				NI	MOG /	AND FLEET	AVE	RAG	E INFORMA	ΓΙΟ	N				
NMOG RAF CH4 RAF FTP NMOG/NMHC RATIO			НС	HCHO/NMHC RATI		ATIO	ATIO PC+LDT (0-3		OX FLEET STD (0-3750 LVW) (g/mi)		NMOG+NOX FLEET S LDT (3751 LVW-8500 GVWR) + MDPV (g/m				
4	k	*		1.04		0.	02		0.093			0.110			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

OB Air Resources Board

JAGUAR LAND ROVER LIMITED Executive Order: A-409-0031

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this ____

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-409-0031

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

FUEL TYPE

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

The Sand Marine College		·										
		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		1	M mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.023	0.040	0.29	1.7	0.011	0.05	0.4	8	*	*	
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.024	0.055	0.5	2.1	0.011	0.07	0.4	11	0.002	0.01	
50°F @4K	GASOLINE - CA PHASE 2	0.026	0.080	0.31	1.7	0.017	0.05	0.5	16			

	FUEL TYPE	NOx	(g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.00	0.07	Scool Country Williams	S. S. Land C. S.	
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.00	0.09	新疆公子		
20°F @ 50K	GASOLINE - TIER 2 UNLEADED		NE CONTRACTOR	2.4	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	COMPOSITE			
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
	GASOLINE	CERT	0.04	1.2		0.02	0.1				
@ 4K	- TIER 2 UNLEADED	STD	0.60	11.8		0.44	4.0				
		CERT	*	*	*	*	*	*	*	*	
@ UL	*	STD	*	*	*	*	*	* -	*	*	
		BIN	动脉性连续的					*			

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE							
EVAPORATIVE	FUEL TYPE	3DHS (g/test) @ UL			2DHS (g/test) @ UL			RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
GJLXR0175001	GASOLINE - TIER 2 UNLEADED	0.48	0.90	*	*	1.15	*	0.00	0.05	

JAGUAR LAND ROVER LIMITED Executive Order: A-409-0031

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

					FUEL C	NLY EVA	& CANIS	TER BLEE	D	
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD
GJLXR0175001	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW: LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle: PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine: HO2S/O2S; heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS; NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: lautomated manual-selectable transmission: OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
LAND ROVER	RANGE ROVER	LDT4	5.0	SA8	GJLXR0175001	1	F	*
LAND ROVER	RANGE ROVER AUTOBIOGRAPHY BLACK	LDT4	5.0	SA8	GJLXR0175001	1	F	*
LAND ROVER	RANGE ROVER LWB	LDT4	5.0	SA8	GJLXR0175001	1	F	*
LAND ROVER	RANGE ROVER SPORT	LDT4	5.0	SA8	GJLXR0175001	1	F	*
LAND ROVER	RANGE ROVER SPORT SVR	LDT4	5.0	SA8	GJLXR0175001	1	F	*