California Environmental Protection Agency

OB Air Resources Board

MAZDA MOTOR CORPORATION

Executive Order: A-016-0431 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2, and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP	IN	FORMA	TION						
MOD	1	EST G	ROUP		VEHICLE CLASS(ES)					FUEL C	ATE	GORY		FU	EL TYPE	
201	6 G	rkxT0	2.55BB		LDT2 DEDICATED SINGLE FUEL VEHICLE					GASOLINE						
	USEFU	L LIFE	(miles)		١ ١	EHICLE EMISS	101	1 C	ATEGO	RY	IN	ITERIM / IN	TERM	EDIA1	TE IN-USE STD	
EX	H/ORVR		EVAP			FTP			SFTP			FTP		SFTP		
1	50000		150000	LEV2 ULEV OPTION CERTIFYING TO LEV 2 SFTP * LEV3 ULEV STANDARD NMOG+NOX		CERTIFYING TO LEV LEV3 ULEV ST		TIFYING TO LEV 2 SFTP STANDARD		*		*		*		
SP	ECIAL F	EATUR		HAUS'		SSION CONTRO	L			OBD S	TAT	JS	EN	GINE	DISPLACEMENT (L)	
1	WU-TW	C, TW		2S, 1		DFI, CAC, TO	Ξ,		Fl	JLL		*				
*	* *								PAR	RTIAL	TIAL ALL MODELS			2.5		
*	* *								AL WITH	*						
			E۱	APOF	RATIVE	& REFUELING	(E	VA	P/ORVR) FAMILY	INF	ORMATION	l			
EV	AP / OR	/R FAI	VILY	EVAF	PORAT	TIVE STD CATE	30	ORY EVAP EMISSION STD VEHICLE CLASS SPEC			ECIAI	L FEATURES				
	GTKXR0	135GA	L	LEV 2 LDT2 *			LDT2			*						
						EMISSION CF	REI	TIC	INFORI	MATION						
		ALLOV	VANCE FO	R TE	ST GR	OUP				REDIT FO		NMOG CF		FOR	OPTIONAL EXH. STD FOR WORK	
BAS	ELINE F	ZEV	АТ	T PZEV		TZEV		NO	N-PZEV	ZERO-E	VAP	D	OR ——		TRUCKS	
* * *								N		1	N		N			
					NM	IOG AND FLEET	Α	۷EI	RAGE IN	NFORMA	TION	1				
NMO0 RAF	NMOG CH4 RAF NMOG/NMHC RATIO HCHO/NMHC RATIO NMOG+NOX F PC+LDT (0-37 (g/mi				750		LDT	(375	X FLEET ST 1 LVW-8500 MDPV (g/m		MDV	NOX FLEET STD (10001-14000 /WR) (g/mi)				
*	*		1.04		*	0	. 0	93			0	.110			*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency

⊘ Air Resources Board

MAZDA MOTOR CORPORATION

Executive Order: A-016-0431 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seg. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____ day of February 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

MAZDA MOTOR CORPORATION

Executive Order: A-016-0431

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDAR	OS AND CERTIFICATION L	LEVELS (FTP, HWFET	. 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.036	0.125	0.3	2.1	*	*	*	11	*	0.01
50°F @4K	GASOLINE - TIER 2 UNLEADED	0.063	0.250	0.5	2.1	*	*	*	16		

	FUEL TYPE	NMOG+N	lOx (g/mi)	CO (g/mi)		
	FUEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	* .			
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.018	0.125	t being		
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			0.7	12.5	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

4-3				US06		SC03	3	CON	POSITE	
A.M.	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.04	1.3		0.02	0.0			
0		STD	0.25	10.5		0.27	3.5	, ,		1 11.
		CERT	*	*	*	*	*	*	*	*
@ UL	*	STD	*	*	*	*	*	*	*	*
		BIN	4 25					*		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

WHOLE VEHICLE EVAPORATIVE TEST	TIVE TESTIN	NG							
EVAPORATIVE FAMILY	FUEL TYPE	3DH:	S (g/test) (@ UL	2DI	HS (g/test) @	D UL	RL (g/m	ni) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
GTKXR0135GAL	GASOLINE - CA PHASE 2	0.22	0.65	*	*	0.85	*	0.00	0.05

California Environmental Protection Agency

OB Air Resources Board

MAZDA MOTOR CORPORATION

Executive Order: A-016-0431

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

ORVR / FUI	ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS												
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
GTKXR0135GAL	GASOLINE - TIER 2 UNLEADED	0.12	0.20	*	*	*	*	*	*	*			

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3; selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine: HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission, SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MAZDA	CX-9	LDT2	2.5	SA6	GTKXR0135GAL	1	P	*