	California Environmental Protection Agency	NISSAN MOTOR	Executive Order: A-015-0704-2 New Passenger Cars, Light-Duty Trucks and
•	OB Air Resources Board	COMPANY, LTD.	Medium-Duty Vehicles
	All nesources board		Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO		FORMATI	ON					
MODE	EAR TEST GROUP VEHICLE			HICLE CLASS(E	CLE CLASS(ES) FUEL CATEGORY		GORY	FUEL TYPE					
2016					PC		DEDICATED SINGLE FUEL VEHICLE				Gi	ASOLINE	
1	USEFUL	LIFE	(miles)		EHICLE EMISS	ION CA	ATEGORY	1	IN	TERIM / INT	ERMEDIA	TE IN-USE STD	
EXH	/ORVR		EVAP		FTP		SFTP			FTP		SFTP	
12	0000		150000	1	LEV2 ULEV		EV 2 SFT STANDARD		*			*	
SPE	CIAL FE	ATUR		AUST EMIS	SSION CONTRO	L		OBD ST	TATU	JS	ENGINE	DISPLACEMENT (L)	
1		2TWC	(2),2HO2	2S, 2WR-HO	D2S, SFI		FUL	L		*			
*				*			PARTI	AL		*	3.7		
*	*						PARTIAL		AL	L MODELS			
			EV	APORATIVI	E & REFUELING	(EVAF	P/ORVR) F	AMILY	INF	ORMATION	1		
EVA	P / ORV	'R FAN	MILY	EVAPORA		GORY				N STD ASS	SPECIA	L FEATURES	
G	NSXR01	20MB	A		LEV 2		PC				*		
G	NSXR01	4 9MBI	в		LEV 2			PC			*		
	4				EMISSION C	REDIT	INFORMA	TION					
	A	LLOW	ANCE FC	R TEST GR	OUP		MOG CRE			NMOG CRE		OPTIONAL EXH	
BASELINE PZEV AT PZEV					TZEV	NOM	N-PZEV Z	ERO-E	EVAP DOF		R	TRUCKS	
* * *					*		. N			N	N		
				NN	OG AND FLEET	AVER	RAGE INF	ORMAT	TION				
NMOG RAF			HC PC+LDT (-3750 LVW) LD		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STE MDV (10001-14000 GVWR) (g/mi)				
*	*		1.04	*	. 0	. 093			0	.110		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

California Environmental Protection Agency	NISSAN MOTOR	Executive Order: A-015-0704-2 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	COMPANY, LTD.	Medium-Duty Vehicles Page 2 of 4
		1 age 2 01 4

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBO) system of the listed vehicle models has been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$50 per vehicle for the third and fourth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2016 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

This Executive Order hereby cancels and supersedes Executive Order A-015-0704-1 dated October 16, 2015.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____day of April 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

OB Air Resources Board

FUEL TYPE

NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0704-2 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMOG (g/mi)		CO (g/mi)			NOx (g/mi)		iO mi)	PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER	RT STD
FTP@50K		PHASE 2	0.014	0.040	0.4	1.7	0.02	0.05	; *	8	*	*
FTP@UL		PHASE 2	0.014	0.055	0.5	2.1	0.02	0.07	*	11	*	0.01
50°F @4K		*	*	*	*	*	*	*	*	*		
					F			NOx (g/mi)		CO (g	g/mi)
	-7-5 P			FUEL TYP	·E .		CE	RT	STD	CEF	RT	STD
HWFET @ 50K			GASOLINE - CA PHASE 2					004	0.07			
HWFET @ UL		GASOLINE - CA PHASE 2					0.0	004	0.09			
20°F @ 50K		G	ASOLINE-	COLD CO	LOW OCTA	NE				1.	0	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

					US06			SC0	3	CON	POSITE		
	FUEL TYP	E		C+NOx mi)	CO (g/mi)	Pl (mg		NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	GASOLINE CA PHASE	- CERT	0.03		0.5			0.02	0.4				
e art		STD	0.	14	8.0			0.20	2.7		and and the state	an third to	
		CERT	-	*	*	4	t	*	*	*	* *		
@ UL	*	STD		*	*	*		*	*	*	*	*	
		BIN			構成され	a de des				*			
	v	VHOLE VE	HICLE	EVAPO	RATIVE E	MISSION	STAN	DARDS AND	CERTIFIC	ATION LEVELS	6		
					WHOLE V	EHICLE	EVAPC	RATIVE TES	TING				
EVAPORATIVE FAMILY		FUEL TY	PE	PE 3DHS (g/test) @ UL				2DHS (g/test	t) @ UL	RL	RL (g/mi) @ UL		
				CERT	STD	FEL	CER	T STD	FE	L CERT		STD	
GNSXR0120MBA		GASOLIN CA PHAS		0.30	0.50	*	0.30	0 0.65	*	0.001		0.05	
GNSXR0149MBB		GASOLIN CA PHAS		0.43	0.50	*	0.4	6 0.65	*	0.001		0.05	

California Envi	ronmental Prot			NISSAN COMPAN		N	Executive Order: A-015-0704-2 New Passenger Cars, Light-Duty Trucks an Medium-Duty Vehicle Page 4 of 4				
ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS											
EVAPORATIVE FAMILY	E ORVR (g/gallon) @ UL		DUL	FUEL TYPE	3DHS R	IG TEST) @ UL				ANISTER est) @ 4K	
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
GNSXR0120MBA	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*	
GNSXR0149MBB	GASOLINE - TIER 2 UNLEADED	0.03	0.20	*	*	*	*	*	*	*	
LDT<6000#GVWF 8500#ALVW; MDV duty passenger ve emission limit; GV ULEV: ultra LEV; S TZEV: transitional catalyst; NAC: NO NH3OC: ammonia filter for spark-ignit NOXS: NOx senso EGRC: EGR coole fuel injection; DFI// fines on-board dia suffix: series; CNG E10: "10%" ethanc continuously varial	UNLEADED *: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: medium-duty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV; ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefx 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic tra										

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
INFINITI	Q70 AWD	PC	3.7	SA7	GNSXR0120MBA	1	\$	*
INFINITI	QX50	PC	3.7	SA7	GNSXR0149MBB	1	\$	*
INFINITI	QX50 AWD	PC	3.7	SA7	GNSXR0149MBB	1	\$	*