California Environmental Protection Agency

OB Air Resources Board

FUJI HEAVY INDUSTRIES, LTD.

Executive Order: A-002-0205

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	IP IN	FOR	MATION					
MODEL YEAR		TEST GROUP VEHICLE CLASS(ES					FUEL CATEGORY			FUEL TYPE			
2016	(GFJXT02.0GNS LDT1, LDT2						HYBRID VE	ELE		GASOLINE		
U	SEF	UL LIFE (r	niles)	VE	HICLE EMISSIC	ON C	ATEC	ORY	IN	TERIM / INT	ERMEDIA	TE IN-USE STD	
EXH/0	ORVI	R	EVAP	1	FTP		SF	Р		FTP		SFTP	
150000 150000			CERT	PTION IFYING TO 3 SULEV	TION FYING TO LEV 2 SFTP SULEV STANDARD		*			*			
SPEC	IAL	FEATURE		HAUST EMISS TEMS	ION CONTROL	É		OBD S	TAŢ	JS	ENGINE DISPLACEMEN		
1	TW	C(2), WR	-HO2S,	-HO2S, HO2S, SFI, EGR, EGRC				FULL	AL	L MODELS			
*		-		*			P	ARTIAL	*		2.0		
*				*				TIAL WITH		*			
			EV	APORATIVE 8	REFUELING (EVA	P/OR	/R) FAMILY	INF	ORMATION	-		
EVAP	/ OF	RVR FAMI	LY	EVAPORATIV	E STD CATEG	ORY	EVAP EMISSION STD VEHICLE CLASS				SPECIA	L FEATURES	
GF	JXR	01144FV			LEV 2			LDT1			HCT		
					EMISSION CRI	EDIT	INFO	RMATION					
		ALLOWA	NCE FC	R TEST GROU	JP	1	NMOG CREDIT FOR			NMOG CREDIT FOI		OPTIONAL EXH	
BASEL	INE	PZEV	AT	PZEV	TZEV	NC	ON-PZEV ZERO-E				R	TRUCKS	
	. *		ALL	MODELS	*			N		N		N	
				NMO	G AND FLEET	AVE	RAGE	INFORMAT	TION				
NMOG F	RAF	CH4 RAF	FTP NMOG/NMHC		HCHO/NMH	C R	RATIO PC+LDT		NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)		NMOG+NOX FLEET STI LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		
*		*		1.04	0.02	23			0.09	93	0.110		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

California Environmental Protection Agency

⊘ Air Resources Board

FUJI HEAVY INDUSTRIES, LTD.

Executive Order: A-002-0205

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 23 day of July 2015.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-002-0205

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG+NOx (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	*	*	*	*	*	*	*	*	*	*	*
FTP@UL	GASOLINE - CA PHASE 2	0.0279	0.030	0.50	1.0	. *	*	0.3	4	*	0.01
50°F @4K	GASOLINE - CA PHASE 2	0.0229	0.060	0.39	1.0	*	*	0.1	- 8		(unity and a

	FUEL TYPE	NMOG+N	lOx (g/mi)	CO (g/mi)		
	POEL TYPE	CERT	STD	CERT	STD	
HWFET @ 50K	*	*	*		Hall to the second seco	
HWFET @ UL	GASOLINE - CA PHASE 2	0.0087	0.030			
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE			0.92	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0	3	CON	MPOSITE	
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
0.41/	GASOLINE -	CERT	0.013	2.03		0.009	0.13			WHAT IS TO
@ 4K	CA PHASE 2	STD	0.14	8.0		0.20	2.7			
		CERT	*	*	*	*	*	*	*	*
@ UL	*	STD	*	*	*	*	*	*	*	*
		BIN				With the same		*		a de la de

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

	FUEL TYPE		WHOLE						
EVAPORATIVE		3DHS	S (g/test) (@ UL	2DI	HS (g/test) @	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
GFJXR01144FV	GASOLINE-CA PHASE 2	0.292	0.50	*	0.206	0.50	*	0.000	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD			
GFJXR01144FV	GASOLINE - TIER 2 UNLEADED	0.007	0.20	GASOLINE - CA PHASE 2	0.05	0.0	0.04	0.0	*	*			

California Environmental Protection Agency

⊘ Air Resources Board

FUJI HEAVY INDUSTRIES, LTD. Executive Order: A-002-0205

New Passenger Cars, Light-Duty Trucks and
Medium-Duty Vehicles
Page 4 of 4

r: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX; continuous/periodic trap oxidizer; DPF; diesel particulate filter (active); GPF; PM filter for sparkignited engine, HO2S/O2S: heated/oxygen sensor, WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor, NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

	2016 MODEL YEAR: VEHICLE MODELS INFORMATION													
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE						
SUBARU	CROSSTREK HYBRID	LDT1	2.0	scv6	GFJXR01144FV	1	F	AT PZEV	(TYPE					
SUBARU	CROSSTREK HYBRID	LDT2	2.0	scv6	GFJXR01144FV	1	F	AT PZEV	(TYPE					