California Environmental Protection Agency

OB Air Resources Board

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRC	UP II	NFOR	MATION					
MOD YEA		TEST GROUP			VEHIC	CLE CLASS(E	CLE CLASS(ES)			FUEL CATEGORY			FUEL TYPE	
201	L6 GVGAJ03.0NU4 LDT2, PC						DEDICATED SINGLE FUEL VEHICLE			DIESEL				
USEFUL LIFE (miles) VEHICLE EMISSIC							ION C	N CATEGORY INTERIM / INT			TERME	DIA	TE IN-USE STD	
EX	H/ORV	R	EVAP			FTP		SF	ТР		FTP	SFTP		SFTP
1	.20000		*		LE	V2 ULEV	LEV 2 SFTP STANDARD			*		*		*
SP	SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S	TAT	US	ENG	INE	DISPLACEMENT (L)
1	1 DFI, OC+DPF, SCRC, WR-HO2S, NOXS(2), TC, CAC, EGR, EGRC, PMS								FULL	ALL MODELS				
2	2 DFI, OC+DPF, SCRC, WR-HO2S, NOXS(2), TC, 2CAC, EGR, EGRC, PMS							F	PARTIAL		*		3.0	
*	* *								RTIAL WITH FINES	тн *				
			E	VAPOF	RATIVE	& REFUELING	(EVA	P/OF	RVR) FAMIL	/ INF	ORMATION	1		
EV	AP / OF		/ILY	EVAR	PORATIN	/E STD CATE	GORY	r	EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES		
		*				*		*			*			
					·	EMISSION CI	REDI		ORMATION					
BAS	ALLOWANCE FOR TEST GROUP BASELINE PZEV AT PZEV TZEV							NON-PZEV ZERO-					OPTIONAL EXH. STD FOR WORK TRUCKS	
	* * *							N I			N N			
					NMO	G AND FLEET	AVE	RAG	E INFORMA	TION	1			1
NMO	NMOG RAFICHA RAFI			P NMO RA1	g/NMHC To	нсно/мм	HCHO/NMHC RATIO			D NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		
	1	*		*			k			0.0	93			0.110

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. California Environmental Protection Agency

O Air Resources Board

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this $25^{4/4}$ day of March 2015.

nnette Hebert. Chief

Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

OB Air Resources Board

FUEL TYPE

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

			NMHC (g/mi)		-	O mi)		NOx (g/mi)		HO /mi)	PM (g/mi)	
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	DIES	SEL-EPA	0.0179	0.040	0.30	1.7	0.033	0.05	*	8	*	*
FTP@UL	TP@UL DIESEL-		0.0215	0.055	0.33	2.1	0.036	0.07	*	11	0.004	0.01
50°F @4K		*	*	*	*	*	*	*	*	*		
					F			NOx (g	/mi)		CO (g/mi)
		FUEL TYPE						RT	STD	CEF	RT	STD
HWFET @ 50K		DIESEL-EPA						005	0.07			
HWFET @ UL			0.0	800	0.09							
20°F @ 50K		*								*		*

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				l	JS06			SC03		CC	COMPOSITE		
	FUEL TYP	E	NMHC+N (g/mi)		CO (g/mi)	PM (mg/m		MHC+NOx (g/mi)	CO (g/mi)	NMHC+NOx (g/mi)	c CO (g/mi)	PM (mg/mi)	
0.414		CERT	0.048		0.01			0.113	0.01				
@ 4K	DIESEL-E	STD	0.14		8.0			0.20	2.7	-			
		CERT	*		*	*		*	*	*	*	*	
@ UL	*	STD	*	*		* *		*	*	*	*	*	
		BIN	*						100000	*	in the		
	1	NHOLE VE	HICLE EV.	APORA	TIVE EN	AISSION S	TANDA	ARDS AND	CERTIFIC	ATION LEVE	LS		
	ODATIVE			W	HOLE VE	EHICLE E	APOR	ATIVE TES	TING		L (g/mi) @		
		FUEL TYP	FUEL TYPE 3DHS (g/test) @ UL			DHS (g/test) @ UL	ite (giili) @		UL	
			CEF	CERT		FEL	CERT	STD	FE	L CEF	RT	STD	
	*	*	*		*	*	*	*	*	*	* *		
(ORVR / FUE	LONLY / C	ANISTER	BLEED	EVAPO	RATIVE E	MISSI	ON STANDA	RDSAN	D CERTIFICA	TION LEVE	LS	
				0.000			FUEL	ONLY EVA	P & CAN	ISTER BLEE	D		
EVAPORATIVE FAMILY		ORVR (g	/gallon) @	allon) @ UL				RIG TEST st) @ UL		RIG TEST st) @ UL	BLEED CANISTE TEST (g/test) @ 4		
	Ē	FUEL TYPE	CERT	STD	1		CERT	STD	CERT	STD	CERT	STD	
	*	*	*	*		*	*	*	*	*	*	*	

California Environmental Protection Agency	VOLKSWAGEN GROUP	Executive Order: A-413-0037 New Passenger Cars, Light-Duty Trucks and
Search Air Resources Board	OF AMERICA, INC.	Medium-Duty Vehicles Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR;3751-5750#LVW; LDT3: LDT 6001-8500#GVWR;3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR;5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOX adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2016 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS ENGINE (L) TRANS TYPE		EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE	
AUDI	A6 QUATTRO	PC	3.0	SA8	*	1	F	*
AUDI	A7 QUATTRO	PC	3.0	SA8	*	1	F	*
AUDI	A8	PC	3.0	SA8	*	2	F	*
AUDI	A8L	PC	3.0	SA8	*	2	F	*
AUDI	Q5	LDT2	3.0	SA8	*	1	F	*