California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0423 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.


									_								
							TEST GRO	UP I	N	FORMAT	ION						
MODI		TEST GROUP				VEHICLE CLASS(ES)				FUEL CATEGORY				FUEL TYPE			
201	7	нвм	XT03	.0N55	LDT2					DEDICATED SINGLE FUEL VEHICLE			GASOLINE				
	USEF	ULL	LIFE	(miles)		VEHICLE EMISSION CATEGOR				Y	Y INTERIM / INTE				RMEDIATE IN-USE STD		
EX	EXH/ORVR EVAP				FTP			SFTP			FTP			SFTP			
1	50000)		150000		CEF	ULEV OPTION RTIFYING TO LEV3 ULEV NMOG+NOX	FYING TO LEV 2 SFTP *				*					
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS							-		OBD STATU			US ENGIN		SINE	NE DISPLACEMENT (L)		
1		TWO	c, w	R-HO2S,	H025	, DFI	, TC, CAC			FUL	FULL		*				
*		*								PART	PARTIAL ALL MODELS		3.0				
*	*									PARTIA!	*						
				EV	APOF	RATIVE	& REFUELING	(EV	ΑF	P/ORVR)	FAMILY	' INF	ORMATION				
EV	AP / OI	RVR	FAN	MILY	EVA	PORAT	IVE STD CATEG	OR	Υ	Y EVAP EMISSION STD VEHICLE CLASS			SP	SPECIAL FEATURES			
HBMXR0130N54					LEV 2					LDT2			HCT				
							EMISSION CF	REDI	IT	INFORM	ATION						
		AL	LOW	ANCE FO	R TE	ST GR	OUP			NMOG CREDIT FOR I NMOG CREDIT FOR CT				OPTIONAL EXH STD FOR WORK			
BAS	ELINE	PZE	EV	AT	PZEV		TZEV			N-PZEV ZERO-EVA		VAP DOF		18		TRUCKS	
* * *							. И				и						
						NM	IOG AND FLEET	ΑV	EF	RAGE IN	FORMA	MOIT	l				
NMO0 RAF	CH4 RAI		NMO	FTP MOG/NMHC RATIO			PC+LDT (NMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)									
*	*		1	1.04	* 0.08				6		0.101 *				*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency



BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0423 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _______ day of March 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0423

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 3 of 4

*

0.01

0.85

0.05

OB Air Resources Board

GASOLINE -

TIER 2 UNLEADED

HBMXR0130N54

0.31

0.65

*

ATTACHMENT

						Α	TTAC	HME	NT					-		
		_				-	-	-				-	ATION L			
		FUEL TYPE		H4: metlonoxide justmer RVR [g	nane; NA; NOx: o: nt factor; HC/gallo	MOG: non- xides of ni 2DHS/3DI n dispense	CH4 orga trogen; H HS [g HC ed]: on-bo	anic gas CHO: fo //test]: 2 pard refo	; HC: h ormalde /3 days ueling v	ydrocar ehyde; P diurnal apor rec	bon; NMH M: particu +hot-soak covery; g:	C: n late ; RL grar	on-CH4 H0 matter; RA [g HC/mi]: n; mg: milli pplemental	C; CO: ca F: reactive running I gram; mi:	vity oss;	
N.				NMOG+NO: (g/mi)		CO (g/mi				NOx (g/mi)		HCH (mg/i				
			(CERT	STD	CER	ST	D C	ERT	STD	CER	Т	STD	C; CO: ca AF: reactiv running Ic igram; mi: I FTP PI (g/r CERT * 0.00 CO (g/mi) CO (g/mi) * * * * * * * * L (g/mi) @	STD	
FTP@50	OK	*		*	*	*	*		*	. *	*		*	*	*	
FTP@U		INE R 2 LADED	0	0.030	0.12	5 0.1	2.	1	*	*	*		11	0.00	0.01	
50°F @4		INE R 2 ADED	0	0.050	0.25	0 0.3	2.	1	*	*	*		16			
				FUEL TYPE						NMOG+NOx (g/			(CO (g/mi)		
									CERT		STD		CERT		STD	
HWFET @ 50K			*					*		*	*		SET IN THE	entante esta esta esta esta esta esta esta es		
HWFE			GAS	GASOLINE - TIER 2 UNLEADED ASOLINE-COLD CO HIGH OCTANE						0.006		0.125				
20°F			GASC											0.9		
			SF	TP EX	HAUST	EMISSION	STAND	ARDS	AND CI	ERTIFIC	ATION LI	EVE	LS			
				US06						SC03	}			/IPOSITE		
	FUEL TY	PE			C+NOx /mi)	CO (g/mi)		M g/mi)		+NOx mi)	CO (g/mi)	NN	(g/mi)		PM (mg/mi	
@ 4K	GASOLINI TIER 2	IER 2		0.02		0.4	0.4		0.02		0.2					
		-	STD	0	.25	10.5			0.	27	3.5	46,413	us Mas		La Santa	
		ASOLINE - TIER 2 S'				*		*	*		*		0.026	*	*	
@ UL						*	* *		,	k	*		0.103	*	*	
			BIN			IN A COL							0.160			
		WHO	LE VE	HICLE	EVAPO	RATIVE E	MISSION	STAN	DARD	SAND	CERTIFIC	ATI	ON LEVEL	S		
				WHOLE VEHICLE EVAP						/E TES	TING					
	ORATIVE	FU	IEL TY	PE	3DHS (g/test) @ UL					2DHS (g/test) @ UL			- RL		UL	
. ,					CERT	STD	FEL	CEF	RT	STD	FE	L	CER	Γ	STD	
		-						-			-		-			

California Environmental Protection Agency

⊘ Air Resources Board

X3 XDRIVE35I

X4 M40I

X4 XDRIVE35I

BMW

BMW

BMW

LDT2

LDT2

LDT2

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0423

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS													
				FUEL ONLY EVAP & CANISTER BLEED									
EVAPORATIVE FAMILY	ORVR (g/g	galion) @ UL		FUEL TYPE	1	IG TEST) @ UL	2DHS R (g/test	IG TEST) @ UL	BLEED CANISTER TEST (g/test) @ 4K				
	FUEL TYPE	L TYPE CERT STD			CERT	STD	CERT	STD	CERT	STD			
HBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*			

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5; MDV 10001-14000#GVWR; MDPV; mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC; NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3; selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel, A: automatic (with lockup), M: manual transmission, SA: semi-automatic transmission, CV continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE				

SAR

SA8

SA8

HBMXR0130N54

HBMXR0130N54

HBMXR0130N54

1

1

1

P

P

Ρ

3.0

3.0

3.0