California Environmental Protection Agency

OB Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0430

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GROU	PIN	FORMAT	ION						
MODE	- 1 - 11	TEST GROUP VEHICLE				E CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
2017	нв	MXT03	3.0N57			DEDICATED SINGLE FUEL VEHICLE				DIESEL				
1	JSEFUL	LIFE	(miles)	V	EHICLE EMISSION	ON C	ATEGOR	Y	IN'	TERIM / INT	ERMEDIA	TE IN-USE STD		
EXH/ORVR EVAP				FTP			SFTP		FTP		SFTP			
120000 *				L	EV2 ULEV	72 ULEV LEV 2 STAND			*			*		
SPE	CIAL FE	ATUR		AUST EMIS	SION CONTROL			OBD ST	TATU	s	ENGINE	DISPLACEMENT (L)		
DFI, TC, CAC, EGR, EGRC, SCRC, DPF, NOXS(2), HO2S(2), NAC, PMS							FUI	L	ALI	MODELS				
*			*	T.	PART	PARTIAL *			3.0					
*				*			1	RTIAL WITH *						
			EV	APORATIVE	& REFUELING (EVA	P/ORVR)	FAMILY	INFO	ORMATION				
EVA	P / ORV	RFAN	AILY	EVAPORAT	IVE STD CATEG	ORY		AP EMIS			SPECIA	L FEATURES		
*					*		*			* .				
					EMISSION CR	EDIT	INFORM	ATION						
	A	LLOW	ANCE FO	R TEST GRO	DUP		NMOG CR			NMOG CRE		OPTIONAL EXH		
BASE	LINE P	ZEV	AT	TZEV	NON-PZEV ZERO-E			VAP DOR		R	TRUCKS			
* * *							N			N	и			
				NM	OG AND FLEET	AVE	RAGE IN	FORMAT	TION					
NMOG RAF	CH4 RAF			HCHO/NMH RATIO	PC+LDT (0	NMOG+NOX FLEE PC+LDT (0-3750 (g/mi)		LVW) LDT		(FLEET STI LVW-8500 MDPV (g/mi)				
*	*		*	*	0.	086			0.	101	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

@ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0430

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of July 2016

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0430

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

							A	TTAC	НМЕ	NT							
	EXH	HAU	ST	AND E	VAPOR	RATIVI	EMIS	SION S	TAND	ARE	SAND	CERTI	FICA	TION	LEVELS	3	
		E	(HA	UST EM	SSION	STANDA	RDS A	ND CERT	IFICAT	ION L	EVELS (FTP, HWF	ET, 8	50°F, 20	°F)		
		FUEL TYPE		mor adju ORV	oxide; N stment f /R [g HC	Ox: oxid actor; 20 /gallon	es of niti HS/3DH dispense	rogen; H0 IS [g HC/ d]: on-bo	CHO: for ftest]: 2/ ard refu	rmalde 3 days eling	ehyde; Planter of the control of the	oon; NMH0 M: particul -hot-soak; covery; g: g ure; SFTP:	ate m RL [g gram;	atter; R HC/mi] mg: mil	AF: reactive : running I ligram; mis	vity oss;	
					NMHC (g/mi)		CO (g/mi)			NOx (g/mi)		HCH(PM (g/mi)	
		(DIESEL		CI	ERT	STD	CERT 0.2		CI	ERT	STD	CERT *		STD 8	CERT	STD *	
TP@5	OK DI			PA 0.	014	0.040			_	.01	0.05				*		
FTP@l	JL DI	IESE	L-E	PA 0.	016	0.055	0.4	2.1	. 0	.02	0.07	*	11		0.00	0.01	
50°F @	4K	*			*	*	*	*		*	*	*		*			
(rate)	The state of the s						FUEL TYPE				NOx (g	ı/mi)		CO (g/n)	
					TOLL TITL					CERT		STD		CER	Т	STD	
HWFET @ 50K DIESEL-EPA								0.00		0.07							
HWFET @ UL DIESEL-EPA								0.00		0.09							
20°F	@ 50K					*								*		*	
			-	SFT	P EXHA	UST EN	ISSION	STANDA	ARDS A	ND C	ERTIFIC	ATION LE	VELS	3		-	
				1 300			US06				SC03			CO	MPOSITE		
	FUEL	UEL TYPE			NMHC+NOx (g/mi)		CO PM (g/mi) (mg/m			i) NMHC+NOx (g/mi)				lC+NOx g/mi)	(g/mi)	PM (mg/mi	
@ 4K	DIESI	IESEL-EPA		CERT		0.13		0.0		0.05		0.0).0				
				STD	0.40)	10.5			0.31		3.5				Note:	
		* ST		CERT	*		*	*		*		*			*	*	
@ UL				STD	*		*	*			*	*		*	*	*	
				BIN										*			
			WHO	OLE VEH	IICLE E							ERTIFICA	TION	LEVE	LS		
EVAPORATIVE FUEL				UEL TYP	E			OLE VEHICLE EVAP			(g/test)			RL (g/mi) @ UL			
FAMILY				CE	RT	STD FEL		CER	CERT STD		FEL	CERT		RT T	STD		
*			*			. *	*		* *		*		*		*.		
	ORVR	/ FUE	LC	NLY / C	ANISTE	RBLEE	EVAP	DRATIVE	EMISS	SION	STANDA	RDS AND	CER	TIFICA	TION LEV	ELS	
									FUI	EL ON	ILY EVA	P & CANI	STER	BLEE)		
	ORAT		/E ORV		'R (g/gallon) @		FUE	_ TYPE	(g/	DHS RIG TEST (g/test) @ UL		2DHS RIG (g/test) @		UL TEST (g		CANISTER /test) @ 4K	
			FU	EL TYPE					CER	RT	STD	CERT	5	STD	CERT	STD	
*				*	*	*		*	*		*	*		*	*	*	

California Environmental Protection Agency

@ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0430

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE
BMW	X5 XDRIVE35D	LDT3	3.0	SA8	*	1	F	*