California Environmental Protection Agency Air Resources Board

BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0416

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2, and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP INFO	RMATION					
MODE	TEST GENTIE			VEH	CLE CLASS(E	S)	FUEL C	ATEGORY	FUEL TYPE			
2017	НВ	MXV02	2.0M46		PC			SINGLE FUEL	GASOLINE			
	USEFUL	LIFE	(miles)	VI	EHICLE EMISS	ION CATI	GORY	INTERIM / INT	ERMEDIA	TE IN-USE STD		
EXH	/ORVR	ORVR EVAP FTP SFTP FTP							SFTP			
15	0000		150000	LEV	3 SULEV30	LEV 3	COMPOSITE	PM	NMOG+NOX AND PM			
SPE	CIAL FE	ATUR		IAUST EMISS	SION CONTRO	L	OBD S	TATUS	ENGINE	DISPLACEMENT (L)		
1	WU-TW	C, TW	C, WR-HC	2S, HO2S,	DFI, TC, CA	c	FULL	*				
*	* PARTIAL ALL MODELS 2.0											
*	* PARTIAL WITH * FINES											
			EV	APORATIVE	& REFUELING	(EVAP/O	RVR) FAMILY	INFORMATION				
EVA	AP / ORVR FAMILY EVAPORATIVE STD CATE						EVAP EMI	SPECIAL FEATURES				
H	IBMXR01	30F4	5	LEV 3 OP	TION2 WITH	FEL	L PC			HCT		
					EMISSION C	REDIT IN	ORMATION					
	ALLOWANCE FOR TEST GROUP NMOG CREDIT FOR NON-PZEV ZERO-EVAP								OG CREDIT FOR STD FOR W			
BASE	ELINE P	ZEV	AT	PZEV	TZEV	NON-P	ZEV ZERU-E	VAP	JK .	TRUCKS		
ALI	L MODEI	S		*	*		N	1	ī	N		
				NMC	G AND FLEET	AVERA	SE INFORMA	TION				
NMOG RAF	CH4 RAF NMOG/NMHC RATIO HCHO/NMH RATIO				PC+LDT (W) LDT	+NOX FLEET ST (3751 LVW-8500 R) + MDPV (g/mi	MDV (10001-14000			
*	*	1.10 * 0.086 0.101					*					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

California Environmental Protection Agency

⊘ Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0416

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 22 day of February 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Fage 2 of 4

: Parto a cohol vula ed venicles .a jua de l'Oalifornia 2015 and e lecutorii and Cupsequent **⊘** Air Resources Board

FUEL TYPE CERT

0.04

TIER 3 E10

REGULAR

GASOLINE

HBMXR0130F45

STD

0.20

GASOLINE-

LEV3 E10

BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0416 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

		1000				-			-				-	-		LEVELS	3	
		FUEL TYPE		14: me noxide ustme VR [g	thane; Nox: nt factor HC/gall	IMO oxid ; 2D on o	G: non- es of nit HS/3DH	CH4 org rogen; H HS [g HC	anic ga ICHO: /test]: oard re	as; HC: formalo 2/3 day efueling	hydroca dehyde; F /s diurnal	rbon; PM: p +hot- cove	NMHC articula soak; ry; g: g	ete m RL [g	n-CH4 H latter; R l HC/mi] mg: mil	IC; CO: ca AF: reacti : running l ligram; mi	vity oss;	
Contract of the contract of th				NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)				CHC			PM (g/mi)	
				ERT	STI	D	CERT	ST	D	CERT	STO	CERT		STD		CERT	STD	
FTP@50H	<	*		*	*		*	*		*	*	1	*		*	*	*	
FTP@UL	GASOLINE- LEV3 E10		1 0	.014	0.0	30	0.3	1.	0	*	*				4	0.002	0.003	
50°F @4K	@4K GASOLINE- LEV3 E10		1 ()	.017	0,0	50	0.4	1.	0	*	*		*		8			
					FUEL '	TVP	E .			_	MOG+N	Ox (9	g/mi)			CO (g/mi)	
				TOLL	LITTE				CI	CERT		STD		CER	r.	STD		
HWFET @ 50K			*					V	*			*						
HWF ET	@ UL			GAS	OLINE-	LEV	3 E10			0.	004	0	.030	0.00				
20°F @	50K	COLI	o co i	E10 F	EGULA	R GI	SOLIN	E (TIE	R3)				A S	2	1.0		10.0	
			SF	TP EX	HAUST	EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATIC	ON LEV	/ELS	;			
NA ₄					US06						SC03				COMPOSITE			
F	FUEL TY	PE		NMOG+NOx (g/mi)				M g/mi)	NMOG+NOx (g/mi)		CO Ni (g/mi)		NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/m		
@ 4K *		С	ERT	A	*		*	*			*					1		
		5			*	1	*	F . 5	1 1 1		*	*		**				
		CE			*	1	*		3		*	1	-	0.012		0.5	*	
(m)	GASOLIN LEV3 E1	1 9	STD		*		* 1		.0		*		*		.103	4.2	*	
		BI				19	10-10-							0.050		B- 13		
		WHO	LE VEI	HICLE	EVAPO	RA	TIVE EI	MISSION	STAP	DARD	SAND	ERT	IFICA"	TION	LEVEL	S		
EVAPORATIVE				WHOLE VEHICLE EVA											RL (g/mi) @ UL			
FAMILY		FUEL TYPE				/test) @ UL			2DHS (g/test)						10 / 0			
					CERT STD		TD	FEL	FEL CEI		RT STD		FEL		CER	Т	STD	
HBMXR0130F45		LE	V3 E1	OLINE- 3 E10 0.200 0			300			204 0.300						0.00 0.0		
OR	RVR / FUI	EL ON	LY/C	ANIST	ER BL	EED	EVAPO	DRATIVI								ION LEV	ELS	
EVAPORATIVE FAMILY		ORVR (g/galion) @ UL				_				HS RIG TEST			2DHS RIG TEST		EST I	T BLEED CANISTER		
					FUEL TYPE			TYPE	(g/test) @ UL			(g/test) @			UL TEST (g/test) @ 4K			

CERT

STD

CERT

STD

CERT

0.003

STD

0.020

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV: SULEV: super ULEV: ZEV: zero-emission vehicle: PZEV: partial ZEV; AT PZEV: advanced technology PZEV: TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%" gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission, AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MINI	MINI COOPER S CLUBMAN	PC	2.0	M6,SA8	HBMXR0130F45	1	P	PZEV
MINI	MINI COOPER S CLUBMAN ALL4	PC	2.0	M6,SA8	HBMXR0130F45	1	P	PZEV