# California Environmental Protection Agency

#### BAYERISCHE MOTOREN WERKE AG

Executive Order: A-008-0419

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST G	ROUP	NFORMA	TION						
MODE	_	EST G	ROUP	VEH	IICLE CLAS	S(ES)	FUEL CATEGORY			ORY	FUEL TYPE			
2017	нв	HBMXV03.0F10				PC DEDICA:			CATED SINGLE FUEL VEHICLE			ASOLINE		
	USEFUL	LIFE	(miles)	II v	EHICLE EM	ISSION	CATEGO	RY	INT	ERIM / INT	ERMEDIA	TE IN-USE STD		
EXH	/ORVR		EVAP		FTP		SFTP			FTP		SFTP		
12	0000		150000	I	EV2 ULEV	1	LEV 2 SE STANDAR			*	*			
SPE	CIAL FE	ATUR		AUST EMIS	SION CONT	ROL		OBD ST	TATUS		ENGINE	DISPLACEMENT (L)		
1	T	WC, W	R-HO2S,	HO2S, DFI	, TC, CAC		FU	LL		*				
*	*						PAR	TIAL	ALL	MODELS		3.0		
*	*						1	L WITH	*					
			EV	APORATIVE	& REFUELI	NG (EV	AP/ORVR	FAMILY	INFO	RMATION				
EVA	P / ORV	RFAN	MILY	EVAPORAT	IVE STD CA	TEGOR		/AP EMIS			SPECIA	L FEATURES		
H	BMXR01	30N54	1		LEV 2	EV 2 PC						HCT		
					EMISSION	CREDI	TINFORM	MATION						
	A	LLOW	ANCE FO	R TEST GR	OUP		NMOG CI			MOG CRE		OPTIONAL EXH. STD FOR WORK		
BASE	ELINE P	ZEV	AT	PZEV	TZEV	N	ON-PZEV	ZERO-E	VAP	DO	K	TRUCKS		
* *					*			N		N		N .		
				NM	OG AND FL	EET AVE	RAGE IN	FORMAT	TION					
NMOG RAF	NMOGINMHC			NMOG+NOX FLEET PC+LDT (0-3750 L' (g/mi)		O LVW) LDT (		IMOG+NOX FLEET STE LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NOX FLEET STD (10001-14000 VWR) (g/mi)				
*	*		1.04	*		0.086			0.1	.01		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

California Environmental Protection Agency

**OB** Air Resources Board

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0419

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of March 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0419

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

## **ATTACHMENT**

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

**FUEL TYPE** 

1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1											
ALLEGE HELL		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)	
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.009	0.040	0.1	1.7	0.02	0.05	*	8	*	*
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.011	0.055	0.1	2.1	0.02	0.07	*	11	*	0.01
50°F @4K	GASOLINE - TIER 2 UNLEADED	0.014	0.080	0.2	1.7	0.02	0.05	*	16		

	FUEL TVDE	NOx	(g/mi)	CO (	g/mi)
And the second	FUEL TYPE	CERT	STD	CERT	STD
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.00	0.07		
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.00	0.09		3.4-4
20°F @ 50K	GASOLINE-COLD CO HIGH OCTANE			0.9	10.0

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC0:	3	COMPOSITE		
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.07	0.8		0.02	0.0			
		STD	0.14	8.0	12	0.20	2.7			
		CERT	*	*	*	*	*	0.047	*	*
@ UL	GASOLINE - TIER 2 UNLEADED	STD	*	*	*	* _	*	0.103	*	*
-		BIN	FIRE SAN	E A	M. T. W.	Taki Pila		0.160		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE						
EVAPORATIVE FAMILY	FUEL TYPE	3DHS	S (g/test) (	@ UL	2DI	HS (g/test) @	RL (g/mi) @ UL		
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.31	0.50	*	*	0.65	*	0.01	0.05

## **⊘** Air Resources Board

ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE						ELS
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE	3DHS R	IG TEST ) @ UL	2DHS R (g/test	IG TEST	BLEED CANISTER TEST (g/test) @ 4K	
AMILI	FUEL TYPE CERT STD				CERT	STD	CERT	STD	CERT	STD
HBMXR0130N54	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC; ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial/with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

### 2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
BMW	5351 GRAN TURISMO	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	5351 XDRIVE GRAN TURISMO	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	6401 CONVERTIBLE	PC	3.0	SA8	HBMXR0130N54	1	P	. *
BMW	640I COUPE	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	6401 GRAN COUPE	PC	3.0	SA8	HBMXR0130N54	1	P	. *
BMW	6401 XDRIVE CONVERTIBLE	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	6401 XDRIVE COUPE	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	6401 XDRIVE GRAN COUPE	PC	3.0	SA8	HBMXR0130N54	1	P	*
BMW	M2	PC	3.0	AMS7,M6	HBMXR0130N54	1	P	*