California Environmental Protection Agency	BAYERISCHE	Executive Order: A-008-0440 New Passenger Cars, Light-Duty Trucks and
O Air Resources Board	MOTOREN WERKE AG	Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	JP IN	FORMAT	ION			-		
MODE	- I TI	EST G	ROUP	VEHICLE CLASS(ES)			FUEL CATEGORY		DRY	FUEL TYPE			
2017	НВ	MXV01	5м3х		PC		DED:	DEDICATED SINGLE FUEL VEHICLE			GASOLINE		
1	JSEFUL	LIFE	(miles)	II V	EHICLE EMISSI	ON C	ATEGOR	Y	INTE	RIM / INTI	ERMEDIATE IN-USE ST		
EXH	/ORVR	T	EVAP		FTP		SFTP	FTP		FTP		SFTP	
12	0000		150000	L	EV2 ULEV		EV 2 SF	*		*		*	
SPE	CIAL FE	ATUR		AUST EMIS	SION CONTROL	-		OBD ST	TATUS		ENGINE	DISPLACEMENT (L)	
1	WU-TW	C, TW	C, WR-HC	2S, HO2S,	DFI, TC, CA	-	FUL	L		*			
*				*			PART	PARTIAL ALL MODELS			1.5		
*				*			PARTIA			*			
			EV	APORATIVE	& REFUELING	(EVA	P/ORVR)	FAMILY	INFO	RMATION			
EVA	P / ORV	R FAN	AILY	EVAPORAT	IVE STD CATEO	ORY					SPECIA	L FEATURES	
H	IBMXR01	30F4	5	LEV 3 O	PTION2 WITH B	EL	-	P	C	c ·		HCT	
					EMISSION CR	REDIT	INFORM	ATION				and the second s	
	A	LLOW	ANCE FO	R TEST GR	OUP							OPTIONAL EXH	
BASE	ELINE P	ZEV	AT	PZEV	TZEV	NC	ON-PZEV ZERO-EVAP DO			DO	R	TRUCKS	
	*			*	*		1	N N				N	
				NM	OG AND FLEET	AVE	RAGE IN	FORMAT	TION				
NMOG RAF	CH4 RAF	NMC	FTP OG/NMHC RATIO	HCHO/NMI RATIO	PC+LDI (C					MDV	NOX FLEET STD / (10001-14000 VWR) (g/mi)		
*	*		1.04	*	0	.086			0.1	01		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency	BAYERISCHE	Executive Order: A-008-0440 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	MOTOREN WERKE AG	Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _____

day of September 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

O Air Resources Board

FUEL TYPE

BAYERISCHE MOTOREN WERKE AG Executive Order: A-008-0440 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

and the second second												
				OG mi)	-	O mi)		Ox mi)		HCHO mg/mi)		PM /mi)
			CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K	TI	LINE - IER 2 LEADED	0.008	0.040	0.6	1.7	0.01	0.05	*	8	*	*
FTP@UL	TI	DLINE - IER 2 LEADED	0.008	0.055	0.6	2.1	0.01	0.07	*	11	0.00	0.01
50°F @4K	TI	DLINE - IER 2 LEADED	0.011	0.080	0.4	1.7	0.00	0.05	*	16		
and the second sec	and the second							NOx (g	/mi)	(CO (g/mi)
				FUEL TYP	Έ		CE	RT	STD	CERT		STD
HWFET @ 50K			GASOLINE	- TIER	ED	0.	0.00 0.07				NY VICE IN THE PARTY	
HWFET @ UL G			GASOLINE	- TIER	ED	0.	0.00 0.0					
20°F @	0°F @ 50K GASOLINE-COLD CO		COLD CO	HIGH OCT	IGH OCTANE				0.8		10.0	
			SFTP EXH	HAUSTEN	ISSION S	TANDARI	DS AND C	ERTIFICA	TION LE	VELS		
14226-					US06			SC03			MPOSITE	
1			The NUMBER OF		00	DH	NUMBER	NON	00	NILLOCINON	00	DH

1222				US06		SCO	3	CON	POSITE	
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
GASOLINE - TIER 2 @ 4K UNLEADED		CERT	0.02	0.5		0.01	0.6			
e +n	011221222	STD	0.14	8.0		0.20	2.7			
		CERT	*	*	*	*	*	0.016	*	*
@ UL	@ UL GASOLINE UNLEADED	STD	*	*	*	*	*	0.103	*	*
	UNLEADED		nd And Antho	1 Carlos Mary				0.160		
	W	HOLE VE	HICLE EVAPO	RATIVE E	MISSION STA	NDARDS AND	CERTIFIC	ATION LEVELS	S	
				WHOLE	VEHICLE EVA	PORATIVE TES	TING			
EVAPORATIVE FAMILY		FUEL TY	PE 3DHS	E 3DHS (g/test) @ UL		2DHS (g/tes	t) @ UL	RL (g/mi) @		UL
			CERT	STD	FEL C	ERT STD	FE	L CERT		STD
HBMX	001302451	GASOLIN TIER3 H	10,1981	0.300	0.275 0.	126 0.300	0.2	.75 0.01	0.05	

California Environmental Protection Agency							Executive Order: A-008-0440 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles					
	iesource	5 00	aru						Pa	age 4 of 4		
ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE						ELS		
				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	DUL					BLEED C TEST (g/t	ANISTER est) @ 4K			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HBMXR0130F45	GASOLINE- TIER3 E10	0.04	0.20	GASOLINE- LEV3 E10	*	*	*	*	0.003	0.020		
: not applicable; # DT<6000#GVWF 500#ALVW; MDV luty passenger ve	2,3751-5750#L /: medium-duty	VW; LD	T3: LDT ; MDV4:	6001-8500#GVW MDV 8501-1000	/R,3751-575 0#GVWR; M	0#ALVW; 1DV5: MD	LDT4: LDT V 10001-14	T 6001-850 4000#GVW	00#GVWR,5 VR; MDPV: r	751- nedium-		

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
MINI	MINI COOPER CLUBMAN ALL4	PC	1.5	M6, SA8	HBMXR0130F45	1	P	*
MINI	MINI COOPER COUNTRYMAN	PC	1.5	M6, SA6	HBMXR0130F45	1	P	*
MINI	MINI COOPER COUNTRYMAN ALL4	PC	1.5	M6 , SA8	HBMXR0130F45	1	P	*