California Environmental Protection Agency	DAIMLER AG	Executive Order: A-003-0598 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	DAIMLERAG	Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMAT	ION				
MODE		TEST GROUP VEHICLE CLA					SS(ES) FUEL CATEO		ATEGORY	FU	EL TYPE	
2017	HIM	. 0022		LDT3, LDT4	T3, LDT4 DEDIC			SINGLE FUEL	GASOLINE			
l	JSEFUL	LIFE	(miles)	V	EHICLE EMIS	SION C	ATEGOR	Y	INTERIM / INT	ERMEDIA	TE IN-USE STD	
EXH	/ORVR		EVAP		FTP		SFTP		FTP		SFTP	
15	0000		150000	LE	V3 ULEV70	LEV	3 COMPC	SITE	NMOG+NOX	NMOG+NOX N		
SPE	CIAL FE	ATUR		AUST EMIS	SION CONTRO	DL		OBD ST	ATUS	ENGINE	DISPLACEMENT (L)	
1	D	FI, T	C, CAC,	WR-HO2S,	HO2S, TWC		FUI	ULL ALL MODELS				
*	*						PART	IAL *		2.0		
*				*			PARTIA		*			
			EV	APORATIVE	& REFUELIN	G (EVA	P/ORVR)	FAMILY	INFORMATION			
EVAP / ORVR FAMILY EVAPORATIVE STD CATE					GORY	EVAP EMISSION STD VEHICLE CLASS		SPECIAL FEATURES				
Н	MBXR01	70LNE	3	LEV 3 OF	PTION2 WITH	ON2 WITH FEL LDT3			ТЗ	*		
					EMISSION	REDIT	INFORM	ATION				
	A	LLOW	ANCE FO	R TEST GR	OUP		MOG CR				OPTIONAL EXH.	
BASE	BASELINE PZEV AT PZEV TZEV					NC	NON-PZEV ZERO-EVAP		AP DC	DOR		
	*			*	*		N		Þ	1	N	
	<u></u>			NM	OG AND FLEE	TAVE	RAGE IN	FORMAT	TON			
NMOG RAF	INMOG/NMHC			PC+LDT	NMOG+NOX FLEET S PC+LDT (0-3750 LVV (g/mi)				MDV	NOX FLEET STD / (10001-14000 //WR) (g/mi)		
*	*	:	1.10	0.018		0.086			0.101	*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

California Environmental Protection Agency

DAIMLER AG

Executive Order: A-003-0598 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of September 2016. Annette Hebert, Chie

'Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency						-	DAIMLER AG						Cars, Lig	A-003-05	ucks and	
						ď				Medium-Duty Vehicle Page 3 of 4						
							ATTAC	HME	ENT							
	EX	HAUST	AN	DEVA	PORAT	IVE EM	ISSION	STAN	DARD	S AND	CERT	IFIC	ATION	LEVELS	-	
		EXH	AUST	EMISS	ION STA	NDARDS	AND CER	TIFICA	TION L	EVELS	(FTP, HW	/FET,	50°F, 20	°F)		
	F	CH4: methane; NMOG: monoxide; NOx: oxides adjustment factor; 2DHS ORVR [g HC/gallon disp					: non-CH4 organic gas; HC: h s of nitrogen; HCHO: formalde IS/3DHS [g HC/test]: 2/3 days spensed]: on-board refueling v s Fahrenheit; FTP: federal test			ehyde; P s diurnal- vapor rec	M: particu +hot-soak covery; g:	matter; R/ g HC/mi]: ; mg: mill	-CH4 HC; CO: carbon atter; RAF: reactivity HC/mi]: running loss; mg: milligram; mi: mile; K:			
	12	N			OG+NOx		со		N	Öx		нсн	0	PI	N	
					(g/mi)		(g/mi)		(g/mi)		(mg/n		ni)	(g/r	(g/mi)	
	-		-	CERT	T STI	D CE	RT ST	DO	CERT	STD	CER	T STD		CERT	STD	
FTP@50		*		*	*		*		*	*	*	-	*	*	*	
FTP@U		PREMIU GASOLII	M	0.04	5 0.0	70 0.	3 1.	7	*	*	0.3	0.3 4		*	0.01	
50°F @4	4K	*		*	*	-	*		* 1	*	*		*	and a right	میں آؤمان و ایک الحمی آؤمان و	
					FUEL	TYPE					Dx (g/mi)			CO (g/mi)		
									ERT STD		CERT			STD		
HWFET	r@5	OK			*				,	*	*			and and all and a	- 1 ⁰⁰ 0 1	
HWFE	т@เ	JL	L	EV 3 1	E10 PREN	IUM GAS	SOLINE		0.0	010	0.070	0	ي منظم المركز المركز المركز المركز		- 23	
20°F (@ 501	ĸ	GA	SOLIN	E-COLD (CO HIGH	OCTANE	1.1.1		44.8		ter and	0.9		12.5	
				SFTP E	EXHAUST	EMISSIC	N STAND	ARDS	AND C	ERTIFIC	ATION L	EVEL	S			
					US06					SC03				MPOSITE		
	FUE	LTYPE			lOG+NOx (g/mi)	CO (g/m		PM g/mi)	and the second second	s+NOx mi)	CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/m	
@ 4K		÷	CER	т	*	*	- 6			•	*	1000		An Salary	C UNICE DE	
e			STD		*	*		enter enter			*	51.129 - 12.55 1-2 - 12		1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.		
			CER		*	* *		*	*		*	0.032		0.4	*	
@UL PREMI		3 E10 EMIUM SOLINE	UM STD		*		* *		+		+		0.103	4.2	*	
_			BIN										0.040			
		WH	IOLE Y	VEHICL	LE EVAPO	ORATIVE	EMISSION	N STAN	DARD	S AND C	ERTIFIC	ATIO	N LEVEL	S		
						WHOLE	VEHICLE	EVAP	ORATI	/E TEST	ING					
EVAPO	ORAT		UEL	TYPE	3DH	S (g/test)	l/test) @ UL		2DHS (g/test)		t) @ UL		RL (g/mi) @		UL	
					CERT	STD	FEL	CEF	रा	STD	FE	L	CER	т	STD	
HMBXR	0170	LNB	DEV 3 PREM GASOI	IUM	0.436	0.500	0.500	0.4	20	0.500	0.5	00	0.0	0	0.05	

	ironmental Prot	DAIMI	DAIMLER AG New F			Executive Order: A-003-0598 Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles					
OB Air Resources Board				Drume		Page 4 of 4					
ORVR / FU	EL ONLY / CA	EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS									
	1.00			FUEL ONLY EVAP & CANISTER BLEED							
EVAPORATIVE FAMILY	MILY FUEL TYPE CERT STD GASOLINE-				IG TEST) @ UL	2DHS RIG TEST (g/test) @ UL		BLEED CANISTE TEST (g/test) @ 4			
			STD		CERT	STD	CERT	STD	CERT	STD	
HMBXR0170LNB			0.20	LEV 3 E10 PREMIUM GASOLINE	*	*	*	*	0.019	0.020	
not applicable; # DT<6000#GVWF 500#ALVW; MD luty passenger ve	R,3751-5750#L /: medium-duty	VW; LD	T3: LDT (MDV4:	6001-8500#GVW MDV 8501-1000	VR,3751-57 0#GVWR; I	50#ALVW	LDT4: LD1 V 10001-14	6001-850 000#GVW	00#GVWR,5 VR; MDPV: r	751- nedium-	

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE	
MERCEDES BENZ	METRIS (CARGO VAN)	LDT3	2.0	A7	HMBXR0170LNB	1	F	*	
MERCEDES BENZ	METRIS (PASSENGER VAN)	LDT4	2.0	A7	HMBXR0170LNB	1	F	*	