California Environmental Protection Agency

Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1963

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GROU	JP IN	NFOF	RMATION						
MODE YEAR	1	TEST GROUP			VEHICLE CLASS(ES)				FUEL CATEGORY			FUEL TYPE			
2017	HF	MXD 0 6	5.87CV			MDV5		DEDICATED SINGLE FUEL VEHICLE			GASOLINE				
l	USEFUL	LIFE	(miles)		VEHICLE EMISSION CATEGO				GORY	ORY INTERIM / INT			ERMEDIATE IN-USE STD		
EXH/ORVR EVAP					FTP			SFTP		FTP			SFTP		
120000 150000					LE	EV2 ULEV			* *		*	*		*	
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								OBD S			TATUS		ENGINE DISPLACEMENT		
1	1 2TWC, WR-HO2S, 2HO2S, SFI								FULL	AL	L MODELS				
*				*				PARTIAL *				6.8			
*	* PART										*]			
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION															
EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR								RY EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES				
HFMXF0265NAS					LEV 2			MDV5				*			
						EMISSION CR	EDIT	INF	ORMATION						
ALLOWANCE FOR TEST GROUP NMOG CRE									G CREDIT FOR NMOG CR			DIT FOR STD FOR		OPTIONAL EXH. STD FOR WORK	
BASELINE PZEV AT PZEV TZEV NON-PZEV ZERO-I									ZEV ZERO-E	VAP DO)R		TRUCKS	
* * *							N			I N					
NMOG AND FLEET AVERAGE INFORMATION															
NMOG RAF	I SIMOG/NIMHC I			HCHO/N RATI	O/NMHC DT /3751 L V/W		W-85	-8500 GVW) MDV		MOG+NOX FLEET STI DV (8501-10000 GVWF (g/mi)				(10001-14000	
*	* 1.04 * *				ŀ	*				*					

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

California Environmental Protection Agency Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1963

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of April 2016.

+ X

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FUEL TYPE CERT

STD

FORD MOTOR COMPANY

Executive Order: A-010-1963 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

	EXH	AUST	ΓΑΝ	EVA	PORAT	IVE	EMIS	SION S	ATA	NDARD	S ANI	D CERT	IFIC	ATION	LEVELS		
		EXH	AUST	EMISS	ION STAP	NDAF	RDS A	ND CERT	TIFIC/	ATION L	EVELS	(FTP, HW	/FET,	50°F, 20	°F)		
	FU	EL TY		nonoxid adjustm DRVR [de; NOx: o ent factor g HC/gallo	oxide ; 2Dł on di	s of niti HS/3DH spense	rogen; Ho IS [g HC/ d]: on-bo	CHO: /test]: ard re	formalde 2/3 days fueling v	ehyde; F diurnal apor re	M: particu	ulate i ; RL gram	matter; R/ [g HC/mi]: n; mg: mill	C; CO: ca AF: reactiv running le igram; mi: I FTP	vity oss:	
				NMOG (g/mi)			(CO g/mi)		N((g/		HCHC (mg/m		-	PM (g/mi)		
				CERT	STE	CI	CERT	STE	D	CERT	STD	CER	Т	STD	CERT	STD	
FTP@5	K *			*	*		*	*		*	*	*		*	*	*	
GASOLINE - FTP@UL TIER 2 UNLEADED		2	0.068	0.16	57	3.8	7.3	3	0.38	0.4	*		21	*	0.06		
50°F @4K		*		* *			*	*		* *		*		*			
						EL TYPE				NOx (g		y/mi)		CO (g/r		ni)	
A STATE OF THE STA					FOLL	1172	-			CE	RT	STD	STD		CERT S		
HWFET @ 50K				*					. *		*	*					
HWFET@UL GASOLINE - TIER :							2 UNLEADED		0.3		0.8						
20°F @ 50K *										1-11				*		*	
				SFTP E	XHAUST	EMIS	SSION	STANDA	ARDS	AND C	ERTIFIC	ATION L	EVEL	S			
	****			US06							SC03	3	COMPOSITE				
	FUEL 7	JEL TYPE		NMHC+NOx (g/mi)			CO PM (g/mi) (mg/mi			NMHC+NOx (g/mi)		CO (g/mi)	NMOG+NO (g/mi)		CO (g/mi)	PM (mg/mi	
@ 4K	*	* CE		Г	*		*			,		*	Merchanian in				
					*		*			*		*	1000				
		* S					* *			*		*	*		*	*	
@ UL	*			-	*		*	*		*		*	*		*	*	
			BIN				27.5					Maria Visita	*ERTIFICATION LEVE				
		WH	HOLE	/EHICL	EEVAPO				-				ATIO	N LEVEL	5		
EVAPORATIVE FAMILY		E F	UEL 1	YPE	WHOLE VEHICLE EVA			EVAP			@UL			RL (g/mi) @ UL			
-	MILL I			CERT		S	STD FEL		CE	RT	STD	FEL		CER	Т	STD	
HFMXF0265NAS		S	ASOLI TIER UNLEA			1.	00 *		0.	.43 1.25		*	. * 0.		00 0.05		
C	ORVR / F	UEL	ONLY	CANIS	STER BL	EED	EVAPO	PRATIVE	EMI	SSION S	TANDA	RDS AND	CE	RTIFICAT	ION LEVE	LS	
							Hanne		_			P & CAN					
EVAPORATIVE FAMILY		E	ORVR (g/gallon) @ UL							HS RIG			2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		

CERT

STD

CERT

STD

CERT

STD

California Environmental Protection Agency

@ Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1963

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW: LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV: SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV; partial ZEV; AT PZEV; advanced technology PZEV: TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX; continuous/periodic trap oxidizer; DPF; diesel particulate filter (active); GPF; PM filter for spark-ignited engine: HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN; bleed carbon canister; prefix 2; parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
FORD	E350 CUTAWAY	MDV5	6.8	A6	HFMXF0265NAS	1	F	*
FORD	E350 STRIP CHASSIS	MDV5	6.8	A6	HFMXF0265NAS	1	F	*