California Environmental Protection Agency	FORD MOTOR	Executive Order: A-010-1987 New Passenger Cars, Light-Duty Trucks and				
OB Air Resources Board	COMPANY	Medium-Duty Vehicle				
Sa All Mesources Board		Page 1 of 4				

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

-					TEST GR	OUP IN	FORMAT	ION				and the second		
MODE	- I T	EST G	ROUP	VEHI	CLE CLASS(FUEL CATEGORY				FUEL TYPE				
2017	HE	MXD 03	3.76BX		MDV4	MDV4 DED:			DICATED SINGLE FUEL VEHICLE			GASOLINE		
	USEFUL	LIFE	(miles)	V	HICLE EMIS	SION C	ATEGOR	Y	INT	ERIM / INT		TE IN-USE STD		
EXH	ORVR		EVAP		FTP	FTP SFTP			FTP			SFTP		
15	0000		150000	LEV	3 ULEV200	LEV3 ULEV (FULL US06, SC03, FTP TEST CYCLE)					PM NMOG+NOX AND PM			
SPE	CIAL FE	ATUR		AUST EMISS	SION CONTRO			OBD ST	TATUS		ENGINE	DISPLACEMENT (L)		
1	1 2TWC, 2WR-HO2S, 2HO2S, SFI FULL ALL M									MODELS				
*				*			PART	IAL		*	3.7			
*	* *							WITH ES		*				
			EV	APORATIVE	& REFUELING	G (EVA	P/ORVR)	FAMILY	INFO	RMATION				
EVA	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGO							Y EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES			
E	IFMXF01	90NB	S		LEV 2		MDV4					*		
E	IFMXR01	90NB	S		LEV 2	EV 2 M						*		
					EMISSION C	REDIT	INFORM	ATION		estilities and the second		and a second		
	A	LLOW	ANCE FO	R TEST GRO	UP							OPTIONAL EXH		
BASELINE PZEV AT PZEV TZEV										NMOG CRE DOI	EDIT FOR STD FOR WO			
* *							N			N		N		
				NMC	G AND FLEE	TAVE	RAGE INF	ORMAT	TION					
NMOG/NMHC 1				HCHO/NMH RATIO	LDT (3751 L	NMOG+NOX FLEE LDT (3751 LVW-850 + MDPV (g/mi					NMOG+NOX FLEET STE MDV (10001-14000 GVWR) (g/mi)			
*	*		1.10	*		*			*		*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency

FORD MOTOR COMPANY Executive Order: A-010-1987 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

nnette Hebert.

Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

Om Air Resources Board

FUEL TYPE

FORD MOTOR COMPANY Executive Order: A-010-1987 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

	FUL	LIT	FE														
				NMOG+NOx (g/mi)		Ox	CO (g/mi)			NOx (g/mi)		HCł (mg/				PM /mi)	
			Ī	CER	T	STD	CERT	STE		ERT	STD	CER	т	STD	CERT	STD	
TP@50	ок	*		*		*	*	*		*	*	*		*	*	*	
FTP@U		OLIN V3 E		0.13	36 0	.200	1.34	4.2	2	*	*	0.6		6	0.0024	0.008	
50°F @4	4K	*		*		*	*	*		*	*	*		*			
	1.5			FUEL TYPE							IOG+NO	Ox (g/mi)			CO (g/m	i)	
											CERT		STD		T	STD	
WFET	T @ 50K					*				*		*		Partis			
HWFE	T@UL			G	ASOLIN	NE-LEV3	3 E10	E10		0.1085		0.200					
20°F	@ 50K					*						A CALL		*		*	
				SFTP	EXHAL	ST EMI	SSION	STANDA	ARDS A	ND CE	ERTIFIC	ATION LI	EVEL	.S	a secola		
						US06					SC03			CC	E		
	FUEL T	YPE		N	MOG+N (g/mi)		CO (g/mi)	Pl (mg/		NMOG (g/i	i+NOx mi)	CO NM (g/mi)		OG+NO: (g/mi)	k CO (g/mi	PM) (mg/mi	
0.11		*		ERT *			• 928			*		•		a da Apirita Antonio			
@ 4K					*		*			*		*	A REAL PROPERTY				
		C		т	*		* *		r	1	•	*	0.1271		14.0	1 3.2	
@ UL	GASOLI LEV3	SI		D *		* *			*		*	* 0.800		22.0	10		
		4	BIN	and the second s										*			
		WH	IOLE	VEHIC	CLE EV	APORA	TIVE EN	ISSION	STAN	DARD	S AND O	CERTIFIC	ATIO	N LEVE	LS		
						WH	IOLE VE	EHICLE	EVAPO	RATI	/E TEST	TING					
	ORATIV	EF	UEL	TYPE	3	DHS (g/	test) @	UL		2DHS	(g/test)) @ UL		F	L (g/mi)	@ UL	
FAMILY					CEF	T S	STD FEL		CERT		STD	FEL		CEI	RT	STD	
HFMXF0190NBS		s	E10-	EPA	0.3	54 1	.00	*	0.329		1.25	*	*		00	0.05	
HFMXR0190NBS		s	E10-	EPA	PA 0.354 1.00 *					329 1.25 *					0.000 0.05		
(ORVR / F	UEL	ONLY	/CAN	VISTER	BLEED	EVAPO	RATIVE				RDS AND				VELS	
	12.1								-			P & CAN					
EVAPORATIVE FAMILY		E	ORVI	R (g/g	allon) @	D UL	L FUEL TYPE			3DHS RIG TEST (g/test) @ UL		2DHS RIG (g/test)				CANISTER /test) @ 4K	
		FL	FUEL TYPE C		CERT	STD				ERT STD		CERT		STD	CERT	STD	
HFMXI	F0190NB	SI	E10-E	PA	*	*		*	*		*	*		*	*	*	
HFMX	HFMXR0190NBS		E10-E	PA	0.169	0.20	*		*		*	*		*	*	*	

Executive Order: A-010-1987 **California Environmental Protection Agency** New Passenger Cars, Light-Duty Trucks and FORD MOTOR Medium-Duty Vehicles COMPANY OB Air Resources Board Page 4 of 4 *: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR.3751-5750#LVW: LDT3: LDT 6001-8500#GVWR.3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR.5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
FORD	TRANSIT T150 VAN	MDV4	3.7	SA6	HFMXR0190NBS	1	F	*
FORD	TRANSIT T250 CHASSIS CAB	MDV4	3.7	SA6	HFMXF0190NBS	1	F	*
FORD	TRANSIT T250 CUTAWAY	MDV4	3.7	SA6	HFMXF0190NBS	1	F	*
FORD	TRANSIT T250 VAN	MDV4	3.7	SA6	HFMXR0190NBS	1	F	*
FORD	TRANSIT T350 CHASSIS CAB	MDV4	3.7	SA6	HFMXF0190NBS	1	F	*
FORD	TRANSIT T350 CUTAWAY	MDV4	3.7	SA6	HFMXF0190NBS	1	F	*
FORD	TRANSIT T350 VAN	MDV4	3.7	SA6	HFMXR0190NBS	1	F	*
FORD	TRANSIT T350 WAGON	MDV4	3.7	SA6	HFMXR0190NBS	1	F	* .