		Executive Order: A-006-2038
California Environmental Protection Agency	GENERAL MOTORS	New Passenger Cars, Light-Duty Trucks and
Air Resources Board	LLC.	Medium-Duty Vehicles
All Resources board		Page 1 of 4
	1	

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION																
MODE	- 1 16	EST G	ROUP	VEHICLE CLASS(ES)					FUE	FUEL CATEGORY				FUEL TYPE		
2017	HG	MXT03	8.6151			LDT3			DEDICAT	DEDICATED SINGLE FUEL VEHICLE			GASOLINE			
	USEFUL	LIFE	(miles)			EHICLE EMISS	ION	CAT	FEGORY		IN	TERIM / INT	E	RMEDIAT	E IN-USE STD	
EXH	/ORVR		EVAP			FTP			SFTP			FTP			SFTP	
15	0000		150000		LE	V3 ULEV125	LEV	3	COMPOSIT	E		*			NMOG+NOX	
SPE	CIAL FE	ATUR		IAUS TEMS		SION CONTRO	L		OBI	D S1	ΤΑΤ	JS		ENGINE	DISPLACEMENT (L)	
1		21	WC, TWC	, 2нс	2S(2)	, DFI			FULL		AL	L MODELS				
*				*					PARTIAL			*			3.6	
*	* *							P	ARTIAL WI	тн		*				
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION															
EVA	P / ORV	RFAN	MILY	EVAR	PORAT	IVE STD CATE	GOR	Y		AP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES		
F	IGMXR01	97972	2			LEV 2			LDT3 *				*			
						EMISSION CR	REDI	T IN	FORMATIC	ON						
			ANCE FC						NOG CREDIT FOR NMOG CREDIT FOR STD FC				OPTIONAL EXH. STD FOR WORK TRUCKS			
BASE	ELINE P2	2EV	AI	PZEV		TZEV							_		INDERS	
* * * N									Ň	1		N				
	NMOG AND FLEET AVERAGE INFORMATION															
NMOG RAF	CH4 RAF	NMO	FTP G/NMHC ATIO	NMHC RATIO PC+LDT								1 LVW-8500	0 MDV		NOX FLEET STD (10001-14000 /WR) (g/mi)	
*	*	:	1.10		*	0	.086	5			0	.101		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

#### BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

#### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

California Environmental Protection Agency	GENERAL MOTORS	Executive Order: A-006-2038 New Passenger Cars, Light-Duty Trucks and
@ Air Resources Board	LLC.	Medium-Duty Vehicles Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 13

day of May 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

GENERAL MOTORS LLC. Executive Order: A-006-2038 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

## ATTACHMENT

### EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

	10		-													
		NMOG+NOxCONOx(g/mi)(g/mi)(g/mi)			HCH mg/r		P (g/i									
				CERT	STI	CEF	TS	TD	CERT	STD	CER	т	STD	CERT	STD	
FTP@5	OK	*		*	*	*		*	*	*	*		*	*	*	
FTP@L		OLINE V3 E1		0.0540	0.1	25 0.4	3 2	.1	*	*	*	4		*	0.01	
50°F @	4K	*		*	*	*		*	*	*	*		*			
						TYPE			N	MOG+NO	Ox (g/mi)		(	CO (g/mi)		
					FUEL '	TYPE			C	ERT	STD		CERT	CERT ST		
HWFET	T @ 50K				*					*	*					
HWFE	T@UL			GASC	LINE-	LEV3 E10	)		0.0	0.0037 0.125						
20°F	@ 50K		GAS	SOLINE-	COLD	CO LOW C	CTANE							1.96 12.5		
			S	FTP EX	HAUST	EMISSIO	N STAN	DARDS	AND C	ERTIFIC	ATION LE	EVEL	S			
						US06				SC03			CON	OMPOSITE		
	FUEL T	YPE			G+NOx /mi)	CO (g/mi		PM ig/mi)	1	G+NOx /mi)	CO (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	
@ 4K	*		CERT		*	*			7	*	*					
			STD		*	*		1.4 m		*	*	-	148459			
			CERT		*	*		*		*	*	0.055		2.0	*	
@ UL	GASOL: LEV3		STD		*	*		*		*	*	0.103		4.2	*	
			BIN									0.120				
		WH	OLE V	EHICLE	EVAPO	DRATIVE	EMISSIC	N STA	NDARD	S AND C	ERTIFIC	ATIC	N LEVELS	5		
						WHOLE	VEHICL	E EVAR	ORATI	VE TEST	ING					
EVAPORATIVE FAMILY FUEL TY		YPE 3DHS (g/test) @ UL				2DHS (g/test) @ UL			RL (g/mi) @ UL			UL				
					CERT	STD	FEL	CE	RT	STD	FEI	-	CERT		STD	
HGMXF	2019797	2	TIER	2	0.32	0.90	*	0.	57	1.15	*		0.00	0 0.05		

ORVR / FUI	EL ONLY / CA	NISTER	BLEED	EVAPORATIVE	EMISSION	STANDA	RDS AND	CERTIFIC	ATION LEV	ELS				
				FUEL ONLY EVAP & CANISTER BLEED										
EVAPORATIVE FAMILY	ORVR (g/gallon) @ UL			FUEL TYPE		IG TEST ) @ UL		IG TEST ) @ UL	BLEED CANISTER TEST (g/test) @ 4K					
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD				
HGMXR0197972	GASOLINE - TIER 2 UNLEADED	0.058	0.20	*	*	*	*	*	*	*				

California Environmental Protection Agency	GENERAL MOTORS	Executive Order: A-006-2038 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	LLC.	Medium-Duty Vehicles Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

# 2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
BUICK	ENCLAVE AWD	LDT3	3.6	A6	HGMXR0197972	1	F	*
BUICK	ENCLAVE FWD	LDT3	3.6	A6	HGMXR0197972	1	F	*
CHEVROLET	TRAVERSE AWD	LDT3	3.6	A6	HGMXR0197972	1	F	*
CHEVROLET	TRAVERSE FWD	LDT3	3.6	A6	HGMXR0197972	1	F	*
GMC	ACADIA LIMITED AWD	LDT3	3.6	A6	HGMXR0197972	1	F	*
GMC	ACADIA LIMITED FWD	LDT3	3.6	A6	HGMXR0197972	1	F	*