California Environmental Protection Agency	HONDA MOTOR CO.,	Executive Order: A-023-0655 New Passenger Cars, Light-Duty Trucks and
Air Resources Board	LTD.	Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP II	NFO	RMATION					
MODEI YEAR	1 16	ST GI	ROUP	VEHICLE CLASS(ASS(ES) FUEL CATEGORY				FUEL TYPE		
2017 HHNXV02.42K3 PC								DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
i i	JSEFUL	LIFE	(miles)		V	EHICLE EMISS	ION (CAT	EGORY	1	NTERIM / IN	TE	RMEDIA	TE IN-USE STD
EXH	/ORVR		EVAP			FTP		5	SFTP		FTP			SFTP
15	0000		150000		LEV	V3 SULEV30	LEV	3	COMPOSITE		PM			PM
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS									OBD	STAT	US		ENGINE	DISPLACEMENT (L)
1 WU-TWC, TWC, WR-HO2S, HO2S, DFI									FULL		*			
*	* *								PARTIAL	A	LL MODELS			2.4
*	* *							P	ARTIAL WIT FINES	Ή	*			
			EV	APOR	ATIVE	& REFUELING	(EVA	AP/C	DRVR) FAM	ILY IN	FORMATION	1		
EVA	P / ORVI	RFAN	NLY	EVAF	ORAT	IVE STD CATE	GOR	ſ	EVAP E				SPECIA	L FEATURES
н	HNXR01	27VG F				LEV 2		-	PC *				*	
						EMISSION CI	REDI	T IN	FORMATIO	N				
	A	LLOW	ANCE FO	OR TES	ST GR	OUP		NMOG CREDIT FOR NMOG CREDIT FOR				OPTIONAL EXH. STD FOR WORK		
BASELINE PZEV AT PZE					TZEV		N	NON-PZEV ZERO-EV		-EVA	AP DOF		Κ	TRUCKS
ALI	MODEL	s		*		*			N	N				N
					NM	OG AND FLEET	AVE	RA		IATIO	N			
				O/NMH ATIO	PC+LDT (VW) LD	T (37	OX FLEET S 51 LVW-8500 MDPV (g/m	0	MDV	NOX FLEET STD (10001-14000 /WR) (g/mi)	
*	*	:	L.10	(0.05	0	.086	;			0.101			*

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

New Passenger Cars, Light-Duty Trucks and
New Passenger Cars, Light-Duty Trucks and

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

Evaporative family HHNXR0127VGA is certified pursuant to 13 CCR Section 1976(b)(1)(G)3 and deemed to comply with the requirements of 13 CCR Section 1976(b)(1)(G)1 ["LEV III evaporative requirements"].

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of June 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

FUEL TYPE

HONDA MOTOR CO., LTD. Executive Order: A-023-0655 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATTACHMEN	IT
-----------	----

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

ي م م				NMOG (g/	i+NOx mi)	1	:0 /mi)	NC (g/I			HCHO (mg/mi)		PM (g/mi)								
				CERT	STD	CERT	STD	CERT	STD	CER	T STD	CERT	STD								
FTP@5	OK	*		*	*	*	+	*	*	*	*	*	*								
FTP@L		OLIN 73 E1		0.018	0.030	0.2	1.0	*	*	0.3	3 4	0.001	0.003								
50°F @	4K	*	-	*	*	*	*	+	*	*	*		-								
						\		NM	OG+N	Ox (g/mi)		CO (g/mi)									
					FUEL TYP	~E		CE	RT	STD	CERT		STD								
HWFET @ 50K				*			*		*												
HWFET @ UL				GASO	LINE-LEV	73 E10		0.0	06	0.030											
20°F@50K GASOLI				OLINE-	COLD CO	LOW OCT.	ANE		-		0.8		10.0								
			SI		AUSTEN	ISSION S	TANDARDS	AND CE	RTIFIC	ATION L	EVELS										
						US06		1	SC03	1	CO	COMPOSITE									
FUEL T		YPE	-		s+NOx mi)	CO (g/mi)	PM (mg/mi)	NMOG (g/r		CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)								
@ 4K	*	* CEF		* CERT		CERT		* CERT		* CER			•	*		+		*			
				.1	*	*		*		*		-	-								
			CERT	,	k .	*	4.8	*		*	0.031	0.5	*								
@ UL	GASOLI LEV3		STD	,	*	*	10	*		*	0.103	4.2	*								
			BIN				5 5 F F F		1	а. — 4	0.050	t tert									

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EVAPORATIVE FAMILY HHNXR0127VGA ORVR / FU EVAPORATIVE FAMILY HHNXR0127VGA			W	IOLE VEHICLE	EVAPORA	TIVE TEST	ING				
	FUEL TYPE	3	BDHS (g	/test) @ UL	2D	HS (g/test)		RL (g/mi) @ UL			
		CEF	RT S	TD FEL	CERT	STD	FEL	CE	RT	STD	
HHNXR0127VGA	GASOLINE - CA PHASE 2	0.2	6 0	. 35 *	0.24	0.35	*	0	.00	0.05	
ORVR / FU	EL ONLY / CA	NISTER	BLEED	EVAPORATIV	EMISSIO	STANDA	RDS AND	CERTIFIC	ATION LEV	ELS	
					FUEL	ONLY EVA	P & CANIS	TER BLE	ED		
ORVR / FU EVAPORATIVE FAMILY	ORVR (g/g	allon) (DL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
HHNXR0127VGA	GASOLINE - TIER 2 UNLEADED	0.02	0.20	GASOLINE - CA PHASE 2	0.0	0.0	0.0	0.0	*	*	

California Environmental Protection Agency	HONDA MOTOR CO.,	Executive Order: A-023-0655 New Passenger Cars, Light-Duty Trucks and
Ø Air Resources Board	LTD.	Medium-Duty Vehicles Page 4 of 4

not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine, HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
HONDA	ACCORD	PC	2.4	CV1,SCV7	HHNXR0127VGA	1	P	PZEV