California Environmental Protection Agency

⊘ Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0656

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

						TEST GRO	UP I	NFO	RMATION							
MODE YEAR	- 1 116	EST G	ROUP		VE	HICLE CLASS(E	S)		FUEL	C/	ATEGORY		FUEL TYPE			
2017	нн	NXV03	3.57н3			PC			1		SINGLE FUEI ICLE	·	GASOLINE			
	USEFUL	LIFE	(miles)	T	١ ١	/EHICLE EMISS	ION	CAT	EGORY	П	INTERIM / IN	ITE	RMEDIAT	E IN-USE STD		
EXH	/ORVR		EVAP			FTP		S	FTP	11	FTP			SFTP		
15	0000		150000		LE	V3 ULEV125	LEV	3	COMPOSITE		PM		NMO	G+NOX AND PM		
SPE	CIAL FE	ATUR		IAUS'	. —	SSION CONTRO	L		OBD	ST	ATUS		ENGINE	DISPLACEMENT (L)		
1	2WU-T	WC,	IWC, 2WR	-но2	S, 2H	O2S, EGR, SF	r		FULL	T	*					
*				*					PARTIAL	T	ALL MODELS	$\exists $	3.5			
*				*				PA	ARTIAL WITH	1	*					
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION															
EVA	P / ORV	RFAN	MILY	EVAF	PORAT	IVE STD CATE	GOR'	Y			SION STD CLASS		SPECIAI	_ FEATURES		
Н	HNXR01	21VFI	3			LEV 2				PC	2			*		
						EMISSION CI	REDI	TIN	FORMATION	1						
	Α	LLOW	ANCE FO	R TE	ST GR	OUP	_		OG CREDIT I	_			JII FUR	OPTIONAL EXH. STD FOR WORK		
BASE	LINE P	ZEV	АТ	PZEV		TZEV	N.	ON-I	PZEV ZERO-	EV	AP	OR		TRUCKS		
	*			*		*			N	N			N			
					NM	OG AND FLEET	AVI	ERA	GE INFORM	ΑT	ION					
NMOG RAF	CH4 RAF	NMC	FTP G/NMHC RATIO		O/NMI ATIO	PC+LDT (/W) LD	Γ(:	NOX FLEET S 3751 LVW-850) + MDPV (g/n	0	NMOG+NOX FLEET ST MDV (10001-14000 GVWR) (g/mi)			
*	*		1.10	(0.05	0	.086	5			0.101			*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

California Environmental Protection Agency

OB Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0656

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

aay of June 2016

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

HONDA MOTOR CO., LTD.

Executive Order: A-023-0656

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

0.001

0.003

0.7

OB Air Resources Board

GASOLINE-

LEV3 E10

0.045

0.125

0.5

FTP@UL

ATTACHMENT

E	EXHAUST AN	ND EVAPO	ORATIV	E EMISS	ION ST	ANDARD	SAND	CERTIFIC	CATION	LEVELS	5
	EXHAUS	T EMISSIO	N STAND	ARDS AND	CERTIF	CATION L	EVELS (F	TP, HWFE	T, 50°F, 2	0°F)	
2/1	FUEL TYPE	CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: p adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-ORVR [g HC/gallon dispensed]: on-board refueling vapor recover 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; and the support of the supp								RAF: reactivill; running leading leadi	vity oss; mile; K
THE !		1	s+NOx mi)		O mi)		Ox mi)		HO /mi)	(g/i	M mi)
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
FTP@50K		1		1							

50°F @4K	*	*	*	*	*	*	*	*	*		
			FUEL TVE	-		N	IOG+N	Ox (g/mi)		CO (g/n	ni)
7.1-			FUEL TYP	E		CE	RT	STD	CERT		STD
HWFET @ 50	K		*					*	- 	-	17 project
HWFET @ U	L	GASC	OLINE-LEV	73 E10		0.0	27	0.125			7 - 1
20°F @ 50K		GASOLINE-	-COLD CO	LOW OCTA	NE			3	1.5		10.0

2.1

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COM	POSITE	
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			∈ √
		STD	*	*		*	*		1 · ·	
		CERT	*	*	0.7	*	*	0.044	0.4	*
@ UL	GASOLINE- LEV3 E10	STD	*	*	10	*	*	0.103	4.2	*
		BIN					The s	0.100		

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE							
EVAPORATIVE FAMILY	FUEL TYPE	3DHS	S (g/test) (@ UL	2DI	HS (g/test) @) UL	RL (g/m	ni) @ UL	
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD	
HHNXR0121VFB	GASOLINE - CA PHASE 2	0.24	0.50	*	0.22	0.65	*	0.00	0.05	

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @) UL	FUEL TYPE		IG TEST) @ UL	2DHS R (g/test		BLEED C TEST (g/t			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HHNXR0121VFB	GASOLINE - TIER 2 UNLEADED	0.02	0.20	*	*	*	*	*	*	*		

California Environmental Protection Agency

⊘ Air Resources Board

HONDA MOTOR CO.,

Executive Order: A-023-0656

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR.0-3750#LVW; LDT2: _DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV; super ULEV; ZEV; zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%" gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA; semi-automatic transmission; CV; continuously variable transmission; SCV; selectable continuously variable transmission; AM; automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION **ENGINE EVAPORATIVE** EXH **VEH CLASS** TRANS TYPE OBD **PZEV TYPE** MAKE MODEL **ECS FAMILY** (L) HONDA ACCORD PC 3.5 A6,SA6 HHNXR0121VFB 1 P