California Environmental Protection Agency

⊘ Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0658

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	OUP IN	FORMAT	ION						
MODE	TEST GROUP			VEH	VEHICLE CLASS(ES)			FÜEL CATEGORY			FUEL TYPE			
2017	нн	NXV01	.5PH2		DEDICATED SINGLE FUEL VEHICLE				GASOLINE					
l	JSEFUL	LIFE	(miles)	II v	VEHICLE EMISSION CATEGOR				Y INTERIM / INTE			RMEDIATE IN-USE STD		
EXH/ORVR EVAP			EVAP	FTP			SFTP		FTP		SFTP			
150000 150000			150000	LEV	73 ULEV125	ULEV125 LEV 3 COMPO		SITE		*	*			
SPE	CIAL FE	ATUR	ES & EXH		SION CONTRO	DL		OBD ST	TATL	IS	ENGINE	DISPLACEMENT (L)		
1	WU-TWC, TWC, WR-HO2S, HO2S, EGR, DFI							FULL		*				
*	* PARTI							IAL	ALI	L MODELS	1.5			
*			*			RTIAL WITH *								
			EV	APORATIVE	& REFUELING	G (EVA	P/ORVR)	FAMILY	INF	ORMATION				
EVAP / ORVR FAMILY EVAPORATIVE ST						STD CATEGODY			EMISSION STD HICLE CLASS		SPECIAL FEATURES			
Н	HNXR00	86VF	4	***************************************	LEV 2			PC			*			
					EMISSION C	REDIT	INFORM	ATION						
	Α	LLOW	ANCE FO	R TEST GR	OUP	_	NMOG CR			NMOG CRI		OPTIONAL EXH		
BASELINE PZEV AT PZEV					. TZEV	. TZEV		N-PZEV ZERO-EVAF		DO	R	TRUCKS		
* *					*	*]			N N			N		
				NM	OG AND FLEE	TAVE	RAGE IN	ORMA	TION					
NMOG RAF	CH4 RAF	DAE NMOG/NMHC PATIO PC+LDT (0-3				50 LVW) LDT		6+NOX FLEET STD (3751 LVW-8500 (R) + MDPV (g/mi)		NMOG+NOX FLEET STE MDV (10001-14000 GVWR) (g/mi)				
*	*		1.10	0.05		0.086		0.101			*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

California Environmental Protection Agency

⊘ Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0658

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

_ day of June 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-023-0658

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

⊘ Air Resources Board

GASOLINE -

TIER 2

UNLEADED

HHNXR0086VFA

0.07

0.20

ATTACHMENT

	EXH			_								CERTI					
	FUI	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP													
	4.			NMOG+NOx (g/mi)			CO (g/mi)			NOx (g/mi)			HCH (mg/n		PM (g/mi)		
1			-	CER		STD	CERT		0	ERT	STD	CER		STD	CERT	STD	
FTP@5	OK	*		*		*	*	*		*	*	*		*	*	*	
FTP@L	GA:	V3 E		0.03	34 0	.125	0.3	2.1		*	*	1		4	*	0.01	
50°F @	\$K	*		*		*	*	*		*	*	*		*		12	
113	-				EIII	EI TVD	E			N	MOG+N	Ox (g/mi)			CO (g/mi)		
			FUEL TYPE				-			CERT		STD		CERT		STD	
HWFET @ 50K						*					*	*				Assert to the second se	
HWFET @ UL				GASOLINE-LEV3 E10						0.	0.024 0.125			-			
20°F @ 50K			GA	GASOLINE-COLD CO LOW OCTANE									0.8		10.0		
			5	SFTP	EXHAL	IST EN	ISSION	STANDA	RDS A	ND C	ERTIFIC	ATION LE	VEL	S			
=			1 1 - 1		US06					SC03				COMPOSITE			
FUEL		TYPE		NN	NMOG+NOx (g/mi)		CO (g/mi)			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/mi	
@ 4K	*	* CE ST GASOLINE- LEV3 E10 B		т *		*				* '	*			F-5			
					*		*	120			*	*				100	
				Г	*		*	*			*	*	0.036		0.8	*	
@ UL					*		*	*			*	*	0	.103	4.2	*	
											-		0	.100			
		W	HOLE \	/EHIC	LE EV	APORA	TIVE E	NOISSIN	STAN	DARD	S AND	ERTIFICA	TIO	N LEVEL	S		
						W	HOLE V	EHICLE	EVAPO	PRAT	IVE TEST	ING					
EVAPORATIVE FAMILY		E	FUEL TYPE		3	3DHS (g/test) @ UL				2DHS (g/test)		@ UL		RL (g/mi) @ UL			
						TD FEL		CER	Т	STD	FEL		CER	Т	STD		
HHNXR0086VFA		ZA	GASOLINE - CA PHASE 2		0.2	0.26 0.		* 0.		52 0.65		*		0.00		0.05	
C	RVR / F	UEL	ONLY	CAN	ISTER	BLEE	EVAPO	RATIVE	EMISS	SION	STANDA	RDS AND	CEF	RTIFICAT	ION LEVE	LS	
			F					FU	EL O	NLY EVA	P & CANI	STEF	R BLEED				
EVAPORATIVE FAMILY		E	ORVR (g/gall			_		FUEL TYPE		DHS RIG TEST (g/test) @ UL			2DHS RIG T (g/test) @				
		F	FUEL TYPE C		CERT	STD				RT	STD	CERT		STD	CERT	STD	

California Environmental Protection Agency

OB Air Resources Board

HONDA MOTOR CO., LTD. Executive Order: A-023-0658

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

: not applicable: #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR; gross vehicle weight rating; LVW; loaded vehicle weight; ALVW; adjusted LVW; LEV; low emission vehicle; ULEV: ultra LEV; SULEV; super ULEV; ZEV; zero-emission vehicle; PZEV; partial ZEV; AT PZEV; advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine: HO2S/O2S; heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG; compressed/liquefied natural gas; LPG; liquefied petroleum gas; E85; "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV; selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION											
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE			
HONDA	FIT	PC	1.5	CV1,M6,SCV7	HHNXR0086VFA	1	P	*			