California Environmental Protection Agency

⊘ Air Resources Board

KIA MOTORS CORPORATION Executive Order: A-314-0257

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GRO	UP IN	FORMAT	ION				
MODE	- I TI	EST G	ROUP	VEH	IICLE CLASS(ES	S)		FUEL CA	TEGORY	FU	IEL TYPE	
2017	нк	MXV01	.6DDF		PC		DED	CATED S	SINGLE FUEL	G	ASOLINE	
ı	JSEFUL	LIFE	(miles)	II v	EHICLE EMISSI	ON C	ATEGOR	Y	INTERIM / INT	ERMEDIA	TE IN-USE STD	
EXH	/ORVR		EVAP		FTP	1	SFTP	~	FTP		SFTP	
12	0000		150000	I	EV2 ULEV		EV 2 SF	2 SFTP *		*		
SPE	CIAL FE	ATUR		IAUST EMIS	SION CONTRO	L		OBD ST	ATUS	ENGINE	DISPLACEMENT (L)	
1	WU-TW	C, TW	C, WR-HC	2S, HO2S,	DFI, TC, CA	С	FUL	L	ALL MODELS			
*				*			PART	IAL	*		1.6	
*				*			PARTIAI FINI		*			
			EV	APORATIVE	& REFUELING	(EVA	P/ORVR)	FAMILY	NFORMATION			
EVA	P / ORV	RFAN	MILY	EVAPORAT	IVE STD CATE	SORY		AP EMIS	SION STD CLASS	SPECIA	L FEATURES	
Н	IKMXR01	281CI	2		LEV 2			PC			*	
Н	IKMXR01	284DI	2		LEV 2			PC			*	
					EMISSION CF	REDIT	INFORM	ATION				
	Δ	LLOW	ANCE FO	R TEST GR	OUP			EDIT FOI	A section of the sect		OPTIONAL EXH STD FOR WORK	
BASE	ELINE P	ZEV	AT	PZEV	TZEV	NO	N-PZEV	ZERO-EV	AP DO	R	TRUCKS	
	*			*	*		1	1	, i	ı	N	
				NM	OG AND FLEET	AVE	RAGE IN	FORMATI	ON			
NMOG RAF	CH4 RAF	NMC	FTP G/NMHC ATIO	HCHO/NMI RATIO	PC+LDI (LDT (3	NOX FLEET ST 751 LVW-8500 + MDPV (g/mi	MDV	NOX FLEET STD / (10001-14000 VWR) (g/mi)	
*	*		1.04	*	0	.086			0.101		*	

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

KIA MOTORS CORPORATION Executive Order: A-314-0257

New Passenger Cars, Light-Duty Trucks and

Medium-Duty Vehicles

Page 2 of 4

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 28 day of July 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

KIA MOTORS CORPORATION Executive Order: A-314-0257

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS	(FTP	, HWFET	50°F,	20°F)	
---	------	---------	-------	-------	--

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

FUEL TYPE

		NMOG (g/mi)		CO (g/mi)		NOx (g/mi)		HCHO (mg/mi)		PM (g/mi)		
		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	
FTP@50K	GASOLINE - TIER 2 UNLEADED	0.013	0.040	0.4	1.7	0.02	0.05	*	8	*	*	
FTP@UL	GASOLINE - TIER 2 UNLEADED	0.018	0.055	0.5	2.1	0.02	0.07	*	11	*	0.01	
50°F @4K	GASOLINE - TIER 2 UNLEADED	0.020	0.080	0.2	1.7	0.01	0.05	*	16			

	. FUEL TYPE	NOx	(g/mi)	CO (g/mi)		
	FUELTYPE	CERT	STD	CERT	STD	
HWFET @ 50K	GASOLINE - TIER 2 UNLEADED	0.01	0.07		4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
HWFET @ UL	GASOLINE - TIER 2 UNLEADED	0.02	0.09	unit - a not o Albando y talent a	CONTRACTOR OF THE	
20°F @ 50K	GASOLINE-COLD CO LOW OCTANE		48 (15A)	0.8	10.0	

SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

We will have	the salesty.		US06			SC03	3	COMPOSITE		
	FUEL TYPE		NMHC+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMHC+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	GASOLINE - TIER 2 UNLEADED	CERT	0.04	1.8		0.02	0.3			
		STD	0.14	8.0		0.20	2.7			"我们
		CERT	*	*	*	*	*	0.044	*	*
@ UL	GASOLINE - TIER 2 UNLEADED	STD	*	*	*	*	*	0.103	*	*
		BIN	1-21 - A 11 - 12 - 12 - 12 - 12 - 12 - 1				nijak .	0.130		73834

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE	VEHICLE	EVAPORA'	TIVE TESTII	NG		
EVAPORATIVE FAMILY	FUEL TYPE	3DH	S (g/test) (@ UL	2DI	HS (g/test) (D UL	RL (g/m	ni) @ UL
		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HKMXR01281CE	GASOLINE - CA PHASE 2	0.24	0.50	*	0.40	0.65	*	0.02	0.05
HKMXR01284DE	GASOLINE - CA PHASE 2	0.30	0.50	*	0.41	0.65	*	0.02	0.05

KIA MOTORS CORPORATION Executive Order: A-314-0257

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

				FUEL ONLY EVAP & CANISTER BLEED								
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @	UL	FUEL TYPE	3DHS R (g/test		2DHS R (g/test		BLEED C TEST (g/t			
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD		
HKMXR01284DE	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*		
HKMXR01281CE	GASOLINE - TIER 2 UNLEADED	0.01	0.20	*	*	*	*	*	*	*		

the notapplicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

	2017 MOD	EL YEAR	: VEHI	CLE MODI	ELS INFORI	MAT	ION	
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH	OBD	PZEV TYPE
HYUNDAI	VELOSTER	PC	1.6	AM7,M6	HKMXR01281CE	1	F	*
KIA	FORTE KOUP	PC	1.6	M6,SA6	HKMXR01284DE	1	F	*
KIA	FORTE5	PC	1.6	M6,SA6	HKMXR01284DE	1	F	*