California Environmental Protection Agency

OB Air Resources Board

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0756

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMATI	NC	7				
MODE	TEST GROUP VEHICLE CLASS(ES)					ES)	FUEL CATEGORY			FU	FUEL TYPE		
2017	HNSXT02.5P5A LDT1, LDT2						DEDI	CATED S	SINGLE FUEL	G	GASOLINE		
l	JSEFUL	LIFE	(miles)	l v	EHICLE EMIS	CLE EMISSION CATEGORY			INTERIM / INTERMEDIATE IN-USE STD				
EXH/ORVR EVAP FTP							SFTP		FTP		SFTP		
15	0000		150000	LE.	V3 ULEV70	LEV	3 COMPOS	ITE	NMOG+NO3				
SPE	CIAL FE	ATUR	ES & EXH		SION CONTRO	OL	(OBD STA	ATUS	ENGINE	DISPLACEMENT (L)		
1		TWC	(2), WR-	HO2S, HO2	S, SFI	1	FULI	FULL *					
*				*	PARTIAL * 2.5						2.5		
*				*			PARTIAL FINE		ALL MODELS				
			EV	APORATIVE	& REFUELIN	G (EVA	P/ORVR) F	AMILY	NFORMATION	ı			
EVA	P / ORV	RFAN	MILY	EVAPORAT	IVE STD CATE	EGORY		P EMISS	SION STD CLASS	SPECIA	L FEATURES		
Н	NSXR01	20PBE	3		LEV 2	EV 2 LDT			L		*		
					EMISSION	CREDIT	INFORMA	TION					
	Α	LLOW	ANCE FO	R TEST GRO	DUP		IMOG CRE			EDIT FOR	OPTIONAL EXH		
BASELINE PZEV AT PZEV					TZEV	NON-PZEV ZERO-E		ERO-EV	O-EVAP DOF		TRUCKS		
* *					*		N			N N			
	-			NM	OG AND FLEE	T AVE	RAGE INF	ORMATI	ON				
NMOG RAF	NMOG/NMHC			HCHO/NMH RATIO	PC+LDT	NMOG+NOX FLEE PC+LDT (0-3750 (g/mi)				MDV	NMOG+NOX FLEET STD MDV (10001-14000 GVWR) (g/mi)		
*	*		1.10	*		0.086			0.101		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0756

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBD) system of the listed vehicle models has been determined to have five deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$100 per vehicle for the third through fifth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2017 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

day of September 2016.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

Executive Order: A-015-0756

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F) CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP **FUEL TYPE** NMOG+NOx CO NOx **HCHO** PM (g/mi) (g/mi) (mg/mi) (g/mi) (g/mi) CERT CERT STD CERT STD CERT STD CERT STD STD FTP@50K GASOLINE-0.025 0.070 0.4 1.7 4 0.01 FTP@UL LEV3 E10 GASOLINE-50°F @4K 0.024 0.140 0.3 1.7 16 LEV3 E10 NMOG+NOx (g/mi) CO (g/mi) **FUEL TYPE** CERT CERT STD STD * HWFET @ 50K 0.002 0.070 HWFET @ UL GASOLINE-LEV3 E10 20°F @ 50K COLD CO E10 REGULAR GASOLINE (TIER3) 1.3 10.0 SFTP EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS

				US06		SC03	3	COMPOSITE		
	FUEL TYPE		NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)	NMOG+NOx (g/mi)	CO (g/mi)	NMOG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)
@ 4K	*	CERT	*	*		*	*			
		STD	*	*		* '	*		co	W. A. H.
	GASOLINE- LEV3 E10	CERT	*	*	*	*	*	0.017	1.1	*
@ UL		STD	*	*	*	*	*	0.103	4.2	*
		BIN						0.090		n 21 % by 13 1

WHOLE VEHICLE EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

			WHOLE	RL (g/mi) @ UL					
EVAPORATIVE FAMILY	FUEL TYPE	3DHS (g/test) @ UL					2DHS (g/test) @ UL		
,,,,,,,		CERT	STD	FEL	CERT	STD	FEL	CERT	STD
HNSXR0120PBB	GASOLINE - CA PHASE 2	0.46	0.65	*	0.43	0.85	*	0.001	0.05

ORVR / FUEL ONLY / CANISTER BLEED EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

				FUEL ONLY EVAP & CANISTER BLEED							
EVAPORATIVE FAMILY	ORVR (g/g	gallon) @) UL	FUEL TYPE	3DHS RIG TEST (g/test) @ UL		2DHS RIG TEST (g/test) @ UL		BLEED CANISTER TEST (g/test) @ 4K		
	FUEL TYPE	CERT	STD		CERT	STD	CERT	STD	CERT	STD	
HNSXR0120PBB	GASOLINE - TIER 2 UNLEADED	0.06	0.20	*	*	*	*	*	*	*	

*: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia: NH3OC: ammonia oxidation catalyst; CTOX/PTOX; continuous/periodic trap oxidizer; DPF; diesel particulate filter (active); GPF; PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR; direct ozone reducing; HCT; hydrocarbon trap; BCAN; bleed carbon canister; prefix 2; parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission: OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION **ENGINE EVAPORATIVE** EXH VEH CLASS TRANS TYPE OBD **PZEV TYPE** MAKE MODEL (L) FAMILY **ECS** 2.5 HNSXR0120PBB 1 \$ NISSAN ROGUE AWD LDT2 CV1 NISSAN ROGUE FWD LDT1 2.5 CV1 HNSXR0120PBB \$ * 1 NISSAN ROGUE FWD LDT2 2.5 CV1 HNSXR0120PBB 1 \$ *