California Environmental Protection Agency

On Air Resources Board

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0760

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMAT	ION						
MODE		EST G	ROUP	VEHIC	ES)	FUEL CATEGORY			FUEL TYPE					
2017	HN	SXT03	. 5N7A			DEDICATED SINGLE FUEL VEHICLE			GASOLINE					
1	USEFUL	LIFE	(miles)	VE	HICLE EMIS	ICLE EMISSION CATEGORY				TERIM / INT	ERMEDIA	RMEDIATE IN-USE STD		
EXH	ORVR		EVAP	FTP			SFTP			FTP	SFTP			
15	0000		150000	LEVS	ULEV125	LEV 3 COMPOSIT		SITE	E *		*			
SPE	CIAL FE	ATUR		IAUST EMISS	ION CONTRO	OL	OBD STA			s	ENGINE DISPLACEMENT (L)			
1	2	TWC,	2HO2S,	2WR-HO2S, T	WC, SFI		FUI	FULL		*				
*				*			PARTIAL ALL MODELS			MODELS	3.5			
*				*				PARTIAL WITH *						
			EV	APORATIVE &	REFUELIN	G (EVA	P/ORVR)	FAMILY	INFO	ORMATION				
EVA	P / ORV	RFAN	MILY	EVAPORATIV	E STD CATE	GORY	DRY EVAP EMISSION STD VEHICLE CLASS				SPECIAL FEATURES			
H	INSXR01	20PBE	3		LEV 2			LDT2			*			
					EMISSION O	REDIT	INFORM	IATION						
	A	LLOW	ANCE FO	R TEST GRO	UP						REDIT FOR STD FOR			
BASE	ELINE P	ZEV	AT	PZEV	TZEV	TZEV NON-PZ			I-PZEV ZERO-EVAP		R	TRUCKS		
	*			*	*	* N			N			N		
				NMO	G AND FLEE	TAVE	RAGE IN	FORMAT	TION					
NMOG RAF	CH4 RAF	NMO	FTP G/NMHC ATIO	HCHO/NMHC NMOG+NOX PC+LDT (0-			3750 LVW) L		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		NMOG+NOX FLEET STD MDV (10001-14000 GVWR) (g/mi)			
*	* .		1.10	* 0		0.086		0.101		*				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance],

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0760

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

day of September 2016.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

NISSAN MOTOR COMPANY, LTD.

Executive Order: A-015-0760

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 3 of 4

O Air Resources Board

0.09

TIER 2 UNLEADED

HNSXR0120PBB

0.20

							AT	TAC	НМ	ENT		1 111 1 111 111		o de Primario de Propinsi	The second secon		
	EXH	AUS'	T AND	EVA	POR	ATIVE	EMIS	SION S	TAN	NDARD	SANE	CERT	FIC	ATION	LEVELS		
		EXH	AUST E	MISS	ION S	TANDA	RDS AN	ID CERT	TIFIC/	ATION L	EVELS	(FTP, HW	FET,	50°F, 20	°F)		
	FUI	FUEL TYPE		CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocar monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; F adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal ORVR [g HC/gallon dispensed]: on-board refueling vapor refueling vapor refuelings; F: degrees Fahrenheit; FTP: federal test proced							M: particu +hot-soak covery; g:	ilate i ; RL gram	matter; R/ [g HC/mi]: n; mg: mill	AF: reactive running lo	ity oss;		
				NMOG+NOx (g/mi)		CO (g/mi)			NOx (g/mi)		HCH (mg/r		_	PM (g/mi)			
				CER	Г	STD	CERT	STE		CERT	STD	STD CER		STD CERT		STD	
FTP@5	TP@50K *			*		*	*	*		*	. *	*		*	*	*	
FTP@L	11	GASOLINE LEV3 E10		0.03	5 0	.125	0.8	2.1	L	*	*	. *		4	*	0.01	
50°F @	4K	*		*		*	*	*		*	*	*		*			
187	- trati				-11	EL TYPE	-			N	IOG+NO	Ox (g/mi)			CO (g/mi)		
					FU	EL TYPE				CE	ERT STD			CERT		STD	
HWFET @ 50K				*						1	*		*			Control of the way	
HWFET @ UL				GASOLINE-LEV3 E10					0.0	006	0.125						
20°F	@ 50K		GAS	OLIN	E-CO	LD CO I	LOW OC	TANE						1.3		12.5	
			S	FTP E	XHAL	JST EMI	SSION	STANDA	ARDS	AND CI	ERTIFIC	ATION LI	EVEL	S			
(\$)	US06									SC03		COMPOSITE					
	FUEL TY			NMOG+NOx (g/mi)			CO PM (g/mi) (mg/r			NMOG+NOx (g/mi)		CO (g/mi)	NMOG+NOx (g/mi)		CO (g/mi)	PM (mg/mi)	
@ 4K	*	CE S: GASOLINE- LEV3 E10 B			*		•			*		*					
					*		*	30	\$		*						
					*	T Y	* *		+	*		*	0.030		0.9	*	
@ UL					*		*	*		*		*	*		4.2	*	
				Inc.		10-11-12		H.E. MA		NO ST			0.11		Saution.		
		W	HOLE V	EHIC	LE EV	APORA	TIVE EN	MISSION	STA	NDARD	SANDO	ERTIFIC	ATIO	N LEVEL	S		
						WH	IOLE VI	EHICLE	EVAF	PORATI	E TEST	ING					
EVAPORATIVE FAMILY		VE FUEL TYP		TYPE 3DHS (g/s			(test) @ UL		2DHS	@UL	D UL		RL (g/mi) @ UL				
					CEF	CERT ST		TD FEL		RT	STD	FE	L CER		Т	STD	
HNSXR0120PBB		R		PHASE 2 0.38		8 0	. 65 *		0.	0.31 0.85		*		0.00	1	0.05	
(DRVR / I	UEL	ONLY /	CAN	STER	BLEED	EVAPO	RATIVE	EMI	SSION S	TANDA	RDS AND	CE	RTIFICAT	ION LEVI	ELS	
EVAD	EVADODATIVE		ORVE						FUEL ONLY EVAP & CANIS			-	STER BLEED RIG TEST BLEED CANISTER				
EVAPORATIVE FAMILY								FUEL TYPE		(g/test) @ UL		(g/test) @		UL TEST (g/tes		est) @ 4K	
			UEL TY		CERT	STD			C	ERT	STD	CERT	+	STD	CERT	STD	
HNSXR0120PF			GASOLINE -		0 09	0.20		*		* *		*		*	*	*	

NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0760

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

t not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine: HO2S/O2S; heated/oxygen sensor; WR-HO2S or AFS; wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler, AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection, DFI/IFI: direct/indirect fuel injection, TC/SC: turbo/super charger; CAC: charge air cooler, F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV continuously variable transmission; SCV: selectable continuously variable transmission; AM; automated manual transmission; AMS; automated manual-selectable transmission; OT: other transmission

2017 MODEL YEAR: VEHICLE MODELS INFORMATION **ENGINE EVAPORATIVE** EXH VEH CLASS MAKE MODEL TRANS TYPE OBD PZEV TYPE (L) FAMILY ECS NISSAN OUEST LDT2 3.5 CV1 HNSXR0120PBB 1 P