California	Environmental	Protection	Agency

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION															
MODE		EST G	ROUP		VEH	IICLE CLASS(E	LE CLASS(ES)			FUEL CATEGORY			FUEL TYPE		
201	.7 HNSXV03.7NAA					PC	PC DEDICATED SINGLE FUE VEHICLE				GASOLINE				
USEFUL LIFE (miles) VEH						EHICLE EMISS	ION CAT	EGORY	-	IN	TERIM / IN	TERM	EDIA	TE IN-USE STD	
EXH/ORVR EVAP						FTP	(	SFTP	FTP FTP				SFTP		
120000 150000					L	EV2 ULEV		2 SFTF ANDARD		K	ŧ		*		
SPECIAL FEATURES & EXHAUST EMISSION SYSTEMS						SION CONTRO	L	0	BD ST	ΤΑΤΙ	JS	EN	GINE	DISPLACEMENT (L)	
1		2TWC	(2), 2HO	2S, 2	WR-H	D2S, SFI		FULL			*	1			
*	*							PARTI	AL		*			3.7	
*	*								WITH S	ALL MODELS					
			EV	APOR	ATIVE	& REFUELING	(EVAP/0	ORVR) F	AMILY	INF	ORMATION	1			
EVA	AP / ORV	RFAN	AILY	EVAP	ORAT	IVE STD CATE	SORY		P EMIS		N STD ASS	SP	ECIAI	L FEATURES	
	HNSXR01	20MB7	ł		$\langle \neg \rangle$	LEV 2	EV 2 PC						*		
						EMISSION CI	REDIT IN	FORMA	TION						
ALLOWANCE FOR TEST GROUP						OUP	NMOG CREDIT FOR NMOG CREDIT FOR NON-PZEV ZERO-EVAP DOR			FOR	OPTIONAL EXH. STD FOR WORK				
BASELINE PZEV AT PZE				PZEV	TZEV					2	TRUCH		TRUCKS		
	*			*		*		N			N	N N			
					NM	OG AND FLEET	AVERA	GE INFO	ORMAT	ION					
NMOG RAF	CH4 RAF	NMO	FTP NMOG/NMHC RATIO							I LVW-8500					
*	*	:	1.04		*	0	.086			0	.101		*		

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of

California Environmental Protection Agency	NISSAN MOTOR	Executive Order: A-015-0710 New Passenger Cars, Light-Duty Trucks and				
Ø Air Resources Board	COMPANY, LTD.	Medium-Duty Vehicles Page 2 of 4				

Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

## BE IT FURTHER RESOLVED:

The listed vehicle models are conditionally certified in accordance with 13 CCR Section 1968.2(k) (deficiency and fines provisions for certification of malfunction and diagnostic system) because the on-board diagnostic II (OBO) system of the listed vehicle models has been determined to have four deficiencies. The listed vehicle models are approved subject to the manufacturer paying a fine of \$50 per vehicle for the third and fourth deficiencies for vehicles in the listed test group that are produced and delivered for sale in California.

On a quarterly basis, the manufacturer shall submit to the Air Resources Board reports of the number of vehicles produced and delivered for sale in California and pay the full fine owed for that quarter pursuant to this conditional certification. Payment shall be made payable to the State Treasurer for deposit in the Air Pollution Control Fund no later than thirty (30) days after the end of each calendar quarter during the 2017 model-year production period. Failure to pay the quarterly fine, in full, in the time provided, may be cause for the Executive Officer to rescind this conditional certification, effective from the start of the quarter in question, in which case all vehicles covered under this conditional certification for that quarter and all future quarters would be deemed uncertified and subject to a civil penalty of up to \$5000 per vehicle pursuant to HSC Section 43154.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this \_\_\_\_\_\_ day of April 2016

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

California Environmental Protection Agency

NISSAN MOTOR COMPANY, LTD. Executive Order: A-015-0710 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

														ray	JE 5 01 4		
						A	ГТАС	HME	NT								
E		-							-			-		LEVELS			
a na managarana	-	EXHA								EVELS (F					1		
	FUEL	- TYF	mon adju ORV 1000	oxide; N stment fa /R [g HC	Ox: oxid actor; 20 /gallon d	es of nit HS/3DH lispense	rogen; H IS [g HC d]: on-bo	CHO: fo /test]: 2.	ormaldo /3 days ueling	ehyde; PN s diurnal+	I: particu hot-soak; overy; g:	late r RL [ gram	natter; R g HC/mi ; mg: mi	HC; CO: ca RAF: reactiv ]: running k Iligram; mi: al FTP	ity oss;		
				NMOG (g/mi)		(	CO g/mi)			Ox /mi)		HCH( mg/n			PM (g/mi)		
			CI	ERT	STD	CERT	ST	DC	ERT	STD	CER	Г	STD	CERT	STD		
TP@50K	GASO CA P		1 0	016 (	0.040	0.3	. 1.	7 0	0.02	0.05	$\rightarrow$ $\star$	X	8	*	* .		
FTP@UL	GASO CA P		1 0	019 (	0.055	0.3	2.	1 0	.03	0.07	*		11	*	0.01		
50°F @4K		*		*	*	*	*		*	*	*		*		And		
				FU	EL TYP	E			05	NOx (g/		-	050	CO (g/mi)			
an same na tang na tang sa sa											STD		CER		STD		
HWFET @	0 50K		G2	GASOLINE - CA PHASE 2					<u> </u>	02	0.07	1	al manager in	A Particular	t , A		
HWFET (	@ UL		GI	GASOLINE - CA PHASE 2					0.	0.02 0.09							
20°F @	50K			LINE-CO									1.0		10.0		
			SFT	PEXHA			STAND	ARDS A	ND C	ERTIFICA	TION LE	EVEL					
				US06 NMHC+NOX CO PM					NINELLO	SC03	00	hine	COMPOSITE				
FUEL		YPE		NMHC+NOx (g/mi)				g/mi)	NMHC+NOx (g/mi)		CO (g/mi)	(g/mi)		(g/mi)	(mg/mi		
		ASOLINE - CERT		RT 0.08		1.9			0.02		0.7						
6				0.14		8.0			0.	20	2.7						
			CERT	*		*		*		*	*	C	.057	*	*		
		SOLINE - PHASE 2		*		*		*		*	*		0.103	*	*		
			BIN					Stark.					.140				
		WH	OLE VEH	ICLE EV						S AND C		OITA	N LEVE	LS			
EVAPOR	ATIVE							EVAPO	PORATIVE TESTING				RL (g/mi) @ UL				
FAM		F	UEL TYP	TYPE 3DHS (g			/test) @ UL			2DHS (g/test)							
						STD	FEL	CER	T	STD	FEL		CEF	रा	STD		
HNSXR0120MBA CA		ASOLINE A PHASE	2 0.36 0		.50 *			0.34 0.65		*		0.0		0.05			
OR	VR / FL	IEL C	ONLY / CA	NISTER	BLEED	EVAPO	ORATIV						the second s	TION LEVE	ELS		
EVAPOR			ORVR (g/	R (g/gallon) @ UL			3DH	IS RIG	TEST	2DHS	RIG	R BLEED					
FAM	ILΥ	FU	EL TYPE	CERT	STD	FUE	FUEL TYPE		(g/test) @ UL CERT STD		(g/test) CERT		STD	TEST (g/te	STD		
			SOLINE -		010					010	VEINT						

California Environmental Protection Agency	NISSAN MOTOR COMPANY, LTD.	Executive Order: A-015-0710 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4
LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 60 8500#ALVW; MDV: medium-duty vehicle; MDV4: MI duty passenger vehicle; HDV: heavy-duty vehicle; Ev emission limit; GVWR: gross vehicle weight rating; L ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-eu TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing ca catalyst; NAC: NOx adsorption catalyst; SCR-U or S NH3OC: ammonia oxidation catalyst; CTOX/PTOX: filter for spark-ignited engine; HO2S/O2S: heated/ox NOXS: NOx sensor; PMS: PM sensor; RDQS: reduc EGRC: EGR cooler; AIR/AIRE: secondary air injection fuel injection; DFI/IFI: direct/indirect fuel injection; TC fines on-board diagnostic; DOR: direct ozone reduci suffix: series; CNG/LNG: compressed/liquefied natur E10: "10%" ethanol ("90%"gasoline) fuel; A: automat	01-8500#GVWR,3751-5750 DV 8501-10000#GVWR; MI CS: emission control syster VW: loaded vehicle weight; mission vehicle; PZEV: part atalyst; ADSTWC: adsorbin CRC/SCR-N or SCRC-NH3 continuous/periodic trap oxi ygen sensor; WR-HO2S or tant quality sensor; NH3S: on (belt driven)/(electric driv C/SC: turbo/super charger; ( ng; HCT: hydrocarbon trap; ral gas; LPG: liquefied petro ic (with lockup); M: manua continuously variable transit	DV5: MDV 10001-14000#GVWR; MDPV: medium- n; CERT: certification; STD: standard; FEL: family ALVW: adjusted LVW; LEV: low emission vehicle; tial ZEV; AT PZEV: advanced technology PZEV; g TWC; HAC: HC adsorbing catalyst; WU: warm-up 8: selective catalytic reduction-urea/ammonia; idizer; DPF: diesel particulate filter (active); GPF: PM AFS: wide range/linear/heated air-fuel ratio sensor; ammonia sensor; EGR: exhaust gas recirculation; ven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport CAC: charge air cooler; F/P/\$: full/partial/partial with

## 2017 MODEL YEAR: VEHICLE MODELS INFORMATION

- 1									
	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE
	NISSAN	370Z	PC	3.7	M6, SA7	HNSXR0120MBA	1	\$	*
	NISSAN	370Z ROADSTER	PC	3.7	M6,SA7	HNSXR0120MBA	1	\$	*