California Environmental Protection Agency	FUJI HEAVY	Executive Order: A-002-0213 New Passenger Cars, Light-Duty Trucks and
OB Air Resources Board	INDUSTRIES, LTD.	Medium-Duty Vehicles Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					TEST GR	OUP IN	FORMAT	ION					
MODE								FUEL CATEGORY			FUEL TYPE		
2017	P17 HFJXV02.0BUY PC						DED		SINGLE FUEL	GASOLINE			
1	USEFUL	LIFE	(miles)		EHICLE EMIS	SION C	ATEGOR	Y	INTERIM / INT	ERMEDIA	TE IN-USE STD		
EXH	/ORVR EVAP FTP SFTP. FT				FTP	P SFTP							
15	0000		150000	LE.	V3 SULEV30	LEV	3 COMPO	SITE	PM	PM			
SPE	CIAL FE	EATUR		AUST EMIS	SION CONTRO	DL		OBD ST	ATUS	ENGINE	DISPLACEMENT (L)		
1	TWC	(2), V	R-HO2S,	HO2S, DF	I, EGR, EGRO	:	FU	LL	ALL MODELS				
*				*			PAR	TIAL	*	2.0			
*	* *						PARTIA		*				
			EV	APORATIVE	& REFUELING	G (EVA	P/ORVR)	FAMILY	INFORMATION				
EVA	P / ORV	RFAN	IILY	EVAPORAT	IVE STD CATE	GORY		AP EMIS	SION STD CLASS	SPECIA	L FEATURES		
H	FJXR01	155AL		LEV 3 O	PTION2 WITH	DN2 WITH FEL PC			HCT				
					EMISSION C	REDIT	INFORM	ATION					
	A	LLOW	ANCE FO	R TEST GR	OUP						OPTIONAL EXH.		
BASE	BASELINE PZEV AT PZEV TZEV						NON-PZEV ZERO-EVAP DC			TRUCKS			
ALI	MODE	LS		*	*		N I			r N			
-	_			NM	OG AND FLEE	TAVE	RAGE IN	FORMAT	ION				
				PC+LDT		)-3750 LVW) LI		NOX FLEET ST 3751 LVW-8500 ) + MDPV (g/mi					
*	*	:	L.10	0.006		0.086		-	0.101	*			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx and greenhouse gas Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

California Environmental Protection Agency	FUJI HEAVY	Executive Order: A-002-0213 New Passenger Cars, Light-Duty Trucks and
Ø Air Resources Board	INDUSTRIES, LTD.	Medium-Duty Vehicles Page 2 of 4

## BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this <u>21</u> day of September 2016.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

**California Environmental Protection Agency** 

FUEL TYPE

OB Air Resources Board

**FUJI HEAVY** INDUSTRIES, LTD.

Executive Order: A-002-0213 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

ATT	A	CI	IN	IE	NT

## EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

EXHAUST EMISSION STANDARDS AND CERTIFICATION LEVELS (FTP, HWFET, 50°F, 20°F)

CH4: methane; NMOG: non-CH4 organic gas; HC: hydrocarbon; NMHC: non-CH4 HC; CO: carbon monoxide; NOx: oxides of nitrogen; HCHO: formaldehyde; PM: particulate matter; RAF: reactivity adjustment factor; 2DHS/3DHS [g HC/test]: 2/3 days diurnal+hot-soak; RL [g HC/mi]: running loss; ORVR [g HC/gallon dispensed]: on-board refueling vapor recovery; g: gram; mg: milligram; mi: mile; K: 1000 miles; F: degrees Fahrenheit; FTP: federal test procedure; SFTP: supplemental FTP

		-														
						-										
		F	CERT	г	STD	CER	T STI	D	CERT	STD	CER	Т	STD	CER	T	STD
ж	*		*		*	*	*		*	*	*		*	*		*
			0.019	0 0	.030	0.30	6 1.0	0	*	*	0.0		4 0.00		05	0.003
			0.030	0 0	.060	0.38	8 1.0	0	*	*	0.0	0.0 8				
				FLU		F		1	N	MOG+NC	Dx (g/mi)			CO (g	/mi)	
				FUI		-			CE	RT	STD					STD
C @ 50K					*			- 1		*	*				1 m C	
T@UL			GA	SOLIN	IE-LEV	3 E10			0.0	0074	0.030					in a sur line Internet and All and and
@ 50K	co	DLD CO	D E10	REGU	LAR G	ASOLIN	NE (TIEF	(3)					0.5	7		10.0
		5	SFTP E	XHAL	IST EM	ISSION	STAND	ARDS	AND C	ERTIFIC	ATION LE	EVEL	S			
	US06				JS06			0		C		OMPOSITE				
FUEL 1	YPE					CO (g/mi)					CO (g/mi)	NMOG+NO (g/mi)			-	PM (mg/mi)
*		CERT	г	*		*				*	*	(ni e) nodist di tatan				
		STD		*		*				*	*					
		CERT	*			*		.7		*	*	0.0197		0.	87	*
				*		*	1	.0		*	*			4	.2	*
		BIN	IN			9						0.050				
	WH	IOLE V	/EHICI	LEEV								ATIC	N LEVE	LS		
					W	HOLE	VEHICLE	EVAF	PORATI	VE TEST	ING					
	E   F	UEL T	YPE	3	3DHS (g/test) @ UL				2DHS (g/test) @ UL			UL		KL (g/mi) @ UL		UL
FAMILET			CER	T	STD	FEL	FEL CE		RT STD		FEL		CERT		STD	
HFJXR01155AD GASOLINE- LEV3 E10 0.2		0.25	31 0	.300 0.300		0.1	852	0.300	0.30	0.300		0.000		0.05		
DRVR / F	UEL	ONLY	/ CAN	STER	BLEED	EVAP	ORATIV	EEMI	SSION	STANDA	RDS AND	CE	RTIFICA	TION	EVI	ELS
								-			1					
ORATIV	E	ORVR	RVR (g/gallon) @ UL										BLEED CANISTER EST (g/test) @ 4K			
	FL	JEL TY	PE C	CERT	STD		•	CE	RT	STD	CERT		STD	CER	Т	STD
R01155A	DI		10	.008	0.20				*	*	*		*	0.01	48	0.020
	GASOL: GAS LE GAS LE GASOL: GASOL: LEV3 CRATIV MILY CORATIV MILY	GASOLIN LEV3 E: GASOLIN LEV3 E: C @ 50K T @ UL @ 50K CCC FUEL TYPE * GASOLINE- LEV3 E10 WH ORATIVE MILY CONTISSAD ORVR / FUEL ORATIVE MILY FUEL CONTISSAD G2 CONTISSAD	GASOLINE- LEV3 E10   4K GASOLINE- LEV3 E10   4K GASOLINE- LEV3 E10   7 @ 50K COLD CO   7 @ 50K COLD CO   9 50K CER'   9 50K STD   9 50K EU   9 50K FUEL T   9 50K GASOLINE- LEV3   9 50K FUEL TY   9 50K GASOLINE- LEV3	CERT   OK *   IL GASOLINE- LEV3 E10 0.019   4K GASOLINE- LEV3 E10 0.030   4K GASOLINE- LEV3 E10 0.030   7 Ø 50K COLD CO E10   7 Ø 50K COLD CO E10   9 SFTP E   7 Ø 50K   7 Ø CERT   9 STD   6 CERT   10 BIN   WHOLE VEHICI   0RATIVE GASOLINE- LEV3 E10   0RATIVE GASOLINE- LEV3 E10   0RATIVE GASOLINE- LEV3 E10   0RVR / FUEL ONLY / CANI   0RATIVE ORVR (g/ga   MILY FUEL TYPE   0RATIVE ORVR (g/ga	(g/mi)       CERT       CERT       CASOLINE-       LEV3 E10       LEV3 E10       0.0190       AK       GASOLINE-       LEV3 E10       0.0300       AK       GASOLINE-       LEV3 E10       0.0300       FUE       FUE       SFTP EXHAL       GASOLINE-       LEV3 E10       STD       *       CERT       STD       *       GASOLINE-       LEV3 E10       *       CERT       STD       *       GASOLINE-       LEV3 E10       WHOLE VEHICLE EV/       ORATIVE       GASOLINE-       LEV3 E10       O.25       ORVR / FUEL ONLY / CANISTER       ORATIVE       ORVR (g/gallon) (GASOLINE-       ORVR (g/gallon) (GASOLINE-       ONILE CERT	(g/mi)       CERT     STD       CERT     STD       CASOLINE- LEV3 E10     0.0190     0.030       GASOLINE- LEV3 E10     0.0300     0.060       FUEL TYP     FUEL TYP       COL     COLD CO E10 REGULAR GJ       SFTP EXHAUST EM       FUEL TYPE     NMOG+NOX (g/mi)       FUEL TYPE     NMOG+NOX (g/mi)       FUEL TYPE     STD     X       GASOLINE- LEV3 E10     GASOLINE- LEV3 E10     QUL       ORATIVE MILY     GASOLINE- LEV3 E10     0.2531     QUL       GRATIVE MILY     ORVR (g/gallon) @ UL     GASOLINE- LEV3 E10     0.2531     QUL	(g/mi)       CERT     STD     CER       DK     *     *     *       DL     GASOLINE- LEV3 E10     0.0190     0.030     0.31       4K     GASOLINE- LEV3 E10     0.0300     0.060     0.31       4K     GASOLINE- LEV3 E10     0.0300     0.060     0.31       7@ UL     GASOLINE- LEV3 E10     COLD CO E10 REGULAR GASOLINE     FUEL TYPE       7@ 50K     *     *     T       7@ UL     GASOLINE-LEV3 E10     GASOLINE-LEV3 E10       0 50K     COLD CO E10 REGULAR GASOLINE     GASOLINE       FUEL TYPE     US06     NMOG+NOX     CO       FUEL TYPE     CERT     *     *       GASOLINE- LEV3 E10     STD     *     *       GASOLINE- LEV3 E10     STD     *     *       ORATIVE MILY     FUEL TYPE     3DHS (g/test) (0     CERT       COLDISSAD     GASOLINE- LEV3 E10     0.2531     0.300       ORVR / FUEL ONLY / CANISTER BLEED EVAP     FUEL FUEL TYPE     GASOLINE- CERT     STD	(g/mi)     (g/mi)       OK     * <t< td=""><td>Image: state of the s</td><td>(g/mi)     (g/mi)     (g/mi)&lt;</td><td>Image: state of the s</td><td>Image: state of the s</td><td>Image: Normal State     Image: Normal State</td><td>(g/mi)     (g/mi)     (g/mi)     (g/mi)     (g/mi)     (mg/mi)       CERT     STD     CERT</td><td>Image: marking marking</td><td>Image: marking marking</td></t<>	Image: state of the s	(g/mi)     (g/mi)<	Image: state of the s	Image: state of the s	Image: Normal State     Image: Normal State	(g/mi)     (g/mi)     (g/mi)     (g/mi)     (g/mi)     (mg/mi)       CERT     STD     CERT	Image: marking	Image: marking

California Environmental Protection Agency	FUJI HEAVY	Executive Order: A-002-0213 New Passenger Cars, Light-Duty Trucks and
Ø∋ Air Resources Board	INDUSTRIES, LTD.	Medium-Duty Vehicles Page 4 of 4

: not applicable; #: pounds; UL: useful life; PC: passenger car; LDT: light-duty truck; LDT1: LDT<6000#GVWR,0-3750#LVW; LDT2: .DT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; HDV: heavy-duty vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating; LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for spark-ignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOx sensor; PMS: PM sensor; RDQS: reductant guality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler: AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR: SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT: other transmission

## 2017 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	VEH CLASS ENGINE (L) TRANS TYPE		EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE	
SUBARU	IMPREZA 4-DOOR	PC	2.0	M5	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA 4-DOOR	PC	2.0	SCV7	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA 5-DOOR	PC	2.0	M5	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA 5-DOOR	PC	2.0	SCV7	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA SPORT 4-DOOR	PC	2.0	м5	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA SPORT 4-DOOR	PC	2.0	SCV7	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA SPORT 5-DOOR	PC	2.0	м5	HFJXR01155AD	1	F	PZEV
SUBARU	IMPREZA SPORT 5-DOOR	PC	2.0	SCV7	HFJXR01155AD	1	F	PZEV