

Pursuant to the authority vested in California Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following vehicles produced by the manufacturer are certified as plug-in hybrid electric vehicles pursuant to Title 13, California Code of Regulations (13 CCR) Sections 1961 or 1961.2, 1962.2, 1976, 1978 and the incorporated test procedures. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR TEST GROUP VEHICLE CLASS(ES) FUEL CATEGORY FUEL TYPE 2019 KKMXV02.0D2T PC PLUG-IN HYBRID ELECTRIC VEHICLE GASOLIN USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIATE IN-L EXH/ORVR INTERIM / INTERMEDIATE IN-L EXH/ORVR INTERIM / INTERMEDIATE IN-L EXH/ORVR FTP SFTP 150000 150000 LEV3 SULEV30 LEV 3 COMPOSITE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE DISPL/ (L) (L) 1 WR-H02S, H02S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * * PARTIAL ALL MODELS * * PARTIAL ALL MODELS 2.0 * * * PARTIAL SPECIAL FEATION	E SE STD P											
2019 KKMXV02.0D2T PC ELECTRIC VEHICLE GASOLIN USEFUL LIFE (miles) VEHICLE EMISSION CATEGORY INTERIM / INTERMEDIATE IN-L EXH/ORVR EVAP FTP SFTP FTP SF 150000 150000 LEV3 SULEV30 LEV 3 COMPOSITE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL OBD STATUS ENGINE DISPL/(L) 1 WR-HO2S, HO2S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * PARTIAL ALL MODELS 2.0 * * * PARTIAL WITH * 2.0 EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION EVAP CORVE FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD	SE STD P											
EXH/ORVR EVAP FTP SFTP FTP SFTP 150000 150000 LEV3 SULEV30 LEV 3 COMPOSITE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE DISPL/ (L) 1 WR-H02S, H02S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * * PARTIAL ALL MODELS * * * PARTIAL WITH FINES * 2.0	P											
150000 150000 LEV3 SULEV30 LEV 3 COMPOSITE * * SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE DISPL/ (L) 1 WR-H02S, H02S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * * PARTIAL ALL MODELS * * * PARTIAL ALL MODELS * * * * \$												
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS OBD STATUS ENGINE DISPL/ (L) 1 WR-H02S, H02S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * PARTIAL ALL MODELS * * PARTIAL WITH FINES * EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION	CEMENT											
SYSTEMS OBDISTATOS (L) 1 WR-H02S, H02S, WU-TWC, TWC, EGR, EGRC, DFI FULL * * * PARTIAL ALL MODELS * * PARTIAL WITH FINES * * * * PARTIAL WITH FINES	CEMENT											
* * PARTIAL ALL MODELS 2.0 * * * PARTIAL WITH FINES * 2.0 EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION												
* FINES * EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY EVAP / ORVR FAMILY EVAPORATIVE STD CATEGORY												
EVAP / ORVE FAMILY EVAPORATIVE STD CATEGORY EVAP EMISSION STD]											
	EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION											
VERICLE CLASS	SPECIAL FEATURES											
KKMXR0125D2E LEV 2 PC HCT	HCT											
EMISSION CREDIT INFORMATION												
ALLOWANCE FOR TEST GROUP AVE. CREDIT FOR TZEV EXTENDED WARRANTY EVAP NMOG CREDIT FOR DOR OPTIONAL E NMOG CREDIT FOR NMOG CREDIT FOR DOR OPTIONAL E												
ALL MODELS N N N N												
NMOG AND FLEET AVERAGE INFORMATION												
NMOG RAFCH4 RAFFTP NMOG/NMHC RATIOHCHO/NMHC RATIONMOG+NOX FLEET STD PC+LDT (0-3750 LVW) (g/mi)NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)NMOG+NOX FL MDV (10,001 GVWR) (g/mi)												
* * 1.10 * 0.072 0.083 *	14,000											

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations. (As applicable, heavy-duty vehicles (HDV) over 14,000 pounds in GVWR listed in this Executive Order are certified to the requirements in 13 CCR Section 1961.2 applicable to MDV pursuant to 13 CCR Section 1956.8(c)(3) or 13 CCR Section 1956.8(h)(5), as applicable.)



BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's fleet average compliance requirement for NMOG+NOx or Vehicle Equivalent Credit (13 CCR Sections 1961.2(b)(1), 1961.2(b)(3), or 1961.2(c)(3), and the incorporated test procedures, as applicable), or Greenhouse Gas Emissions (13 CCR Section 1961.3, or 17 CCR Section 95663, and the incorporated test procedures, as applicable), for PC, LDT, MDPV or MDV shall be equalized as required.

BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

BE IT FURTHER RESOLVED: Evaporative family KKMXR0125D2E is certified pursuant to 13 CCR Section 1976(b)(1)(G)3 and deemed to comply with the requirements of 13 CCR Section 1976(b)(1)(G)1 ["LEV III evaporative requirements"].

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of July 2018.

Annette Hebert, Chief Emissions Compliance, Automotive Regulations and Science Division

A.	A			.IF sou	OF		A 30		ORATIO	-		E New Pass		Cars, Lig	edium-Dut			
1.6								ΑΤΤΑ	снмі	ENT	Г		_		+			
	EXI	HAU	JST A	ND E	VAP	ORAT	IVE EN	MISSION	STAN	DAF	RDS AN	D CERT	IFIC	ATION	LEVELS	6		
		E	XHAUS	TEN	IISSIO	N STAN	DARD	S AND CEF	RTIFICA	TION	LEVELS	(FTP, HW	/FET,	50°F, 20	°F)			
	F	UEL	TYPE	mor adju OR	noxide; ustmen VR [g l	NOx: o t factor; HC/gallo	2DHS/3 2DHS/3	on-CH4 org f nitrogen; H 3DHS [g H(nsed]: on-b ahrenheit; F	HCHO: 1 C/test]: 2 poard re	forma 2/3 da fuelin	ldehyde; l ays diurna g vapor re	PM: particu I+hot-soak ecovery; g:	ilate r ; RL [gram	natter; R/ g HC/mi] ; mg: mill	AF: reactiv running I ligram; mit	vity oss;		
				NMOG	S+NOx		co			NOx		нсн	0	P	M			
					(g/mi)			(g/mi)		(g/mi)		(mg/n		ni)	(g/	mi)		
				С	ERT	STD		ERT ST		CERT			Т	STD	CERT	STD		
FTP@5			*	-	*	*		* *		*	*	*		*	*	+		
FTP@l	<u>ا ار</u>	LEV3	LINE- E10 LINE-	0.	.014	0.03	0 0	.0 1.	.0	*	*	+		4	*	0.01		
50°F @	AK(1 -		EINE-	0.	036	0.06	0 0	.3 1.	0	*	*			8				
						FUEL T	VDE			NMOG+NOx (g/m		Ox (g/mi)	i) CC		CO (g/mi)			
							116	5		C	CERT STD			CERT	-	STD		
HWFET @ 50K *								*		*	*							
HWFET @ UL GASOLINE-LEV					EV3 E1	10		0	.002	0.030	0.030							
20°F@50K G			GASO	SASOLINE-COLD CO LOW OCTANE									0.6		10.0			
				SFT	PEXH	AUST	EMISSI	ON STAND	ARDS	AND	CERTIFIC	ATION LE	EVEL	S				
					US06					SC03 COMPOSITE								
	FUEL TYPE		PE		NMOG (g/i	i+NOx mi)	CC (g/m		PM g/mi)		DG+NOx g/mi)	CO (g/mi)		DG+NOx g/mi)	CO (g/mi)	PM (mg/mi)		
@ 4K	* 0		CE	RT	1	•	*				*	*						
			S	TD	1	ł	*				*	*	-					
			-	RT	1	•	*		*	•	*	*	0	.009	0.2	*		
@ UL		EV3 E10 ST		D	. 4	•	*		*		*	*	0	.090	4.2	*		
		BI		IN									0	.030				
			WHOLI	E VEH	IICLE	EVAPO	RATIVE	EMISSIO	N STAN	DAR	DS AND	CERTIFIC	ATIO	LEVEL	S			
-				WHOLE VEHICLE EVAP														
	MILY	FILE		WILY FUEL TY		FUEL TYPE 3DHS		(g/test	g/test) @ UL		2DHS (g/test)		@ UL		RL (g/mi) (BUL	
					C	ERT	STD	FEL	CEF	T	STD	FEL		CERT	г	STD		
KKMXR0125D2E		D2E		GASOLINE - 0.30 CA PHASE 2		0.35	.35 * 0.28		0.35).35 *		0.01	0.01 0.05					
C	DRVR /	/ FUE	L ONL	YIC	NIST	ER BLE	ED EVA	PORATIV		_			_		ION LEVE	LS		
EVAP	ORATI	IVE	OR	VR (g/	gailon) @ UL					ONLY EVA	Y EVAP & CANISTER BLI						
FA	MILY	Y							g/test) @ UL									
KKMXR	0125	DZE	GASOL	INE -	-		GA		0.0						CERT +	STD *		
KKMXR0125D2E			FUEL TYPE CERT STD GASOLINE GASOLINE GASOLINE GASOLINE				(g CEI	/test) RT		TEST 2DHS RIG TEST BI UL (g/test) @ UL TE STD CERT STD C			TEST (g/te					

.

A CALIF	ORNIA RCES BOARD	KIA MOTORS CORPORATION	1	cutive Order: A-314-0307 ger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 4 of 4
EFFECTIVE	LEAK DIAMETER	STANDARD AND CER	RTIFICATION LEVE	L (INCHES)
EVAPORATIVE FAMILY	LEAK FAMILY	CER	т	STD
+	*	*		+
8500#ALVW; MDV: medium-duty duty passenger vehicle; HDV: he emission limit; GVWR: gross veh ULEV: ultra LEV; SULEV: super ADSTWC: adsorbing TWC; HAC SCRC/SCR-N or SCRC-NH3: se continuous/periodic trap oxidizer heated/oxygen sensor; WR-HO2 RDQS: reductant quality sensor; secondary air injection (belt drive direct/indirect fuel injection; TC/S fines on-board diagnostic; DOR: suffix: series; CNG/LNG: compre E10: "10%" ethanol ("90%"gasoli continuously variable transmissio automated manual-selectable tra hybrid electric vehicle	avy-duty vehicle; EC nicle weight rating; LV ULEV; ZEV: zero-en HC adsorbing cata elective catalytic reduction S or AFS: wide rang NH3S: ammonia se en)/(electric driven); I SC: turbo/super charg direct ozone reducin essed/liquefied naturation; SCV: selectable of	CS: emission control system W: loaded vehicle weight nission vehicle; TZEV: tran lyst; WU: warm-up catalys iction-urea/ammonia; NH3 late filter (active); GPF: PM e/linear/heated air-fuel rat nsor; EGR: exhaust gas re PAIR: pulsed AIR; SFI/MF ger; CAC: charge air coole ng; HCT: hydrocarbon trap al gas; LPG: liquefied petro ic (with lockup); M: manual continuously variable trans	m; CERT: certification; ; ALVW: adjusted LVV isitional ZEV; TWC/OC t; NAC: NOx adsorptic OC: ammonia oxidatio A filter for spark-ignited to sensor; NOXS: NO> circulation; EGRC: EC sequential/multiport r; FFH: fuel fired heato ; BCAN: bleed carbon bleum gas; E85: "85% I transmission; SA: set mission; AM: automat	; STD: standard; FEL: family V; LEV: low emission vehicle; C: 3-way/oxidizing catalyst; on catalyst; SCR-U or on catalyst; CTOX/PTOX: d engine; HO2S/O2S: c sensor; PMS: PM sensor; GR cooler; AIR/AIRE: fuel injection; DFI/IFI: er; F/P/\$: full/partial/partial with canister; prefix 2: parallel; (2) " ethanol ("15%"gasoline) fuel; mi-automatic transmission; CV: ted manual transmission; AMS:

2019 MODEL YEAR: VEHICLE MODELS INFORMATION

MODEL NUMBER	MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD
1	KIA	OPTIMA PLUG-IN HYBRID	PC	2.0	AM6	KKMXR0125D2E	1	P

ELECTRIC RANGE AND ZEV ALLOWANCE INFORMATION

MODEL		UDDS AER	UDDS EAER	US06 AER	HIGHW	AY (MILES)	ZEV
NUMBER	PHEV TYPE	(MILES)	(MILES)	(MILES)	AER	EAER	ALLOWANCE
1	TZEV	40.3	40.6	*	41.5	41.6	0.71