

CLASSIFICATION: Air Pollution Specialist/Air Resources Engineer	Time Base: Full Time	SALARY: \$4,204.00 - \$7,899.00	FFD: Until Filled
LOCATION: Sacramento		DIVISION: Enforcement Division	
CONTACT: Elizabeth Walker		E-MAIL: ewalker@arb.ca.gov	PHONE: 916-322-2659
MAILING ADDRESS: 1001 I Street., Sacramento, CA 95812			
DUTIES: <p style="text-align: center;">Due to the Governor's Hiring Freeze Order, only internal Air Resources Board lateral candidates will be considered.</p> <p>Research, create, design, and update source specific lesson plans and the outreach for stationary and mobile source programs. Prepare and conduct training classes and outreach programs throughout the state of California and out-of-state as required. Conduct field inspections. Participate in all necessary activities and assignments within the Compliance Training Section, Training & Compliance Assistance Branch and the Enforcement Division. Perform all necessary administrative duties as required. Some travel required (one week per month on average).</p>			
DESIRABLE QUALIFICATIONS: <p>A writing and training exercise will also be part of the interview process. Candidates should have a strong technical background in conducting inspections and/or training experience. The applications will be screened and only the most qualified candidates will be interviewed.</p> <p>WHO MAY APPLY:</p> <ul style="list-style-type: none"> • Current state employees who are in the Air Pollution Specialist/Air Resources Engineer classification or have transfer eligibility. • SROA/Surplus candidates are encouraged to apply. • We are located downtown in the beautiful California Environmental Protection Agency (CalEPA) at 10th and I Street. The Light Rail Station is two blocks from CalEPA building and also close to the downtown plaza, restaurants, and gym. If interested, please submit a completed State application STD form 678 and any other relevant documents (e.g. resume, etc.) to the attention of Ms. Elizabeth Walker. Also indicate your eligibility for this position in Box 12 of your application. 			