Appendix A:

January 1 – March 31, 2000

Station: ARV

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.69	Average value	12.226	11.204
Mean Abs. error	2.41	Standard deviation	4.953	4.026
Mean bias	-1.02	Maximum value	26	23.43
RMSE	2.95	Minimum value	-2.1	2.01
Agreement index	0.89	Data points	1985	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.14	Average value	69.11	69.264
Mean Abs. error	17.44	Standard deviation	25.507	17.519
Mean bias	0.15	Maximum value	100	99.94
RMSE	25.05	Minimum value	0	17.73
Agreement index	0.62	Data points	1986	2183



The u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.09	Average value	-0.1	0.108
Mean Abs. error	1.5	Standard deviation	1.306	1.807
Mean bias	0.21	Maximum value	5.32	5.15
RMSE	1.9	Minimum value	-10.12	-6.89
Agreement index	0.56	Data points	1985	2183



The v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.06	Average value	0.203	0.673
Mean Abs. error	1.3	Standard deviation	1.35	1.566
Mean bias	0.47	Maximum value	7.28	10.46
RMSE	1.86	Minimum value	-7.47	-5.05
Agreement index	0.53	Data points	1985	2183


Surface wind v-component
Station ARV
(2000-01-01 00:00 PST to 2000-03-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: BMF

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.79	Average value	12.036	10.568
Mean Abs. error	2.07	Standard deviation	4.534	4.146
Mean bias	-1.47	Maximum value	25	22.48
RMSE	2.56	Minimum value	-2.8	-0.16
Agreement index	0.91	Data points	2174	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.28	Average value	68.105	77.409
Mean Abs. error	15.63	Standard deviation	18.621	17.875
Mean bias	9.3	Maximum value	100	99.95
RMSE	20	Minimum value	12	21.57
Agreement index	0.7	Data points	2174	2183



The u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.28	Average value	-0.13	0.032
Mean Abs. error	1.49	Standard deviation	2.112	1.96
Mean bias	0.16	Maximum value	9.1	6.96
RMSE	1.99	Minimum value	-12.41	-8.32
Agreement index	0.72	Data points	2183	2183



The v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.22	Average value	-0.644	-0.349
Mean Abs. error	1.49	Standard deviation	2.133	1.666
Mean bias	0.29	Maximum value	11.43	8.46
RMSE	2.03	Minimum value	-10.05	-8.79
Agreement index	0.67	Data points	2183	2183


Surface wind v-component
Station BMF
(2000-01-01 00:00 PST to 2000-03-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: FAT

Temperature

Performance stats.			Obs.	Mod.
R-squared value	0.75	Average value	11.731	9.74
Mean Abs. error	2.39	Standard deviation	4.671	4.279
Mean bias	-1.99	Maximum value	26.7	21.25
RMSE	3.07	Minimum value	-1.7	-0.32
Agreement index	0.88	Data points	2182	2183



Relative humidity

Performance stats.			Obs.	Mod.
R-squared value	0.5	Average value	77.409	83.05
Mean Abs. error	10.92	Standard deviation	17.927	16.83
Mean bias	5.64	Maximum value	100	99.95
RMSE	14.46	Minimum value	14	21.07
Agreement index	0.82	Data points	2181	2183



Wind u-component

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	-0.397	-0.447
Mean Abs. error	1.39	Standard deviation	2.276	2.133
Mean bias	-0.05	Maximum value	6.99	7.02
RMSE	1.9	Minimum value	-8.6	-8.02
Agreement index	0.79	Data points	2183	2183



Wind v-component

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	0.09	0.574
Mean Abs. error	1.3	Standard deviation	2.084	1.927
Mean bias	0.48	Maximum value	11.46	10.24
RMSE	1.78	Minimum value	-7.45	-5.48
Agreement index	0.78	Data points	2183	2183


Surface wind v-component
Station FAT
(2000-01-01 00:00 PST to 2000-03-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: PLR

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.73	Average value	11.356	9.751
Mean Abs. error	2.19	Standard deviation	4.488	4.337
Mean bias	-1.61	Maximum value	25	21.69
RMSE	2.87	Minimum value	-1	-0.23
Agreement index	0.89	Data points	2169	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.44	Average value	76.265	83.051
Mean Abs. error	12.36	Standard deviation	18.527	16.982
Mean bias	6.79	Maximum value	100	99.96
RMSE	16.14	Minimum value	12	18.93
Agreement index	0.79	Data points	2169	2183



<u>Wind u-component</u>

No valid obs.

<u>Wind v-component</u>

No valid obs.

Station: HMA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.71	Average value	11.432	9.117
Mean Abs. error	2.76	Standard deviation	4.881	4.222
Mean bias	-2.31	Maximum value	26.11	20.86
RMSE	3.5	Minimum value	-3	-1.56
Agreement index	0.86	Data points	2102	2102



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.46	Average value	76.124	91.133
Mean Abs. error	15.85	Standard deviation	17.567	9.964
Mean bias	15.01	Maximum value	100	100
RMSE	19.89	Minimum value	14	46.02
Agreement index	0.64	Data points	2102	2102



Precipitation :



Station: MAD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.74	Average value	10.363	9.594
Mean Abs. error	1.88	Standard deviation	4.789	4.345
Mean bias	-0.77	Maximum value	25.89	21.71
RMSE	2.57	Minimum value	-3.33	-0.66
Agreement index	0.92	Data points	2184	2184



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.6	Average value	78.823	88.845
Mean Abs. error	10.89	Standard deviation	16.631	11.66
Mean bias	10.02	Maximum value	98	100
RMSE	14.6	Minimum value	17	48.12
Agreement index	0.77	Data points	2184	2184



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.56	Average value	-0.262	-0.415
Mean Abs. error	1.19	Standard deviation	1.801	2.39
Mean bias	-0.15	Maximum value	5.01	7.64
RMSE	1.6	Minimum value	-6.95	-7.88
Agreement index	0.84	Data points	2184	2184



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.52	Average value	0.188	0.542
Mean Abs. error	1.16	Standard deviation	1.607	2.239
Mean bias	0.35	Maximum value	8.19	9.18
RMSE	1.59	Minimum value	-4.41	-5.88
Agreement index	0.81	Data points	2184	2184



Precipitation:



Station: MCD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.73	Average value	10.467	9.738
Mean Abs. error	1.96	Standard deviation	5.001	4.39
Mean bias	-0.73	Maximum value	26.33	22.47
RMSE	2.69	Minimum value	-3.17	-1.12
Agreement index	0.92	Data points	2184	2184



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.61	Average value	81.694	88.043
Mean Abs. error	8.55	Standard deviation	17.045	12.036
Mean bias	6.35	Maximum value	100	100
RMSE	12.41	Minimum value	18	48.32
Agreement index	0.82	Data points	2184	2184



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.6	Average value	-0.288	-0.476
Mean Abs. error	1.15	Standard deviation	2.036	2.389
Mean bias	-0.19	Maximum value	7.51	6.69
RMSE	1.54	Minimum value	-6.79	-8.24
Agreement index	0.87	Data points	2184	2184



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	-0.324	0.667
Mean Abs. error	1.71	Standard deviation	1.029	2.448
Mean bias	0.99	Maximum value	4.43	8.99
RMSE	2.33	Minimum value	-5.04	-7.21
Agreement index	0.54	Data points	2184	2184



Precipitation:



Station: MFA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.73	Average value	11.996	10.15
Mean Abs. error	2.38	Standard deviation	4.557	4.179
Mean bias	-1.85	Maximum value	25	22.16
RMSE	3.03	Minimum value	-2.78	0.55
Agreement index	0.88	Data points	2132	2132



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.3	Average value	67.88	87.397
Mean Abs. error	20.44	Standard deviation	18.767	11.824
Mean bias	19.52	Maximum value	100	99.75
RMSE	25.07	Minimum value	12	45.49
Agreement index	0.58	Data points	2132	2132



Precipitation:



Station: MOD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.68	Average value	10.555	9.317
Mean Abs. error	2.25	Standard deviation	4.572	4.033
Mean bias	-1.24	Maximum value	25.78	22.6
RMSE	2.88	Minimum value	-2.83	-0.16
Agreement index	0.89	Data points	2184	2184



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.59	Average value	85.945	89.242
Mean Abs. error	7.77	Standard deviation	17.405	11.249
Mean bias	3.3	Maximum value	100	99.85
RMSE	11.85	Minimum value	20	52.59
Agreement index	0.82	Data points	2184	2184



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.37	Average value	0.045	-0.364
Mean Abs. error	1.83	Standard deviation	1.233	2.788
Mean bias	-0.41	Maximum value	4.89	7.09
RMSE	2.3	Minimum value	-5.26	-8.04
Agreement index	0.64	Data points	2183	2183



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.64	Average value	0.05	0.744
Mean Abs. error	1.68	Standard deviation	2.397	3.293
Mean bias	0.69	Maximum value	7.29	8.94
RMSE	2.12	Minimum value	-8.71	-9.32
Agreement index	0.86	Data points	2183	2183



Precipitation:



Station: SLO

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.3	Average value	12.188	11.721
Mean Abs. error	3.09	Standard deviation	4.002	3.588
Mean bias	-0.47	Maximum value	27.94	23.49
RMSE	3.66	Minimum value	2.78	3.02
Agreement index	0.73	Data points	1904	1904



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.08	Average value	53.112	81.622
Mean Abs. error	28.8	Standard deviation	13.948	14.004
Mean bias	28.51	Maximum value	93	99.73
RMSE	33.09	Minimum value	16	40.11
Agreement index	0.41	Data points	1904	1904


Surface relative humidity
Station SLO
(2000-01-01 00:00 PST to 2000-03-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: SRT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.82	Average value	5.325	5.686
Mean Abs. error	1.54	Standard deviation	4.208	3.31
Mean bias	0.36	Maximum value	17.22	14.27
RMSE	1.91	Minimum value	-5	-2.22
Agreement index	0.93	Data points	2148	2148



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.58	Average value	76.115	82.454
Mean Abs. error	14.93	Standard deviation	27.803	13.549
Mean bias	6.34	Maximum value	100	99.96
RMSE	20.61	Minimum value	2	48.07
Agreement index	0.74	Data points	2152	2152


Surface relative humidity
Station SRT
(2000-01-01 00:00 PST to 2000-03-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: VSA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.7	Average value	11.59	9.237
Mean Abs. error	2.73	Standard deviation	4.409	4.048
Mean bias	-2.35	Maximum value	24.3	21.06
RMSE	3.4	Minimum value	-2.6	-0.88
Agreement index	0.85	Data points	2133	2133



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	76.969	90.772
Mean Abs. error	16.02	Standard deviation	17.424	9.859
Mean bias	13.8	Maximum value	100	100
RMSE	20.15	Minimum value	14	45.87
Agreement index	0.6	Data points	2133	2133



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.28	Average value	-0.294	-0.079
Mean Abs. error	1.15	Standard deviation	1.66	1.485
Mean bias	0.21	Maximum value	6.45	6.98
RMSE	1.54	Minimum value	-8.03	-6.06
Agreement index	0.73	Data points	2133	2133



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	0.314	0.392
Mean Abs. error	1.15	Standard deviation	1.607	1.515
Mean bias	0.08	Maximum value	9.25	10.41
RMSE	1.54	Minimum value	-5.67	-5.43
Agreement index	0.71	Data points	2133	2133



Precipitation:



Station: YOS

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.78	Average value	4.606	2.973
Mean Abs. error	1.98	Standard deviation	3.795	3.504
Mean bias	-1.63	Maximum value	15.7	13.24
RMSE	2.42	Minimum value	-4.5	-5.91
Agreement index	0.89	Data points	2160	2160



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.66	Average value	65.644	84.323
Mean Abs. error	19.98	Standard deviation	25.111	11.384
Mean bias	18.68	Maximum value	99	100
RMSE	25.37	Minimum value	7	46.35
Agreement index	0.66	Data points	2160	2160



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	-0.74	-1.076
Mean Abs. error	2.05	Standard deviation	3.272	2.178
Mean bias	-0.34	Maximum value	15.21	9.64
RMSE	2.55	Minimum value	-14.4	-11.53
Agreement index	0.75	Data points	2160	2160



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.04	Average value	0.567	0.76
Mean Abs. error	2.01	Standard deviation	1.359	2.683
Mean bias	0.19	Maximum value	7.58	10.96
RMSE	2.75	Minimum value	-3.15	-6.68
Agreement index	0.44	Data points	2160	2160



Precipitation:



April 1 – June 30, 2000

Station: ARV

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.83	Average value	21.772	19.354
Mean Abs. error	3.21	Standard deviation	6.775	5.44
Mean bias	-2.42	Maximum value	39.5	34.72
RMSE	3.75	Minimum value	6.2	6.81
Agreement index	0.91	Data points	2062	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.28	Average value	53.999	62.21
Mean Abs. error	14.76	Standard deviation	17.618	13.865
Mean bias	8.21	Maximum value	99.7	96.1
RMSE	17.72	Minimum value	17.2	11.42
Agreement index	0.68	Data points	2062	2183



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.17	Average value	0.568	0.236
Mean Abs. error	1.22	Standard deviation	1.38	1.614
Mean bias	-0.33	Maximum value	5.18	5.9
RMSE	1.67	Minimum value	-4.88	-11.13
Agreement index	0.63	Data points	2063	2183



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.12	Average value	0.155	0.684
Mean Abs. error	1.29	Standard deviation	1.32	1.519
Mean bias	0.53	Maximum value	7.39	9.12
RMSE	1.72	Minimum value	-6.13	-4.85
Agreement index	0.59	Data points	2063	2183


Surface wind v-component
Station ARV
(2000-04-01 00:00 PST to 2000-06-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: BMF

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.92	Average value	22.093	19.246
Mean Abs. error	3.18	Standard deviation	7.305	5.668
Mean bias	-2.85	Maximum value	40.6	33.83
RMSE	3.74	Minimum value	5	6.05
Agreement index	0.92	Data points	2177	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.43	Average value	46.034	66.682
Mean Abs. error	22.25	Standard deviation	17.803	16.694
Mean bias	20.65	Maximum value	100	99.64
RMSE	25.12	Minimum value	11	23.9
Agreement index	0.62	Data points	2177	2183



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.45	Average value	1.198	0.808
Mean Abs. error	1.45	Standard deviation	2.344	1.809
Mean bias	-0.39	Maximum value	9.7	7.01
RMSE	1.8	Minimum value	-6.56	-6.43
Agreement index	0.79	Data points	2183	2183



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.31	Average value	-1.585	-1.166
Mean Abs. error	1.39	Standard deviation	2.099	1.697
Mean bias	0.42	Maximum value	8.83	7.92
RMSE	1.87	Minimum value	-10.49	-7.7
Agreement index	0.73	Data points	2183	2183


Surface wind v-component
Station BMF
(2000-04-01 00:00 PST to 2000-06-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: FAT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.92	Average value	22.081	19.092
Mean Abs. error	3.11	Standard deviation	7.216	6.315
Mean bias	-2.99	Maximum value	40.6	34.14
RMSE	3.64	Minimum value	7.2	3.71
Agreement index	0.93	Data points	2181	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.65	Average value	51.3	66.263
Mean Abs. error	16.26	Standard deviation	19.606	19.478
Mean bias	14.96	Maximum value	100	99.87
RMSE	19.34	Minimum value	12	26.46
Agreement index	0.78	Data points	2180	2183



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.5	Average value	1.78	1.504
Mean Abs. error	1.32	Standard deviation	2.384	1.851
Mean bias	-0.28	Maximum value	9.7	6.94
RMSE	1.72	Minimum value	-7.48	-5.2
Agreement index	0.82	Data points	2183	2183



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.47	Average value	-1.451	-0.816
Mean Abs. error	1.3	Standard deviation	2.168	1.644
Mean bias	0.63	Maximum value	6.58	4.94
RMSE	1.7	Minimum value	-7.88	-5.88
Agreement index	0.79	Data points	2183	2183


Surface wind v-component
Station FAT
(2000-04-01 00:00 PST to 2000-06-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: PLR

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.89	Average value	20.825	19.017
Mean Abs. error	2.33	Standard deviation	6.886	6.24
Mean bias	-1.81	Maximum value	39	33.08
RMSE	2.9	Minimum value	6	3.86
Agreement index	0.95	Data points	2177	2183



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.65	Average value	53.725	69.323
Mean Abs. error	17.27	Standard deviation	21.459	18.43
Mean bias	15.6	Maximum value	99	99.88
RMSE	20.19	Minimum value	12	23.82
Agreement index	0.77	Data points	2177	2183



<u>Wind u-component:</u>

No valid obs.

<u>Wind v-component:</u>

No valid obs.

Station: HMA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.9	Average value	21.944	18.688
Mean Abs. error	3.39	Standard deviation	7.121	6.388
Mean bias	-3.26	Maximum value	38.89	33.45
RMSE	3.97	Minimum value	7.22	3.61
Agreement index	0.92	Data points	1951	1951



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	51.763	80.876
Mean Abs. error	29.37	Standard deviation	18.578	13.88
Mean bias	29.11	Maximum value	100	99.84
RMSE	31.56	Minimum value	13	46.86
Agreement index	0.56	Data points	1951	1951



Precipitation:



Station: MAD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.92	Average value	19.314	18.784
Mean Abs. error	1.66	Standard deviation	7.142	6.553
Mean bias	-0.53	Maximum value	37.78	35.04
RMSE	2.11	Minimum value	3.5	4.21
Agreement index	0.98	Data points	2184	2184



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.76	Average value	58.212	77.121
Mean Abs. error	19.11	Standard deviation	21.115	15.305
Mean bias	18.91	Maximum value	96	99.78
RMSE	21.77	Minimum value	15	41.61
Agreement index	0.73	Data points	2184	2184



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.38	Average value	1.213	1.697
Mean Abs. error	1.21	Standard deviation	1.479	1.837
Mean bias	0.48	Maximum value	5.41	7.23
RMSE	1.56	Minimum value	-4.94	-6.19
Agreement index	0.76	Data points	2123	2123



Wind v-comp:

Performance stats.			Obs.	Mod.
R-squared value	0.34	Average value	-1.177	-1.209
Mean Abs. error	1.14	Standard deviation	1.333	1.742
Mean bias	-0.03	Maximum value	5.3	5.57
RMSE	1.46	Minimum value	-5.12	-6.22
Agreement index	0.75	Data points	2123	2123



Precipitation:



Station: MCD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.89	Average value	19.341	18.865
Mean Abs. error	2.06	Standard deviation	7.402	6.587
Mean bias	-0.48	Maximum value	39.56	35.3
RMSE	2.58	Minimum value	3.06	4.66
Agreement index	0.97	Data points	2184	2184



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.72	Average value	60.842	75.984
Mean Abs. error	16.18	Standard deviation	22.37	15.654
Mean bias	15.14	Maximum value	99	99.74
RMSE	19.53	Minimum value	14	42.76
Agreement index	0.78	Data points	2184	2184



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.43	Average value	1.392	1.452
Mean Abs. error	1.02	Standard deviation	1.401	1.664
Mean bias	0.06	Maximum value	4.93	6.41
RMSE	1.3	Minimum value	-4.69	-6.42
Agreement index	0.8	Data points	2184	2184



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	-0.858	-1.011
Mean Abs. error	1.27	Standard deviation	0.914	1.924
Mean bias	-0.15	Maximum value	2.08	6.23
RMSE	1.64	Minimum value	-4.32	-5.83
Agreement index	0.63	Data points	2184	2184



Precipitation:



Station: MFA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.9	Average value	22.095	18.977
Mean Abs. error	3.41	Standard deviation	7.35	5.921
Mean bias	-3.12	Maximum value	40.56	34.06
RMSE	4.02	Minimum value	5	5.59
Agreement index	0.91	Data points	2098	2098



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	45.946	80.461
Mean Abs. error	34.93	Standard deviation	17.847	12.93
Mean bias	34.52	Maximum value	100	99.7
RMSE	37.2	Minimum value	11	43.25
Agreement index	0.48	Data points	2097	2097



Precipitation:



Station: MOD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.86	Average value	18.151	17.574
Mean Abs. error	2.29	Standard deviation	7.024	6.058
Mean bias	-0.58	Maximum value	37.28	34.88
RMSE	2.73	Minimum value	2.89	5.8
Agreement index	0.96	Data points	2173	2173



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.7	Average value	69.437	76.647
Mean Abs. error	11.17	Standard deviation	20.974	13.802
Mean bias	7.21	Maximum value	100	99.65
RMSE	14.07	Minimum value	22	42.14
Agreement index	0.84	Data points	2173	2173



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	0.452	1.337
Mean Abs. error	1.77	Standard deviation	1.03	2.402
Mean bias	0.89	Maximum value	4.86	8.28
RMSE	2.25	Minimum value	-3.98	-7.25
Agreement index	0.57	Data points	2184	2184



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.21	Average value	-1.488	-1.262
Mean Abs. error	1.61	Standard deviation	1.608	2.164
Mean bias	0.23	Maximum value	7.77	7.39
RMSE	2.04	Minimum value	-6.01	-5.77
Agreement index	0.67	Data points	2184	2184



Precipitation:



Station: SLO

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.63	Average value	14.388	16.235
Mean Abs. error	2.89	Standard deviation	5.177	4.834
Mean bias	1.85	Maximum value	32.5	32.93
RMSE	3.72	Minimum value	4.78	6.76
Agreement index	0.86	Data points	1968	1968



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	73.32	80.588
Mean Abs. error	10.02	Standard deviation	16.175	12.378
Mean bias	7.27	Maximum value	94	99.54
RMSE	12.87	Minimum value	17	37.28
Agreement index	0.8	Data points	1968	1968


Surface relative humidity
Station SLO
(2000-04-01 00:00 PST to 2000-06-30 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: SRT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.94	Average value	15.058	13.218
Mean Abs. error	2.45	Standard deviation	7.311	5.908
Mean bias	-1.84	Maximum value	33.89	28.96
RMSE	2.85	Minimum value	-1.11	-0.15
Agreement index	0.95	Data points	2161	2161



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.39	Average value	53.034	75.883
Mean Abs. error	26.42	Standard deviation	25.762	11.731
Mean bias	22.85	Maximum value	100	99.62
RMSE	30.78	Minimum value	2	46.04
Agreement index	0.6	Data points	2159	2159


Surface relative humidity
Station SRT
(2000-04-01 00:00 PST to 2000-06-30 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: VSA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.91	Average value	21.208	18.27
Mean Abs. error	3.09	Standard deviation	6.925	6.025
Mean bias	-2.94	Maximum value	39.5	32.49
RMSE	3.66	Minimum value	6.3	4.51
Agreement index	0.92	Data points	2120	2120



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	51.436	82.986
Mean Abs. error	31.71	Standard deviation	20.484	12.656
Mean bias	31.55	Maximum value	95	99.8
RMSE	34.39	Minimum value	11	45.1
Agreement index	0.55	Data points	2120	2120



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.35	Average value	1.019	1.147
Mean Abs. error	0.95	Standard deviation	1.361	1.351
Mean bias	0.13	Maximum value	5.35	5.81
RMSE	1.23	Minimum value	-5.32	-4.74
Agreement index	0.77	Data points	2110	2110



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.31	Average value	-0.707	-0.408
Mean Abs. error	1.21	Standard deviation	1.759	1.405
Mean bias	0.3	Maximum value	4.38	5.22
RMSE	1.55	Minimum value	-8.5	-6.94
Agreement index	0.73	Data points	2110	2110



Precipitation:



Station: YOS

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.93	Average value	13.823	10.975
Mean Abs. error	2.98	Standard deviation	6.498	5.812
Mean bias	-2.85	Maximum value	29	25.39
RMSE	3.36	Minimum value	-1	-3.72
Agreement index	0.93	Data points	1916	1916



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.37	Average value	51.968	80.325
Mean Abs. error	28.98	Standard deviation	20.789	11.645
Mean bias	28.36	Maximum value	100	99.47
RMSE	32.82	Minimum value	14	49.34
Agreement index	0.55	Data points	2174	2174



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.67	Average value	-0.093	-0.884
Mean Abs. error	1.88	Standard deviation	3.592	2.39
Mean bias	-0.79	Maximum value	7	6.43
RMSE	2.27	Minimum value	-9.7	-8.9
Agreement index	0.85	Data points	1916	1916



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	1.043	0.007
Mean Abs. error	1.86	Standard deviation	2.238	1.781
Mean bias	-1.04	Maximum value	6.38	6.88
RMSE	2.27	Minimum value	-3.65	-5.63
Agreement index	0.66	Data points	1916	1916



Precipitation :



July 1 – September 30, 2000

Station: ARV

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.75	Average value	26.544	23.808
Mean Abs. error	3.65	Standard deviation	5.84	3.851
Mean bias	-2.74	Maximum value	40	33.82
RMSE	4.19	Minimum value	13.2	14.43
Agreement index	0.82	Data points	1703	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.37	Average value	47.197	62.602
Mean Abs. error	17.72	Standard deviation	15.295	14.672
Mean bias	15.4	Maximum value	97.1	96.24
RMSE	20.34	Minimum value	16.9	29.91
Agreement index	0.64	Data points	1703	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.13	Average value	0.405	0.635
Mean Abs. error	0.97	Standard deviation	1.194	0.958
Mean bias	0.23	Maximum value	3.89	3.23
RMSE	1.26	Minimum value	-5.97	-3.88
Agreement index	0.61	Data points	1700	2207



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.08	Average value	0.407	0.411
Mean Abs. error	0.94	Standard deviation	0.875	1.124
Mean bias	0	Maximum value	3.87	5.32
RMSE	1.22	Minimum value	-2.7	-2.35
Agreement index	0.57	Data points	1700	2207


Surface wind v-component
Station ARV
(2000-07-01 00:00 PST to 2000-09-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: BMF

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.88	Average value	26.171	22.505
Mean Abs. error	3.79	Standard deviation	5.85	4.492
Mean bias	-3.67	Maximum value	41.7	34.37
RMSE	4.32	Minimum value	11.7	9.26
Agreement index	0.85	Data points	2201	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.39	Average value	40.395	69.299
Mean Abs. error	29.41	Standard deviation	14.724	16.975
Mean bias	28.9	Maximum value	84	99.64
RMSE	32.07	Minimum value	11	31.74
Agreement index	0.5	Data points	2201	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.36	Average value	1.151	0.568
Mean Abs. error	1.49	Standard deviation	2.174	1.386
Mean bias	-0.58	Maximum value	7.45	3.79
RMSE	1.83	Minimum value	-5.02	-3.28
Agreement index	0.71	Data points	2207	2207



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.32	Average value	-1.443	-1.082
Mean Abs. error	1.19	Standard deviation	1.827	1.352
Mean bias	0.36	Maximum value	4.79	2.83
RMSE	1.58	Minimum value	-7.1	-5.63
Agreement index	0.73	Data points	2207	2207


Surface wind v-component
Station BMF
(2000-07-01 00:00 PST to 2000-09-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: FAT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.88	Average value	25.658	22.078
Mean Abs. error	3.67	Standard deviation	6.241	5.177
Mean bias	-3.58	Maximum value	40.6	34.78
RMSE	4.23	Minimum value	12.2	7.42
Agreement index	0.87	Data points	2206	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.58	Average value	43.896	67.248
Mean Abs. error	23.78	Standard deviation	17.217	18.887
Mean bias	23.35	Maximum value	93	99.74
RMSE	26.53	Minimum value	12	31.02
Agreement index	0.63	Data points	2206	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.39	Average value	1.755	1.22
Mean Abs. error	1.27	Standard deviation	2.001	1.515
Mean bias	-0.54	Maximum value	7.74	4.67
RMSE	1.68	Minimum value	-4.29	-3.74
Agreement index	0.76	Data points	2207	2207



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	-1.248	-0.473
Mean Abs. error	1.27	Standard deviation	1.749	1.214
Mean bias	0.78	Maximum value	4.32	3.41
RMSE	1.69	Minimum value	-9.36	-4.56
Agreement index	0.68	Data points	2207	2207


Surface wind v-component
Station FAT
(2000-07-01 00:00 PST to 2000-09-30 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: PLR

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.82	Average value	24.246	22.031
Mean Abs. error	2.8	Standard deviation	6.186	4.921
Mean bias	-2.22	Maximum value	39	34.78
RMSE	3.49	Minimum value	11	6.17
Agreement index	0.9	Data points	2204	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.63	Average value	50.466	70.544
Mean Abs. error	20.78	Standard deviation	20.327	17.341
Mean bias	20.08	Maximum value	92	99.78
RMSE	23.65	Minimum value	10	28.31
Agreement index	0.7	Data points	2204	2207



<u>Wind u-component:</u>

No valid obs.

<u>Wind v-component:</u>

No valid obs.

Station: HMA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.84	Average value	25.106	21.633
Mean Abs. error	3.64	Standard deviation	6.125	5.119
Mean bias	-3.47	Maximum value	38.89	34.34
RMSE	4.28	Minimum value	10.56	7.6
Agreement index	0.87	Data points	1877	1877



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.54	Average value	51.297	81.888
Mean Abs. error	30.62	Standard deviation	17.027	13.597
Mean bias	30.59	Maximum value	93	99.94
RMSE	32.73	Minimum value	20	52.77
Agreement index	0.53	Data points	1877	1877



Precipitation:



Station: MAD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.86	Average value	22.283	21.451
Mean Abs. error	2.08	Standard deviation	6.612	5.701
Mean bias	-0.83	Maximum value	37.22	35.46
RMSE	2.66	Minimum value	7.22	9.13
Agreement index	0.95	Data points	2207	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.73	Average value	55.532	77.885
Mean Abs. error	22.41	Standard deviation	20.322	15.701
Mean bias	22.35	Maximum value	93	99.95
RMSE	24.78	Minimum value	15	42.56
Agreement index	0.68	Data points	2207	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.02	Average value	0.633	1.284
Mean Abs. error	1.44	Standard deviation	1.241	1.321
Mean bias	0.65	Maximum value	4.35	5.58
RMSE	1.79	Minimum value	-3.31	-3.43
Agreement index	0.48	Data points	1710	1710



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.1	Average value	-1.371	-0.736
Mean Abs. error	1.24	Standard deviation	1.189	1.298
Mean bias	0.64	Maximum value	3.21	3.28
RMSE	1.59	Minimum value	-5.23	-4.83
Agreement index	0.58	Data points	1710	1710



Precipitation:



Station: MCD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.85	Average value	22.701	21.523
Mean Abs. error	2.56	Standard deviation	7.08	5.728
Mean bias	-1.18	Maximum value	38.5	35.25
RMSE	3.12	Minimum value	6.78	8.87
Agreement index	0.94	Data points	2207	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.69	Average value	54.109	76.67
Mean Abs. error	22.76	Standard deviation	22.014	15.803
Mean bias	22.56	Maximum value	96	99.89
RMSE	25.79	Minimum value	12	44.23
Agreement index	0.69	Data points	2207	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.28	Average value	1.438	1.106
Mean Abs. error	1.01	Standard deviation	1.257	1.244
Mean bias	-0.33	Maximum value	4.66	5.46
RMSE	1.25	Minimum value	-2.14	-3.28
Agreement index	0.73	Data points	2208	2208



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.17	Average value	-0.626	-0.559
Mean Abs. error	1.05	Standard deviation	0.826	1.462
Mean bias	0.07	Maximum value	1.8	3.56
RMSE	1.35	Minimum value	-3.96	-5.19
Agreement index	0.6	Data points	2208	2208



Precipitation:



Station: MFA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.85	Average value	26.348	22.332
Mean Abs. error	4.13	Standard deviation	5.881	4.706
Mean bias	-4.02	Maximum value	41.67	34.59
RMSE	4.66	Minimum value	13.89	9.69
Agreement index	0.83	Data points	1919	1919



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.39	Average value	39.932	82.795
Mean Abs. error	42.86	Standard deviation	14.708	12.11
Mean bias	42.86	Maximum value	84	99.62
RMSE	44.48	Minimum value	11	50.44
Agreement index	0.39	Data points	1919	1919



Precipitation:



Station: MOD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.8	Average value	20.444	19.761
Mean Abs. error	2.61	Standard deviation	6.701	5.385
Mean bias	-0.68	Maximum value	35.89	33.2
RMSE	3.12	Minimum value	6.78	8.46
Agreement index	0.93	Data points	2201	2201



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.72	Average value	70.493	79.151
Mean Abs. error	11.43	Standard deviation	21.113	13.963
Mean bias	8.66	Maximum value	100	99.66
RMSE	14.73	Minimum value	23	47.77
Agreement index	0.83	Data points	2201	2201



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.01	Average value	0.356	0.224
Mean Abs. error	1.33	Standard deviation	0.68	1.626
Mean bias	-0.13	Maximum value	3.37	5.94
RMSE	1.72	Minimum value	-2.72	-5.01
Agreement index	0.35	Data points	2208	2208



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.02	Average value	-1.554	-0.659
Mean Abs. error	1.97	Standard deviation	1.369	1.886
Mean bias	0.9	Maximum value	3.91	5.35
RMSE	2.36	Minimum value	-5.8	-5.46
Agreement index	0.44	Data points	2208	2208



Precipitation:



Station: SLO

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.64	Average value	17.245	18.381
Mean Abs. error	2.56	Standard deviation	4.697	4.961
Mean bias	1.14	Maximum value	33.17	31.22
RMSE	3.26	Minimum value	6.94	8.61
Agreement index	0.88	Data points	2200	2200



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.49	Average value	73.48	80.287
Mean Abs. error	10.69	Standard deviation	16.43	12.656
Mean bias	6.81	Maximum value	93	99.56
RMSE	13.56	Minimum value	21	43.77
Agreement index	0.78	Data points	2200	2200


Surface relative humidity
Station SLO
(2000-07-01 00:00 PST to 2000-09-30 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: SRT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.92	Average value	20.084	16.735
Mean Abs. error	3.42	Standard deviation	5.516	4.831
Mean bias	-3.35	Maximum value	34.44	27.74
RMSE	3.74	Minimum value	6.67	4.54
Agreement index	0.88	Data points	2197	2197



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.37	Average value	43.615	73.75
Mean Abs. error	31.59	Standard deviation	20.941	11.671
Mean bias	30.14	Maximum value	100	100
RMSE	34.44	Minimum value	6	44.81
Agreement index	0.53	Data points	2199	2199


Surface relative humidity
Station SRT
(2000-07-01 00:00 PST to 2000-09-30 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: VSA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.83	Average value	24.252	21.095
Mean Abs. error	3.37	Standard deviation	5.937	4.704
Mean bias	-3.16	Maximum value	38.4	33.54
RMSE	4.05	Minimum value	10.9	7.19
Agreement index	0.87	Data points	2160	2160



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.58	Average value	50.716	84.128
Mean Abs. error	33.41	Standard deviation	18.845	12.118
Mean bias	33.41	Maximum value	91	99.74
RMSE	35.65	Minimum value	13	44.71
Agreement index	0.52	Data points	2160	2160



Wind u-component :

Performance stats.			Obs.	Mod.
R-squared value	0.34	Average value	1.16	0.947
Mean Abs. error	0.82	Standard deviation	1.214	0.993
Mean bias	-0.21	Maximum value	4.75	3.93
RMSE	1.04	Minimum value	-2.99	-1.84
Agreement index	0.75	Data points	2160	2160



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.19	Average value	-0.187	-0.261
Mean Abs. error	0.98	Standard deviation	1.311	1.008
Mean bias	-0.07	Maximum value	3.55	4.22
RMSE	1.26	Minimum value	-4.97	-4.13
Agreement index	0.65	Data points	2160	2160



Precipitation:



Station: YOS

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.9	Average value	18.775	14.367
Mean Abs. error	4.41	Standard deviation	4.775	4.591
Mean bias	-4.41	Maximum value	30.4	25.45
RMSE	4.65	Minimum value	6.1	2.06
Agreement index	0.8	Data points	2169	2169



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	36.84	75.772
Mean Abs. error	39.38	Standard deviation	17.551	11.787
Mean bias	38.93	Maximum value	100	99.65
RMSE	41.79	Minimum value	11	49.28
Agreement index	0.42	Data points	2169	2169



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.82	Average value	-0.194	-1.478
Mean Abs. error	1.63	Standard deviation	3.173	2.203
Mean bias	-1.28	Maximum value	6.28	4.36
RMSE	1.97	Minimum value	-7.38	-6.58
Agreement index	0.87	Data points	2169	2169



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.52	Average value	1.005	-0.417
Mean Abs. error	2.01	Standard deviation	2.758	1.291
Mean bias	-1.42	Maximum value	6.12	3.79
RMSE	2.48	Minimum value	-3.41	-3.63
Agreement index	0.68	Data points	2169	2169



Precipitation:



October 1 – December 31, 2000

Station: ARV

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.65	Average value	11.68	11.527
Mean Abs. error	3.25	Standard deviation	6.842	5.177
Mean bias	-0.15	Maximum value	36.7	27.08
RMSE	4.05	Minimum value	-0.8	1.88
Agreement index	0.88	Data points	2208	2208



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.2	Average value	75.455	71.603
Mean Abs. error	15.41	Standard deviation	18.853	17.766
Mean bias	-3.85	Maximum value	100	99.88
RMSE	19.74	Minimum value	20.8	18.43
Agreement index	0.68	Data points	2165	2208



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.02	Average value	-0.056	0.748
Mean Abs. error	1.52	Standard deviation	0.995	1.481
Mean bias	0.8	Maximum value	3.45	7.38
RMSE	1.85	Minimum value	-2.31	-5.26
Agreement index	0.46	Data points	2207	2208



Wind v-component

Performance stats.			Obs.	Mod.
R-squared value	0.02	Average value	0.044	0.425
Mean Abs. error	0.94	Standard deviation	0.892	0.981
Mean bias	0.38	Maximum value	3.83	6.07
RMSE	1.28	Minimum value	-3.34	-3.29
Agreement index	0.47	Data points	2207	2208


Surface wind v-component
Station ARV
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: BMF

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.79	Average value	12.272	10.617
Mean Abs. error	2.83	Standard deviation	6.468	5.376
Mean bias	-1.66	Maximum value	34.4	27.56
RMSE	3.44	Minimum value	-1.7	0.23
Agreement index	0.91	Data points	2207	2208



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.3	Average value	65.278	80.353
Mean Abs. error	19.34	Standard deviation	18.604	18.192
Mean bias	15.07	Maximum value	100	99.95
RMSE	23.14	Minimum value	12	22.92
Agreement index	0.65	Data points	2206	2208



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.23	Average value	0.091	0.22
Mean Abs. error	1.26	Standard deviation	1.735	1.314
Mean bias	0.13	Maximum value	7.61	8.23
RMSE	1.59	Minimum value	-4.85	-3.76
Agreement index	0.67	Data points	2208	2208



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.1	Average value	-0.643	-0.352
Mean Abs. error	1.22	Standard deviation	1.672	0.882
Mean bias	0.29	Maximum value	4.79	3.66
RMSE	1.66	Minimum value	-7.98	-5.05
Agreement index	0.52	Data points	2208	2208


Surface wind v-component
Station BMF
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: FAT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.81	Average value	11.603	9.173
Mean Abs. error	2.93	Standard deviation	6.13	5.559
Mean bias	-2.43	Maximum value	33.9	27.51
RMSE	3.6	Minimum value	0	-0.18
Agreement index	0.91	Data points	2208	2208



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.52	Average value	75.987	87.148
Mean Abs. error	13.55	Standard deviation	18.56	15.534
Mean bias	11.16	Maximum value	100	99.96
RMSE	17.14	Minimum value	24	35.82
Agreement index	0.77	Data points	2208	2208



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.3	Average value	0.216	-0.018
Mean Abs. error	1.1	Standard deviation	1.691	1.453
Mean bias	-0.23	Maximum value	8.4	4.45
RMSE	1.53	Minimum value	-5.72	-6.72
Agreement index	0.72	Data points	2208	2208



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.18	Average value	-0.231	0.255
Mean Abs. error	1.02	Standard deviation	1.444	1.099
Mean bias	0.49	Maximum value	8.6	8.16
RMSE	1.47	Minimum value	-7.14	-3.94
Agreement index	0.62	Data points	2208	2208


Surface wind v-component
Station FAT
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10

Station: PLR

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.79	Average value	11.264	9.123
Mean Abs. error	2.8	Standard deviation	6.01	5.559
Mean bias	-2.14	Maximum value	33	27.01
RMSE	3.47	Minimum value	-1	-0.17
Agreement index	0.91	Data points	2208	2208



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.54	Average value	77.129	88.213
Mean Abs. error	13.27	Standard deviation	18.323	14.575
Mean bias	11.08	Maximum value	99	99.96
RMSE	16.74	Minimum value	21	39.53
Agreement index	0.76	Data points	2208	2208



<u>Wind u-component:</u>

No valid obs.

<u>Wind v-component:</u>

No valid obs.

Station: HMA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.77	Average value	10.975	8.372
Mean Abs. error	3.32	Standard deviation	6.72	5.51
Mean bias	-2.6	Maximum value	33.89	27.04
RMSE	4.17	Minimum value	-2.22	-2.4
Agreement index	0.89	Data points	2007	2007



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	78.626	94.012
Mean Abs. error	16.57	Standard deviation	19.997	8.162
Mean bias	15.39	Maximum value	100	100
RMSE	22.27	Minimum value	21	56.2
Agreement index	0.6	Data points	2007	2007


Surface relative humidity
Station HMA
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: MAD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.76	Average value	9.742	8.772
Mean Abs. error	2.52	Standard deviation	6.38	5.5
Mean bias	-0.97	Maximum value	32.17	27.9
RMSE	3.3	Minimum value	-3.33	-2.08
Agreement index	0.92	Data points	2207	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.54	Average value	80.74	91.794
Mean Abs. error	11.95	Standard deviation	17.314	10.477
Mean bias	11.05	Maximum value	98	100
RMSE	16.25	Minimum value	23	51.61
Agreement index	0.72	Data points	2207	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.24	Average value	0.246	-0.118
Mean Abs. error	1.02	Standard deviation	1.078	1.395
Mean bias	-0.36	Maximum value	4.79	4.16
RMSE	1.33	Minimum value	-3.58	-6.68
Agreement index	0.67	Data points	2035	2035



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.12	Average value	-0.389	0.199
Mean Abs. error	1.04	Standard deviation	1.011	1.159
Mean bias	0.59	Maximum value	3.36	5.48
RMSE	1.38	Minimum value	-5.45	-5.07
Agreement index	0.57	Data points	2035	2035



Precipitation:



Station: MCD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.75	Average value	10.053	8.916
Mean Abs. error	2.76	Standard deviation	6.665	5.597
Mean bias	-1.14	Maximum value	33.17	28.35
RMSE	3.52	Minimum value	-2.83	-1.83
Agreement index	0.91	Data points	2176	2176



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.58	Average value	82.323	91.146
Mean Abs. error	10.24	Standard deviation	18.912	10.92
Mean bias	8.82	Maximum value	100	100
RMSE	15.51	Minimum value	16	51.45
Agreement index	0.75	Data points	2176	2176



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	0.237	-0.279
Mean Abs. error	1.07	Standard deviation	1.291	1.416
Mean bias	-0.52	Maximum value	6.04	3.77
RMSE	1.4	Minimum value	-4.47	-7.47
Agreement index	0.7	Data points	2176	2176



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.11	Average value	-0.266	0.516
Mean Abs. error	1.07	Standard deviation	0.791	1.249
Mean bias	0.78	Maximum value	2.53	6.33
RMSE	1.47	Minimum value	-3.9	-4.86
Agreement index	0.48	Data points	2176	2176



Precipitation:



Station: MFA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.8	Average value	12.05	9.82
Mean Abs. error	2.96	Standard deviation	6.428	5.34
Mean bias	-2.23	Maximum value	34.44	27.61
RMSE	3.68	Minimum value	-1.67	0.1
Agreement index	0.9	Data points	2005	2005



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.34	Average value	65.977	91.085
Mean Abs. error	25.46	Standard deviation	18.419	9.922
Mean bias	25.11	Maximum value	100	99.69
RMSE	29.25	Minimum value	12	40.26
Agreement index	0.52	Data points	2005	2005



Precipitation:



Station: MOD

Temperature :

Performance stats.			Obs.	Mod.
R-squared value	0.71	Average value	9.238	8.694
Mean Abs. error	2.81	Standard deviation	6.485	5.132
Mean bias	-0.54	Maximum value	32	27.09
RMSE	3.56	Minimum value	-6.28	-1.67
Agreement index	0.9	Data points	2174	2174



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.53	Average value	85.069	91.708
Mean Abs. error	9.27	Standard deviation	17.676	9.847
Mean bias	6.64	Maximum value	100	100
RMSE	14.15	Minimum value	23	50.92
Agreement index	0.75	Data points	2127	2127



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.34	Average value	0.159	-0.738
Mean Abs. error	1.57	Standard deviation	1.102	2.09
Mean bias	-0.9	Maximum value	4.96	6.9
RMSE	1.92	Minimum value	-3.68	-6.3
Agreement index	0.64	Data points	2197	2197



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	-0.409	0.74
Mean Abs. error	1.82	Standard deviation	1.543	2.262
Mean bias	1.15	Maximum value	5.36	7.21
RMSE	2.25	Minimum value	-6.76	-6.21
Agreement index	0.65	Data points	2197	2197



Precipitation:



Station: SLO

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.67	Average value	13.499	12.9
Mean Abs. error	2.21	Standard deviation	4.486	4.247
Mean bias	-0.6	Maximum value	27.39	25.48
RMSE	2.71	Minimum value	1.83	3.17
Agreement index	0.9	Data points	2208	2208



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.62	Average value	67.982	77.96
Mean Abs. error	12.68	Standard deviation	20.44	14.394
Mean bias	9.98	Maximum value	93	99.61
RMSE	16.15	Minimum value	12	31.69
Agreement index	0.79	Data points	2208	2208


Surface relative humidity
Station SLO
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: SRT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.86	Average value	8.813	7.896
Mean Abs. error	2.12	Standard deviation	6.104	4.722
Mean bias	-0.92	Maximum value	28.33	23.23
RMSE	2.64	Minimum value	-3.89	-3.21
Agreement index	0.94	Data points	2198	2198



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	58.54	76.67
Mean Abs. error	24.03	Standard deviation	32.442	13.115
Mean bias	18.13	Maximum value	100	100
RMSE	30.15	Minimum value	3	48.42
Agreement index	0.67	Data points	2195	2195


Surface relative humidity
Station SRT
(2000-10-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: VSA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.77	Average value	11.511	8.476
Mean Abs. error	3.5	Standard deviation	6.161	5.25
Mean bias	-3.04	Maximum value	32.8	26.31
RMSE	4.23	Minimum value	-2.1	-0.83
Agreement index	0.87	Data points	2207	2207



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	74.928	94.211
Mean Abs. error	19.61	Standard deviation	19.213	7.267
Mean bias	19.28	Maximum value	99	100
RMSE	24.83	Minimum value	18	57.63
Agreement index	0.55	Data points	2207	2207



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.17	Average value	0.026	0.147
Mean Abs. error	0.85	Standard deviation	1.111	0.929
Mean bias	0.12	Maximum value	3.75	3.39
RMSE	1.12	Minimum value	-4.65	-5.09
Agreement index	0.64	Data points	2207	2207



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.07	Average value	-0.003	0.185
Mean Abs. error	1.05	Standard deviation	1.277	0.829
Mean bias	0.19	Maximum value	4.05	5.11
RMSE	1.34	Minimum value	-5.56	-4.4
Agreement index	0.49	Data points	2207	2207



Precipitation:



Station: YOS

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.89	Average value	7.288	5.282
Mean Abs. error	2.29	Standard deviation	5.312	4.875
Mean bias	-2.01	Maximum value	25.2	20.51
RMSE	2.68	Minimum value	-5.9	-7.4
Agreement index	0.93	Data points	2172	2172



Relative humidity:

Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	51.857	78.315
Mean Abs. error	27.37	Standard deviation	24.048	10.946
Mean bias	26.46	Maximum value	100	100
RMSE	31.62	Minimum value	10	46.68
Agreement index	0.61	Data points	2172	2172



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.58	Average value	-1.087	-1.556
Mean Abs. error	1.63	Standard deviation	3.077	2.212
Mean bias	-0.47	Maximum value	6.28	8.25
RMSE	2.06	Minimum value	-16.07	-11.41
Agreement index	0.84	Data points	1793	1793



Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.29	Average value	0.158	-0.589
Mean Abs. error	1.53	Standard deviation	2.157	1.649
Mean bias	-0.75	Maximum value	5.89	6.84
RMSE	2.03	Minimum value	-6.76	-5.56
Agreement index	0.68	Data points	1793	1793



Precipitation:



January 1 - December 31, 2000

Station: ARV

Temperature:





Relative humidity:





Wind u-component:





Wind v-component:




Station: ARV
Obs.
Mod.
Wind v-comp in m/s
12
10
8
6
4
2
0
-2
-4
-6
-8
-10
Jan 1 to Dec 31, 2000

Station: BMF

Temperature:





Relative Humidity:





Wind u-component:





Wind v-component:





Station: FAT

Temperature:





Relative Humidity:





Wind u-component:





Wind v-component:





Station: PLR

Temperature:





Relative humidity:





Station: HMA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.91	Average value	17.134	14.241
Mean Abs. error	3.26	Standard deviation	8.831	7.879
Mean bias	-2.89	Maximum value	38.89	34.34
RMSE	3.98	Minimum value	-3	-2.4
Agreement index	0.94	Data points	7937	7937





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.57	Average value	64.897	87.153
Mean Abs. error	22.85	Standard deviation	22.437	12.905
Mean bias	22.26	Maximum value	100	100
RMSE	26.99	Minimum value	13	46.02
Agreement index	0.63	Data points	7937	7937



Precipitation:


Station: HMA
Obs.
Mod.
Accum. precip. in mm
200
180
160
140
120
100
80
60
40
20
0
Hourly Jan 1 to Dec 31, 2000

Station: MAD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.9	Average value	15.429	14.653
Mean Abs. error	2.04	Standard deviation	8.347	7.878
Mean bias	-0.78	Maximum value	37.78	35.46
RMSE	2.69	Minimum value	-3.33	-2.08
Agreement index	0.97	Data points	8782	8782




Station:MAD
Obs.
Mod.
Temperature in Celsius
40
35
30
25
20
15
10
5
0
-5
-10
Hourly Jan 1 to Dec 31, 2000

Humidity:


Station: MAD
Obs.
Mod.
Relative humidity in %
100
90
80
70
60
50
40
30
20
10
0
Jan 1 to Dec 31, 2000

Performance stats.			Obs.	Mod.
R-squared value	0.73	Average value	68.326	83.916
Mean Abs. error	16.1	Standard deviation	22.17	14.962
Mean bias	15.59	Maximum value	98	100
RMSE	19.79	Minimum value	15	41.61
Agreement index	0.77	Data points	8782	8782



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.42	Average value	0.445	0.578
Mean Abs. error	1.21	Standard deviation	1.545	2.032
Mean bias	0.13	Maximum value	5.41	7.64
RMSE	1.57	Minimum value	-6.95	-7.88
Agreement index	0.79	Data points	8052	8052


Surface wind u-component
Station MAD
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled u-comp (m/s)
Observed u-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: MAD
Obs.
Mod.
Wind u-component in m/s
10
8
6
4
2
0
-2
-4
-6
-8
-10
Hourly Jan 1 to Dec 31, 2000

Wind v-component:

Performance stats.			Obs.	Mod.
R-squared value	0.4	Average value	-0.649	-0.277
Mean Abs. error	1.14	Standard deviation	1.455	1.836
Mean bias	0.37	Maximum value	8.19	9.18
RMSE	1.5	Minimum value	-5.45	-6.22
Agreement index	0.77	Data points	8052	8052





Precipitation:



Station: MCD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.89	Average value	15.664	14.784
Mean Abs. error	2.34	Standard deviation	8.605	7.889
Mean bias	-0.88	Maximum value	39.56	35.3
RMSE	3	Minimum value	-3.17	-1.83
Agreement index	0.97	Data points	8751	8751





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.71	Average value	69.689	82.937
Mean Abs. error	14.46	Standard deviation	23.769	15.336
Mean bias	13.25	Maximum value	100	100
RMSE	19.01	Minimum value	12	42.76
Agreement index	0.79	Data points	8751	8751



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.53	Average value	0.697	0.453
Mean Abs. error	1.06	Standard deviation	1.7	1.926
Mean bias	-0.24	Maximum value	7.51	6.69
RMSE	1.38	Minimum value	-6.79	-8.24
Agreement index	0.84	Data points	8752	8752


Surface wind u-component
Station MCD
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled u-comp (m/s)
Observed u-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: MCD
Obs
Mod
Wind u-component in m/s
10
8
6
4
2
0
-2
-4
-6
-8
-10
Hourly Jan 1 to Dec 31, 2000

Wind v-component



Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	-0.519	-0.099
Mean Abs. error	1.27	Standard deviation	0.926	1.962
Mean bias	0.42	Maximum value	4.43	8.99
RMSE	1.73	Minimum value	-5.04	-7.21
Agreement index	0.6	Data points	8752	8752



Precipitation:



Station: MFA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.92	Average value	17.985	15.207
Mean Abs. error	3.2	Standard deviation	8.745	7.432
Mean bias	-2.78	Maximum value	41.67	34.59
RMSE	3.87	Minimum value	-2.78	0.1
Agreement index	0.94	Data points	8154	8154





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.38	Average value	55.192	85.437
Mean Abs. error	30.68	Standard deviation	21.351	12.456
Mean bias	30.24	Maximum value	100	99.75
RMSE	34.59	Minimum value	11	40.26
Agreement index	0.54	Data points	8153	8153



Precipitation:


Station: MFA
Obs.
Mod.
140
120
100
80
60
40
20
0
Accum. precip. in mm
Hourly Jan 1 to Dec 31, 2000

Station: MOD

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.86	Average value	14.61	13.849
Mean Abs. error	2.49	Standard deviation	7.892	7.147
Mean bias	-0.76	Maximum value	37.28	34.88
RMSE	3.09	Minimum value	-6.28	-1.67
Agreement index	0.96	Data points	8732	8732





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.69	Average value	77.684	84.137
Mean Abs. error	9.92	Standard deviation	20.89	13.913
Mean bias	6.45	Maximum value	100	100
RMSE	13.74	Minimum value	20	42.14
Agreement index	0.85	Data points	8685	8685



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.27	Average value	0.253	0.114
Mean Abs. error	1.62	Standard deviation	1.043	2.397
Mean bias	-0.14	Maximum value	4.96	8.28
RMSE	2.06	Minimum value	-5.26	-8.04
Agreement index	0.6	Data points	8772	8772


Surface wind u-component
Station MOD
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled u-comp (m/s)
Observed u-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: MOD
Obs.
Mod.
Wind u-component in m/s
10
8
6
4
2
0
-2
-4
-6
-8
-10
Hourly Jan 1 to Dec 31, 2000

Wind v-component:



Performance stats.			Obs.	Mod.
R-squared value	0.39	Average value	-0.852	-0.109
Mean Abs. error	1.77	Standard deviation	1.902	2.61
Mean bias	0.74	Maximum value	7.77	8.94
RMSE	2.19	Minimum value	-8.71	-9.32
Agreement index	0.75	Data points	8772	8772



Precipitation:



Station: SLO

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.62	Average value	14.404	14.878
Mean Abs. error	2.67	Standard deviation	4.977	5.186
Mean bias	0.47	Maximum value	33.17	32.93
RMSE	3.34	Minimum value	1.83	3.02
Agreement index	0.88	Data points	8280	8280





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.33	Average value	67.292	80.045
Mean Abs. error	15.23	Standard deviation	18.847	13.459
Mean bias	12.75	Maximum value	94	99.73
RMSE	20.24	Minimum value	12	31.69
Agreement index	0.67	Data points	8280	8280



Station: SRT

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.94	Average value	12.347	10.903
Mean Abs. error	2.38	Standard deviation	8.185	6.466
Mean bias	-1.44	Maximum value	34.44	28.96
RMSE	2.86	Minimum value	-5	-3.21
Agreement index	0.96	Data points	8704	8704





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.51	Average value	57.749	77.167
Mean Abs. error	24.28	Standard deviation	29.519	12.947
Mean bias	19.42	Maximum value	100	100
RMSE	29.47	Minimum value	2	44.81
Agreement index	0.66	Data points	8705	8705


Surface relative humidity
Station SRT
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled RH (%)
Observed RH (%)
0
20
40
60
80
100

Station: VSA

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.9	Average value	17.108	14.235
Mean Abs. error	3.18	Standard deviation	8.224	7.487
Mean bias	-2.87	Maximum value	39.5	33.54
RMSE	3.85	Minimum value	-2.6	-0.88
Agreement index	0.94	Data points	8620	8620





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.53	Average value	63.588	88.073
Mean Abs. error	25.16	Standard deviation	22.735	11.639
Mean bias	24.48	Maximum value	100	100
RMSE	29.46	Minimum value	11	44.71
Agreement index	0.59	Data points	8620	8620



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.37	Average value	0.475	0.537
Mean Abs. error	0.94	Standard deviation	1.487	1.315
Mean bias	0.06	Maximum value	6.45	6.98
RMSE	1.25	Minimum value	-8.03	-6.06
Agreement index	0.78	Data points	8610	8610


Surface wind u-component
Station VSA
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled u-comp (m/s)
Observed u-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: VSA
Obs.
Mod.
Wind u-component in m/s
8
6
4
2
0
-2
-4
-6
-8
-10
Hourly Jan 1 to Dec 31, 2000

Wind v-component:



Performance stats.			Obs.	Mod.
R-squared value	0.25	Average value	-0.143	-0.021
Mean Abs. error	1.1	Standard deviation	1.544	1.26
Mean bias	0.12	Maximum value	9.25	10.41
RMSE	1.43	Minimum value	-8.5	-6.94
Agreement index	0.69	Data points	8610	8610


Surface wind v-component
Station VSA
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled v-comp (m/s)
Observed v-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: VSA
Obs.
Mod.
300
250
200
150
100
50
0
Accum. precip. in mm
Hourly Jan 1 to Dec 31, 2000

Station: YOS

Temperature:

Performance stats.			Obs.	Mod.
R-squared value	0.94	Average value	11.047	8.326
Mean Abs. error	2.91	Standard deviation	7.609	6.569
Mean bias	-2.72	Maximum value	30.4	25.45
RMSE	3.39	Minimum value	-5.9	-7.4
Agreement index	0.94	Data points	8417	8417





Relative humidity:



Performance stats.			Obs.	Mod.
R-squared value	0.49	Average value	51.563	79.679
Mean Abs. error	28.93	Standard deviation	24.305	11.864
Mean bias	28.12	Maximum value	100	100
RMSE	33.42	Minimum value	7	46.35
Agreement index	0.59	Data points	8675	8675



Wind u-component:

Performance stats.			Obs.	Mod.
R-squared value	0.6	Average value	-0.516	-1.245
Mean Abs. error	1.8	Standard deviation	3.307	2.261
Mean bias	-0.73	Maximum value	15.21	9.64
RMSE	2.23	Minimum value	-16.07	-11.53
Agreement index	0.83	Data points	8038	8038


Surface wind u-component
Station YOS
(2000-01-01 00:00 PST to 2000-12-31 23:00 PST)
Modeled u-comp (m/s)
Observed u-comp (m/s)
10
5
0
-5
-10
-10
-5
0
5
10


Station: YOS
Obs.
Mod.
Wind u-component in m/s
20
15
10
5
0
-5
-10
-15
-20
Hourly Jan 1 to Dec 31, 2000

Wind v-component:



Performance stats.			Obs.	Mod.
R-squared value	0.17	Average value	0.707	-0.038
Mean Abs. error	1.87	Standard deviation	2.214	2.006
Mean bias	-0.75	Maximum value	7.58	10.96
RMSE	2.41	Minimum value	-6.76	-6.68
Agreement index	0.61	Data points	8038	8038



Precipitation:



APPENDIX B:

Meteorological Model Performance Evaluation

The most common procedure for evaluating meteorological model performance is compare simulated parameter values with those measured, paired in time and space. Most often, this evaluation takes the form of comparisons between simulated and measured averages and/or variances. However, the physical meaning of these statistical measures can be limited when applied to parameters that have large natural variance, especially for large sample sizes. For example, the utility of an average air temperature for the San Joaquin Valley is limited by the fact that at any given time, measured air temperatures can vary by up to 10 C, or even more if elevated terrain is considered. The value of statistical measures becomes more obscure for long-term comparisons such as those needed for seasonal or annual air quality evaluations.

In this section, a more stochastic approach to meteorological model performance has been applied. It was based on the assumption that it is not reasonable to expect a meteorological model to replicate exactly what was measured on every single day of a long-term solution. It is more reasonable to expect that over a limited time period important parameter values will be represented by a suitable frequency of occurrence. The approach used was to graphically compare simulated and measured frequency of occurrence for air temperatures and the diurnal patterns of average wind speeds by month.

A second question of importance in the consideration of meteorological model performance concerns the number and locations of monitoring sites to be used in the analysis. The approach most often used is to incorporate measurements from all available monitoring sites. In evaluating the response to the physical environment at any one time, such an approach may be useful. However, for a long-term evaluation all monitoring sites do not have equal weight in the determination of the occurrence of pollution concentrations. Therefore, this analysis focused on 5 monitoring sites in the vicinity of Fresno and 6 in the vicinity of Bakersfield which were considered reflective of ozone and PM concentrations (Table B1 – see also Figure B1).

Two sets of analysis were done. The first compared simulated and measured wind speeds and air temperatures, and the second compared simulated and measured absolute and relative humidity. The analyses were done for various combinations of monitoring sites, individually and in groups. Analyses done for individual sites showed differences. However, differences were smoothed out for analyses based on 4 or more sites. The results from analyses done for the sites in the vicinity of Fresno were very similar to the results from the combined sites in the vicinity of Bakersfield. Therefore, only one set of analysis, for every other month to represent the year, were included herein.

The hourly wind speeds, averaged by month, were shown in Figures B.1 through B1.7 (parts 'a' and 'b'). The objective in these analyses was to illustrate the diurnal pattern of air movement. During the winter months when high aerosol concentrations are more likely to occur, the averaged simulated and measured wind speeds were low. During the springtime (e.g., March) diurnal wind speed patterns are more distinct, and the afternoon simulated wind speeds were somewhat higher that those measured. However, throughout most of the months, there appears to be general agreement between the diurnal patterns of simulated wind speeds and of measured wind speeds.

Any direct comparison of simulated and measured air temperatures is bound to show reasonable statistical agreement because of the inevitable diurnal pattern. In frequency of occurrence analyses shown in Figures B1.1 through B1.7 (parts c and d), the range in measured air temperatures appeared to be somewhat larger than those simulated. That is, higher temperatures and cooler temperatures were measured more frequently than simulated. Chemical reaction rates are influenced by air temperatures. But, it is likely that the cooler extreme temperatures had little direct influence on aerosol concentrations. The differences in occurrence of higher simulated and measured temperatures during the summer months (e.g., B1.4), likely had a more pronounced influence on ozone production. In the central San Joaquin Valley, there is a strong correlation between ozone concentration and air temperatures.

The frequency of occurrence between relative and absolute humidity were shown in Figures B2.1 through B2.7. In the SAPRC99 chemical mechanism, ozone concentrations are dependent on absolute humidity; with the greatest sensitivity at low humidity. Aerosol concentrations are depended on relative humidity, where the presence of liquid water has an especially large influence on the rate of sulfate formation.

Throughout the year, simulated relative humidity was somewhat greater that measured relative humidity. During the winter months (e.g., Figure B2.1) these differences were not reflected in the absolute humidity and may be attributed to differences in air temperatures (e.g., Figure B1.1). During the summer months, these differences were also evident. However, the occurrence of extremely low absolute humidity likely to influence ozone formation was rare in either the measured humidity or the simulated results.

Table B.1 Meteorological monitoring sites used in the evaluation of model performance in the SJV modeling domain during the period December, 1999 through January, 2001. See Figure B.1.

Sites in the Vicinity of Fresno

2114	Parlier
2844	Fresno 0 Sierra Skypark
3009	Fresno – 1st St.
3026	Clovis – B. Villa Ave.
3522	Hurley
3535	Trimmer

Sites in the Vicinity of Bakersfield

2981	Shafter – Walker St.
2772	Oildale - Manor
3145	Bakersfield – Golden State
2312	Edison
2941	Arvin – Bear Mtn. Blvd.



Figure B.1: Monitoring sites representing the vicinity of Fresno and the vicinity of Bakersfield used in the comparisons with simulated meteorological parameters.



Figure B.2.1 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during January, 2000.



Figure B.2.2 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during March, 2000.



Figure B.2.3 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during May, 2000.



Figure B.2.4 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during July, 2000.



Figure B.2.5 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during September, 2000.



Figure B.2.6 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during November, 2000.



Figure B.2.7 Hourly averaged wind speed (a) measured and (b) simulated, and the frequency of occurrence of air temperatures (c) measured and (d) simulated for sites in the vicinity of Fresno during January, 2001.



Figure B.3.1. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during January, 2000.



Figure B.3.2. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during March, 2000.



Figure B.3.3. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during May, 2000.



Figure B.3.4. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during July, 2000.



Figure B.3.5. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during September, 2000.



Figure B.3.6. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during November, 2000.



Figure B.3.7. Frequency of occurrence for (a) measured and (b) simulated relative humidity, and for (c) measured and (d) simulated water mixing ratio for sites in the vicinity of Fresno during January, 2001.

APPENDIX C:

Spatial comparisons of model results:

Station: ARV



Figure 1-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for December 1-6, 1999 period.



Figure 1-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for December 11-16, 1999 period.



Figure 1-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for January 1-6, 2000 period.



Figure 1-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for January 11-16, 2000 period.



Figure 1-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for February 1-6, 2000 period.



Figure 1-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for February 11-16, 2000 period.


(a) Wind Speed
Mar 1
Mar 2
Mar 3
Mar 4
Mar 5
Mar 6
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for March 1-6, 2000 period.



Figure 1-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for March 11-16, 2000 period.



Figure 1-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for April 1-6, 2000 period.



Figure 1-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for April 11-16, 2000 period.



Figure 1-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for May 1-6, 2000 period.


(a) Wind Speed
May 11
May 12
May 13
May 14
May 15
May 16
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for May 11-16, 2000 period.



Figure 1-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for June 1-6, 2000 period.



Figure 1-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for June 11-16, 2000 period.



Figure 1-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for July 1-6, 2000 period.



Figure 1-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for

July 11-16, 2000 period.


(a) Wind Speed
Aug 1
Aug 2
Aug 3
Aug 4
Aug 5
Aug 6
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for August 1-6, 2000 period.



Figure 1-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for August 11-16, 2000 period.



Figure 1-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for September 1-6, 2000 period.


(a) Wind Speed
Sep 11
Sep 12
Sep 13
Sep 14
Sep 15
Sep 16
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for September 11-16, 2000 period.



Figure 1-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for October 1-6, 2000 period.



Figure 1-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for October 11-16, 2000 period.



Figure 1-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for November 1-6, 2000 period.


(a) Wind Speed
Nov 11
Nov 12
Nov 13
Nov 14
Nov 15
Nov 16
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for November 11-16, 2000 period.



Figure 1-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for December 1-6, 2000 period.



Figure 1-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for December 11-16, 2000 period.



Figure 1-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for January 1-6, 2001 period.


(a) Wind Speed
Jan 11
Jan 12
Jan 13
Jan 14
Jan 15
Jan 16
ARVE2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 1-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Arvin Station for January 11-16, 2001 period.

Station: BMF



Figure 2-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for December 1-6, 1999 period.



Figure 2-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for December 11-16, 1999 period.



Figure 2-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for January 1-6, 2000 period.



Figure 2-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for January 11-16, 2000 period.



Figure 2-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for February 1-6, 2000 period.



Figure 2-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for February 11-16, 2000 period.



Figure 2-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for March 1-6, 2000 period.



Figure 2-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for March 11-16, 2000 period.



Figure 2-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for April 1-6, 2000 period.



Figure 2-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for April 11-16, 2000 period.



Figure 2-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for May 1-6, 2000 period.



Figure 2-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for May 11-16, 2000 period.



Figure 2-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for June 1-6, 2000 period.



Figure 2-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for June 11-16, 2000 period.



Figure 2-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for July 1-6, 2000 period.



Figure 2-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for July 11-16, 2000 period.



Figure 2-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for August 1-6, 2000 period.



Figure 2-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for August 11-16, 2000 period.



Figure 2-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for September 1-6, 2000 period.



Figure 2-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for September 11-16, 2000 period.



Figure 2-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for October 1-6, 2000 period.



Figure 2-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for October 11-16, 2000 period.



Figure 2-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for November 1-6, 2000 period.



Figure 2-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for November 11-16, 2000 period.



Figure 2-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for December 1-6, 2000 period.



Figure 2-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for December 11-16, 2000 period.



Figure 2-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for January 1-6, 2001 period.



Figure 2-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Bakersfield Station for January 11-16, 2001 period.

Station: FAT



Figure 3-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for December 1-6, 1999 period.



Figure 3-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for December 11-16, 1999 period.



Figure 3-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for January 1-6, 2000 period.



Figure 3-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for January 11-16, 2000 period.



Figure 3-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for February 1-6, 2000 period.



Figure 3-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for February 11-16, 2000 period.



Figure 3-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for March 1-6, 2000 period.



Figure 3-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for March 11-16, 2000 period.



Figure 3-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for April 1-6, 2000 period.



Figure 3-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for April 11-16, 2000 period.



Figure 3-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for May 1-6, 2000 period.



Figure 3-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for May 11-16, 2000 period.



Figure 3-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for June 1-6, 2000 period.



Figure 3-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for June 11-16, 2000 period.



Figure 3-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for July 1-6, 2000 period.



Figure 3-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for July 11-16, 2000 period.



Figure 3-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for August 1-6, 2000 period.



Figure 3-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for August 11-16, 2000 period.



Figure 3-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for September 1-6, 2000 period.



Figure 3-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for September 11-16, 2000 period.



Figure 3-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for October 1-6, 2000 period.



Figure 3-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for October 11-16, 2000 period.



Figure 3-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for November 1-6, 2000 period.



Figure 3-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for November 11-16, 2000 period.



Figure 3-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for December 1-6, 2000 period.



Figure 3-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for December 11-16, 2000 period.



Figure 3-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for January 1-6, 2001 period.



Figure 3-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Fresno Station for January 11-16, 2001 period.

Station: MCD


(a) Wind Speed
Dec 1
Dec 2
Dec 3
Dec 4
Dec 5
Dec 6
MERC2M
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 4-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for December 1-6, 1999 period.



Figure 4-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for December 11-16, 1999 period.



Figure 4-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for January 1-6, 2000 period.



Figure 4-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for January 11-16, 2000 period.



Figure 4-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for February 1-6, 2000 period.



Figure 4-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for February 11-16, 2000 period.



Figure 4-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for March 1-6, 2000 period.



Figure 4-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for March 11-16, 2000 period.



Figure 4-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for April 1-6, 2000 period.



Figure 4-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for April 11-16, 2000 period.



Figure 4-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for May 1-6, 2000 period.



Figure 4-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for May 11-16, 2000 period.



Figure 4-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for June 1-6, 2000 period.



Figure 4-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for June 11-16, 2000 period.



Figure 4-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for July 1-6, 2000 period.



Figure 4-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for July 11-16, 2000 period.



Figure 4-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for August 1-6, 2000 period.



Figure 4-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for August 11-16, 2000 period.



Figure 4-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for September 1-6, 2000 period.



Figure 4-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for September 11-16, 2000 period.



Figure 4-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for October 1-6, 2000 period.



Figure 4-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for October 11-16, 2000 period.



Figure 4-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for November 1-6, 2000 period.



Figure 4-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for November 11-16, 2000 period.



Figure 4-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for December 1-6, 2000 period.



Figure 4-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for December 11-16, 2000 period.



Figure 4-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for January 1-6, 2001 period.



Figure 4-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Merced Station for January 11-16, 2001 period.

Station: MOD


(a) Wind Speed
Dec 1
Dec 2
Dec 3
Dec 4
Dec 5
Dec 6
MOD
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 5-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for December 1-6, 1999 period.



Figure 5-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for December 11-16, 1999 period.



Figure 5-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for January 1-6, 2000 period.



Figure 5-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for January 11-16, 2000 period.



Figure 5-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for February 1-6, 2000 period.



Figure 5-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for February 11-16, 2000 period.



Figure 5-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for March 1-6, 2000 period.



Figure 5-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for March 11-16, 2000 period.



Figure 5-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for April 1-6, 2000 period.



Figure 5-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for April 11-16, 2000 period.



Figure 5-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for May 1-6, 2000 period.



Figure 5-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for May 11-16, 2000 period.



Figure 5-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for June 1-6, 2000 period.



Figure 5-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for June 11-16, 2000 period.



Figure 5-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for July 1-6, 2000 period.



Figure 5-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for July 11-16, 2000 period.



Figure 5-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for August 1-6, 2000 period.



Figure 5-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for August 11-16, 2000 period.



Figure 5-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for September 1-6, 2000 period.



Figure 5-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for September 11-16, 2000 period.



Figure 5-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for October 1-6, 2000 period.



Figure 5-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for October 11-16, 2000 period.



Figure 5-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for November 1-6, 2000 period.



Figure 5-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for November 11-16, 2000 period.



Figure 5-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for December 1-6, 2000 period.



Figure 5-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for December 11-16, 2000 period.



Figure 5-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for January 1-6, 2001 period.



Figure 5-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Modesto Station for January 11-16, 2001 period.

Station: PLR


(a) Wind Speed
Dec 1
Dec 2
Dec 3
Dec 4
Dec 5
Dec 6
PRL2MH
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 6-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for December 1-6, 1999 period.



Figure 6-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for December 11-16, 1999 period.



Figure 6-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for January 1-6, 2000 period.



Figure 6-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for January 11-16, 2000 period.



Figure 6-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for February 1-6, 2000 period.



Figure 6-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for February 11-16, 2000 period.



Figure 6-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for March 1-6, 2000 period.



Figure 6-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for March 11-16, 2000 period.



Figure 6-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for April 1-6, 2000 period.



Figure 6-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for April 11-16, 2000 period.



Figure 6-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for May 1-6, 2000 period.



Figure 6-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for May 11-16, 2000 period.



Figure 6-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for June 1-6, 2000 period.



Figure 6-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for June 11-16, 2000 period.



Figure 6-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for July 1-6, 2000 period.



Figure 6-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for July 11-16, 2000 period.



Figure 6-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for August 1-6, 2000 period.



Figure 6-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for August 11-16, 2000 period.



Figure 6-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for September 1-6, 2000 period.



Figure 6-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for September 11-16, 2000 period.



Figure 6-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for October 1-6, 2000 period.



Figure 6-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for October 11-16, 2000 period.



Figure 6-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for November 1-6, 2000 period.



Figure 6-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for November 11-16, 2000 period.



Figure 6-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for December 1-6, 2000 period.



Figure 6-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for December 11-16, 2000 period.



Figure 6-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for January 1-6, 2001 period.



Figure 6-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Parlier Station for January 11-16, 2001 period.

Station: VSA


(a) Wind Speed
Dec 1
Dec 2
Dec 3
Dec 4
Dec 5
Dec 6
VLA2MH
Wind speed (m/s)
Observation
Model 1
(b) Wind Direction
Wind Direction (deg)
(c) Temperature
Temperature (C)
hour

Figure 7-1, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for December 1-6, 1999 period.



Figure 7-2, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for December 11-16, 1999 period.



Figure 7-3, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for January 1-6, 2000 period.



Figure 7-4, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for January 11-16, 2000 period.



Figure 7-5, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for February 1-6, 2000 period.



Figure 7-6, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for February 11-16, 2000 period.



Figure 7-7, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for March 1-6, 2000 period.



Figure 7-8, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for March 11-16, 2000 period.



Figure 7-9, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for April 1-6, 2000 period.



Figure 7-10, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for April 11-16, 2000 period.



Figure 7-11, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for May 1-6, 2000 period.



Figure 7-12, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for May 11-16, 2000 period.



Figure 7-13, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for June 1-6, 2000 period.



Figure 7-14, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for June 11-16, 2000 period.



Figure 7-15, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for July 1-6, 2000 period.



Figure 7-16, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for July 11-16, 2000 period.



Figure 7-17, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for August 1-6, 2000 period.



Figure 7-18, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for August 11-16, 2000 period.



Figure 7-19, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for September 1-6, 2000 period.



Figure 7-20, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for September 11-16, 2000 period.



Figure 7-21, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for October 1-6, 2000 period.



Figure 7-22, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for October 11-16, 2000 period.



Figure 7-23, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for November 1-6, 2000 period.



Figure 7-24, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for November 11-16, 2000 period.



Figure 7-25, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for December 1-6, 2000 period.



Figure 7-26, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for December 11-16, 2000 period.



Figure 7-27, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for January 1-6, 2001 period.



Figure 7-28, a-c: Temporal comparison of near surface values of a) wind speed, b) wind direction and c) temperature against observations at Visalia Station for January 11-16, 2001 period.

APPENDIX D:

Analysis methods that can be used to evaluate for the performance of a numerical model and studying observational data:

1) Plot the temporal variations of modeled and observed values of a variable at a single station for the entire duration of the simulation as well as seasonal, monthly and daily time periods. Plotting the differences between modeled and observed values on the same plot would also be useful.

2) Plotting the horizontal distribution of a variable for all stations or grid points at each hour available for the observations or model simulations. The domain can be taken as the whole domain or sub-domains. The horizontal cross section can be done at any vertical level, but observations are typically available mostly at or near the surface. As a result, a typical comparison is done at the near surface.

3) Plot the vertical distribution of a variable at a point where upper air data is available. This plot would create a comparison of data in the vertical in a fashion similar to rawinsondes. By extending this plot to span over multiple hours, we can create temporal variation of the upper air data at over a single data point at the surface as if it is a cross section of radar wind profiler data.

4) Plot the hourly modeled and observed values of a variable over an x-y diagram, where x is 24-h time period and y is the magnitude of the variable, for the entire simulation period as well as the seasonal, monthly and daily time period to see the frequency distribution of the variable. Create a best fit plot for the modeled and observed values if the plot does not get too congested.

5) Create the histogram of a variable for the entire duration as well as seasonal, monthly and daily time periods. Look at the distribution and compare it with observations.

6) Calculate mean, standard deviation, minimum and maximum of a variable from observations and model output, and compare them with each other directly or using ratio analysis such as ratio of means.

7) Calculate various statistical quantities such as mean bias, mean absolute error, root mean square error, and correlation coefficient of a variable using observations and model outputs.

8) Use spectral analyses to deduce the horizontal and vertical length scale of an atmospheric phenomenon as well as the life span or time-scale of the dominant motion or motion of interest.

9) Study the boundaries of special atmospheric motions at which there are sharp contrasts between the meteorological characteristics of model results and observations such as sea breeze, fronts, and convective motions.

10) Look for the features of atmospheric motions such as timing, duration, and frequency of low wind, high temperature, high pressure, and high humidity over the entire domain as well as within sub-domains, and compare the modeled and observed values.

11) Study special circulation patterns such as up and down-valley motions, drainage winds, and other local features such as Fresno and Bakersfield eddies.