Appendix D2

Clovis 2 Field Data Sheets

(This page intentionally blank.)

ΔH 2
Δ 0

FIELD DATA RECORD

	T C21	PI UBE	0 84
	CLOVIS 2	PROBE DI	3/8"
	10/19/04	PR BE ENGTH	4'
PERA OR	Clarke/TEDD		
METE BO NO.	4204		
OCAL M	0945		
AR /STOP	0945/1418		
DIAMETER	2		
	1.001		
	1.728		

SAMPLE TRAIN LEAK TEST
BEFORE 15.0 in. Hg OK
AFTER 10.0 in. Hg OK
JBE LEAK TEST
ORE 5.8"-OK AFTER 6.0"-OK

PLANT MI	04-014
MBIEN TEMP	CLOVIS
MI TE M	60
R. Hg	29.42
PR URE O	-0.22
SSUMI MOI UR %	~1%
ASSUM %	20.9
SSUM O: %	<1
M MW WET, %	
AS MW %	

POINT	CLOCK TIME	DRY GAS METER cu. ft.	VELOCITY dP in. H2O ~~3.14~~ 3.23	ORIFICE dH in. H2O DESIRED	ORIFICE dH in. H2O ACTUAL 69.4	TEMPERATURES (F) 1 STACK 1704	2 PROBE	3 ~~FILTER~~ AMB	4 IMPNGR	PUMP VAC in. Hg
START	0	112.53	—	—	—	—	—	—	—	
1	10 (5x2)	120.60	0.10 x2	2.10 x2	2.10 x2	65 x2	63	64	47	4.5
2	15	124.71	0.10	2.10	2.10	67	64	66	47	4.5
3	20	128.90	0.11	~~2.3~~ 2.2	2.2	68	64	67	47	5.0
4	25	133.10	0.11	2.2	2.2	68	64	67	47	5.0
5	30	137.61	0.12	2.3	2.3	69	70	67	47	5.0
6	35	142.45	0.13	2.7	2.7	69	65	69	47	6.0
7	40	147.05	0.14	2.9	2.9	69	65	68	47	7.0
8	45	151.90	0.15	3.1	3.1	69	65	69	47	7.0
9	50	157.10	0.15	3.1	3.1	69	66	68	46	7.0
10	55	162.10	0.17	3.5	3.5	69	66	68	47	8.0
11	60	167.60	0.17	3.5	3.5	69	66	68	47	8.0
12	65:24	173.21	0.17	3.5	3.5	69	66	69	47	8.0
1	70	177.60	0.12	2.5	2.5	68	66	69	48	5.5
2	75:01	181.84	0.12	2.5	2.5	67	66	68	47	5.5
3	80	186.40	0.13	2.7	2.7	68	65	64	48	6.0
4	85	191.60	0.14	3.0	3.0	66	65	65	47	7.0
5	90	196.40	0.13	2.7	2.7	69	65	65	47	6.5
6	95	201.20	0.14	3.0	3.0	67	66	66	48	7.0
7	100	206.00	0.13	2.7	2.7	69	66	66	49	6.0
8	105	210.50	0.14	3.0	3.0	69	66	66	49	7.0
9	110	215.90	0.14	3.0	3.0	69	66	62	49	7.0
10	115	220.50	0.14	3.0	3.0	69	66	67	49	7.0
11	120	225.50	0.14	3.0	3.0	68	66	66	49	7.0
12	125:00	230.43	0.14	3.0	3.0	68	66	65	49	7.0
	Theta: 125	Vm: 117.90	AVG √dP: ~~0.138~~ 0.365		AVG dH: ~~6.34~~ 2.78	Ts: ~~171~~ 68.2				

NOTE: SWITCHED TO 5 min PER POINT

TEMP. STAPPED NORTH @ 11:11am, END of POINT 2. RESTART @ 1320 hrs

.5

P. rk

FIELD DATA RECORD

PAGE 1 of 1

RUN NO. C22
LOCATION Clovis 2
DATE 10/20/04
OPERATOR Clarke
METER BOX NO. 4204
LOCAL TIME 9:14 am
START/STOP 9:14 /

STACK DIAMETER 12"
Ym: 1.001
H@: 1.728

PITOT TUBE FACTOR 0.84
NOZZLE DIAMETER 3/8" in.
PROBE LENGTH 4' ft.

SAMPLE TRAIN LEAK TEST
BEFORE 15.0 in. ~~H2O~~ Hg - OK
AFTER 12.0 in. ~~H2O~~ Hg - OK
PITOT TUBE LEAK TEST
BEFORE 5.4" H_2O - OK AFTER 5.5" H_2O OK

PROJECT NO. 04-614
PLANT NAME Clovis
AMBIENT TEMP (F)
METER TEMP (F) 60
BAR. PRESS ("Hg) 24.32
STATIC PRESSURE ("H2O) -0.22
ASSUMED MOISTURE (%) ~1
ASSUMED O2 (%) 20.9
ASSUMED CO2 (%) <1
ASSUMED MW (WET, %)
ASSUMED MW (DRY, %)

POINT	CLOCK TIME	DRY GAS METER (cu. ft.)	VELOCITY dP (in. H2O)	ORIFICE dH (in. H2O) DESIRED	ORIFICE dH (in. H2O) ACTUAL	TEMPERATURES (F) 1 STACK	2 PROBE	3 FILTER	RESIN	4 IMPGR	PUMP VAC (in. Hg)
START	0	230.65	~~0.08~~	~~1.7~~	~~1.7~~	~~64~~	~~63~~	~~64~~		~~51~~	~~5~~
1	5	236.6	~~0.12~~ 0.08	~~2.5~~ 1.7	~~2.5~~ 1.7	~~64~~ 64	63	64		51	~~5~~ 5.0
2	10	239.9	0.12	2.5	2.5	65	63	64		50	6.5
3	15	242.5	0.11	2.3	2.3	65	64	66		49	6.5
4	20	246.9	0.11	2.3	2.3	68	65	66		49	6.5
5	25	251.4	0.11	2.3	2.3	68	65	66		49	6.5
6	30	255.8	0.11	2.3	2.3	68	65	66		51	6.5
7	35	259.9	0.13	2.7	2.7	69	65	66		51	7.5
8	40	265.0	0.14	2.9	2.9	70	65	67		51	8.5
9	45	270.0	0.15	3.1	3.1	69	66	67		50	9.0
10	50	275.-	0.16	3.4	3.4	69	66	68		50	9.5
11	55	280.5	0.17	3.6	3.6	69	66	67		50	10.0
12	60	285.91	0.17	3.6	3.6	69	66	68		50	10.0
1	65	290.-	0.10	2.1	2.1	66	66	69		52	6.5
2	70	294.4	0.12	2.5	2.5	66	66	67		50	7.0
3	75	298.8	0.12	2.5	2.5	65	66	67		50	7.0
4	80	303.5	0.13	2.7	2.7	60 66	66	68		50	7.5
5	85	308.2	0.13	2.7	2.7	68	66	68		50	7.5
6	90	312.8	0.13	2.7	2.7	68	66	68		50	7.5
7	95	317.5	0.13	2.7	2.7	67	66	68		50	7.5
8	100	322.1	0.13	2.7	2.7	67	66	68		51	7.5
9	105	326.9	0.14	2.9	2.9	67	66	69		51	8.0
10	110	331.8	0.14	2.9	2.9	68	66	67		51	8.0
11	115	336.5	0.14	2.9	2.9	67	66	67		51	8.0
12	120:	341.37	0.14	2.9	2.9	67	66	67		51	8.0
	Theta:	Vm: 110.72	avg dP:		avg dH: 2.70	avg Ts					

E

N

$\frac{\Delta H}{\Delta P}$ $\frac{<.1}{0}$

1

FIELD DATA RECORD

C23
CLOVIS 2
10/21/04
Clark/1000
4204
0907 hr
0905

12
1.001
1.728

0.84
3/8" in.
4' ft.

04-014
CLOVIS SPECIALTY

60
29.54
20) ~~[illegible]~~ -0.24
%) <~1%
20.9%

N LEAK TEST
15 in. ~~H2O~~ Hg -OK
12" in. ~~H2O~~ Hg -OK
IBE LEAK TEST
5" H2O -OK AFTER 5.5" -OK

POINT	CLOCK TIME	DRY GAS METER (cu. ft.)	VELOCITY dP (in. H2O)	ORIFICE dH (in. H2O) DESIRED	ORIFICE dH (in. H2O) ACTUAL	TEMPERATURES (F) STACK 1	PROBE 2	~~FILTER~~ 3 Amb	RESIN	IMPGR 4	PUMP VAC (in. Hg)
START	0	341.58	2.99	—	62.5	—	—	—	—	—	
1	5	345.4	0.09	1.9	1.9	62	57	58		46	5.5
2	10	349.5	0.09	1.9	1.9	60	58	58		45	5.5
3	15	353.4	0.10	2.1	2.1	62	58	58		45	6.0
4	20	357.5	0.10	2.1	2.1	62	58	58		45	6.0
5	25	361.9	0.11	2.3	2.3	63	59	59		45	7.0
6	30	366.3	0.11	2.3	2.3	63	60	58		45	7.0
7	35	371.0	0.12	2.5	2.5	63	60	59		45	7.5
8	40	375.6	0.14	2.9	2.9	62	60	59		45	9.0
9	45	381-	0.14	2.9	2.9	~~62~~ 62	60	59		45	9.0
10	50	385.8	0.16 .16	3.4	3.4	63	60	60		46	10.0
11	55	391.0	0.16	3.4	3.4	62	60	59		45	10.0
12	60	396.3	0.16	3.4	3.4	62	60	59		45	10.0
1	65	400.6	0.11	2.3	2.3	61	60	60		46	6.5
2	70	405.1	0.13	2.7	2.7	63	60	59		45	8.0
3	75	409.7	0.12	2.5	2.5	63	60	60		45	7.5
4	80	414.2	0.12	2.5	2.5	63	61	60		45	7.5
5	85	418.8	0.12	2.5	2.5	63	61	60		45	7.5
6	90	423.3	0.12	2.5	2.5	62	60	60		45	7.5
7	95	428.2	0.12	2.5	2.5	64	60	62		45	7.5
8	100	432.4	0.12	2.5	2.5	64	60	61		45	7.5
9	105	437.21	~~0.14~~ 0.13	2.7	2.7	64	60	62		45	8.0
10	110	442.0	~~0.13~~ 0.14	2.9	2.9	65	60	62		45	8.5
11	115	446.9	0.14	2.9	2.9	64	61	63		46	8.5
12	120	451.76	0.14	2.9	2.9	64	61	63		46	8.5
	Theta: 120	Vm: 110.18	avg dP: 0.353		avg dH: 2.6	avg Ts 62.7					

92.

FIELD DATA RECORD

C2WB2
1745
9/29/08
Field
4204
1000
030/1430

2
.001
1.728

0.84
3/8 in.
4 ft.

'LA
.MI
A
MI
A.
MI

1
04-014
Clovis 2 baseline (Pre-t
) 71
60
lg) 29.91
RE ("H2O) -0.22
STURE (%) <1
%) 20.9
%) <1
MW 'W' %
MW %

.MI RAIN LEAK TEST
16 ok in. ~~H2O~~ Hg
10 ok in. ~~H2O~~ Hg
JBE LEAK TEST
ORE 4" H2O OK AFTER

POINT	CLOCK TIME	DRY GAS METER (cu. ft.)	VELOCITY dP (in. H2O)	ORIFICE dH (in. H2O) DESIRED	ORIFICE dH (in. H2O) ACTUAL	TEMPERATURES (F) STACK	PROBE	~~FILTER~~ Amb	RESIN	IMPGR	PUMP VAC (in. Hg)
START	0	905.76	—	—	—	—	—	—	—	—	—
W-1	10	913.7	~~0.9~~ .09	1.9	1.9	69	72	71		51	5
2	20	922	~~1.1~~ 0.11	2.4	2.4	71	70	71		50	6
3	30	931.00	~~1.1~~ 0.11	2.4	2.4	70	73	71		49	6
4	40	940.2	~~1.2~~ 0.12	2.6	2.6	70	72	70		48	7
5	50	949.2	~~1.2~~ 0.12	2.6	2.6 ~~2.4~~	70	72	71		48	7
6	60	957.3	0.10	2.0	2.0	70	71	72		49	5
7	70	965	0.10	2.0	2.0	70	71	71		49	5
8	80	973.79	0.11	2.2	2.2	70	72	71		49	5
9	90	982.52	0.12	2.4	2.4	70	72	71		48	6
10	100	991.42	0.13	2.6	2.6	71	71	71		48	6
11	110	1000.57	0.13	2.6	2.6	70	71	71		48	6
12	120	1009.24	0.12	2.3	2.3	71	71	71		48	6
W-12	130	1017.80	0.12	2.3	2.3	71	71	72		48	6
11	140	1026.75	0.13	2.6	2.6	71	71	73		48	8
10	150	1035.40	0.12	2.3	2.3	71	71	73		48	6
9	160	1043.85	0.11	2.2	2.2	72	72	73		48	6
8	170	1052.30	0.11	2.2	2.2	72	72	73		49	6
7	180	1060.35	0.10	2.0	2.0	72	72	72		49	5
6	190	1068.65	0.11	2.2	2.2	72	73	74		49	5
5	200	1076.95	0.11	2.2	2.2	75	76	76		50	5
4	210	1085.93	0.13	2.6	2.6	73	75	75		51	6
3	220	1095.20	0.14	2.7	2.7	72	74	74		49	7
2	230	1103.8	~~0.10~~ .12	2.3	2.3	73	74	74		49	6
1	240	1112.31	0.12	2.3	2.3	73	73	74		49	6
	Theta: 240	Vm: 207.05	avg dP: 0.340		avg dH: 2.33	avg Ts 71.2					